



DRINKING WATER ANALYSIS REPORTING FORM
RADIONUCLIDES (RADS)
Adjusted Gross Alpha, Radium-226&-228, Uranium
 *** Entry Point to the Distribution System (EPDS) Only ***

***** PUBLIC WATER SYSTEM INFORMATION *****
 >>> TO BE FILLED OUT BY SYSTEM PERSONNEL <<<<

[_____]
PWS ID Number

PWS Name

[_____]
Sample Date

[____] : [____]
Sample Time (24HR CLOCK)

Owner/Contact Person

Owner/Contact Email Address

(_____) _____
Owner/Contact Phone Number

SAMPLE TYPE

- Reduced Monitoring
- Quarterly Monitoring

SAMPLE COLLECTION POINT

- Entry Point to the Distribution System [EPDS _____]

SAMPLE SITE ID [_____]

<input type="checkbox"/> If Composite of Four Quarterly Samples
Date Q1 Collected [_____]
Date Q2 Collected [_____]
Date Q3 Collected [_____]
Date Q4 Collected [_____]

***** RADIONUCLIDE ANALYSIS *****
 >>> TO BE COMPLETED BY LABORATORY PERSONNEL <<<

Analysis Method	MCL	Reporting Limit	Contaminant Name	Cont. Code	Analysis Run Date	Result	Exceeds MCL
_____	15 pCi/L	3 pCi/L	Adjusted Gross Alpha	4000	_____	_____	<input type="checkbox"/>
_____		3 pCi/L	Gross Alpha	4002	_____	_____	
_____			Radon	4004	_____	_____	
_____	30 µg/L	1 µg/L	Combined Uranium *	4006	_____	_____	<input type="checkbox"/>
_____			Uranium-234 *	4007	_____	_____	
_____			Uranium-235 *	4008	_____	_____	
_____			Uranium-238 *	4009	_____	_____	
_____	5 pCi/L	1 pCi/L	Combined Radium (-226,-228)	4010	_____	_____	<input type="checkbox"/>
_____		1 pCi/L	Radium-226	4020	_____	_____	
_____		1 pCi/L	Radium-228	4030	_____	_____	

***** LABORATORY INFORMATION *****
 >>> TO BE COMPLETED BY LABORATORY PERSONNEL <<<

[_____]
Specimen Number

Comment

[AZ _____]
Lab ID Number

Lab Name

Phone Number

Lab Contact, Printed Name

Authorized Signature

[_____]
PWS Notification Date

PWS Person Notified

* Combined Uranium must be reported in micrograms per liter

Submit completed form to:
EMAIL: WQD_Compliance_Data@azdeq.gov **-or- MAIL:** ADEQ Water Quality Compliance Data Unit (MC 5415B-1),
 For questions call: (602) 771-9200 1110 W. Washington St., Phoenix, AZ 85007.