



ENGINEERING REVIEW SECTION
SUPPLEMENTAL FORM FOR APPROVAL TO
CONSTRUCT A SPECIAL USE POOL

SUPPLEMENTAL APPLICATION FOR A SPECIAL USE POOL

Project Name: _____

Owner/Developer: _____

County: _____

- Please fill out and submit this form along with the *Application for Approval to Construct Public or Semipublic Swimming Pool* to obtain authorization to construct a Special Use Pool in accordance with Arizona Administrative Code (A.A.C.) R18-5-248.

Information related to the intended use of the special pool is included in the plans, specifications, description, and relevant material.	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
The special use pool is designed with exercise or training bars.	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
The special use pool designed with exercise or training bars is restricted to the special use when the bars are located in the pool.	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
The bars in the special use pool are constructed of durable and corrosion-resistant material.	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
The bars in the special use pool are sealed, welded shut, or capped at both ends to prevent retention of water within the bars.	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
The bars in the special use pool are removable. (Removable bars shall be wedge anchored in place and the anchors shall be covered. Water-tight anchor plugs (95% efficiency) shall be provided when the bars are removed.)	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
The bars in the special use pool extend more than 4 inches from the side of the pool into the water. (The minimum clear opening from the inside of the bar to the side of the swimming pool shall not be less than 2 inches.)	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
The special use pool is designed with a ramp.	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
The ramp for the special use pool is constructed of slip resistant material.	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
Provide the slope of the ramp for the special use pool. (The slope of the ramp shall not exceed 1 foot in 12 feet.)	
Provide the width (in feet) of the ramp for the special use pool.	
There is a level platform at the top and at the bottom of the ramp for the special use pool.	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
The ramp for the special use pool is equipped with a guardrail. (The ramp shall have at least a 3 ½ foot high guardrail installed on the deck and extending the length of the ramp.)	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
The ramp for the special use pool is constructed with return inlets. (The ramp shall be constructed with return inlets located on the pool and ramp walls along the length of the ramp.)	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>