



ENGINEERING REVIEW SECTION
SUPPLEMENTAL FORM FOR APPROVAL TO
CONSTRUCT A WADING POOL

SUPPLEMENTAL APPLICATION FOR A WADING POOL

Project Name: _____
 Owner/Developer: _____ County: _____

1. Please fill out and submit this form along with the *Application for Approval to Construct Public or Semipublic Swimming Pool* to obtain authorization to construct a Wading Pool in accordance with Arizona Administrative Code (A.A.C.) R18-5-244.

The wading pool is separated from a public swimming pool by a minimum 4 feet high fence or partition with a self-closing, self-latching gate.	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
The wading pool is separated from a semipublic swimming pool by at least 4 feet of deck.	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
The wading pool is located adjacent to the deep area of a public/semipublic swimming pool.	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
Provide the maximum depth of the wading pool is in inches. (Water depths may be reduced from the stated maximums and brought to zero at the most shallow point of the wading pool.)	_____ in.
Provide the slope of the wading pool. (Per the Arizona pool rules, maximum slope is 1 foot of fall in 10 feet.)	
The wading pool has separate equipment, from a public/semipublic swimming pool, for water circulation and disinfection.	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
Provide the turnover cycle for the water in the wading pool in gallons per minute (gpm). (Per the pool rules the maximum turnover cycle is 1 hour.)	_____ gpm
The wading pool design has at least two main drains in the deepest point.	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
The main drains for the wading pool are covered by grates which cannot be removed by users.	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
Surface skimmers are provided for the wading pool.	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
Provide the flow rate of the surface skimmer.	
Return inlets are provided.	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
More than three return inlets are provided in the design of the wading pool and they are on a closed-loop piping system.	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
The design of the suction outlets for the wading pool has plumbing provisions to reduce the possibility of entrapping suction?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
Gaseous chlorine used for the disinfection of the wading pool. (Per the pool rules, the use of gaseous chlorine is prohibited)	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
The design of the wading pool includes a drinking fountain at a height convenient to small children.	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>