

David A. Burchard
Arizona Department of Environmental Quality, PHX
1110 W. Washington Street
Phoenix, AZ 85007

Project: School Lead Testing Screening
Project Number: Mesa Verde Elementary School

Reported:
05/04/17 17:07

Analyte

1001-1 (7042617-01) Drinking Water (Grab) Sampled: 04/26/17 06:55 Received: 04/27/17 13:15

Analyte	Result	PQL	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Legend Technical Services of Arizona, Inc.									

Total Metals

Lead	<5.0	5.0	ug/L	1	B7D1829	04/28/17 13:28	04/29/17 00:24	EPA 200.8
------	------	-----	------	---	---------	----------------	----------------	-----------

1001-2 (7042617-02) Drinking Water (Grab) Sampled: 04/26/17 06:58 Received: 04/27/17 13:15

Analyte	Result	PQL	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Legend Technical Services of Arizona, Inc.									

Total Metals

Lead	<5.0	5.0	ug/L	1	B7D1829	04/28/17 13:28	04/29/17 00:28	EPA 200.8
------	------	-----	------	---	---------	----------------	----------------	-----------

1007-1 (7042617-03) Drinking Water (Grab) Sampled: 04/26/17 07:05 Received: 04/27/17 13:15

Analyte	Result	PQL	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Legend Technical Services of Arizona, Inc.									

Total Metals

Lead	<5.0	5.0	ug/L	1	B7D1829	04/28/17 13:28	04/29/17 00:32	EPA 200.8
------	------	-----	------	---	---------	----------------	----------------	-----------

1007-2 (7042617-04) Drinking Water (Grab) Sampled: 04/26/17 07:10 Received: 04/27/17 13:15

Analyte	Result	PQL	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Legend Technical Services of Arizona, Inc.									

Total Metals

Lead	<5.0	5.0	ug/L	1	B7D1829	04/28/17 13:28	04/29/17 00:36	EPA 200.8
------	------	-----	------	---	---------	----------------	----------------	-----------

1008-1 (7042617-05) Drinking Water (Grab) Sampled: 04/26/17 07:15 Received: 04/27/17 13:15

Analyte	Result	PQL	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Legend Technical Services of Arizona, Inc.									

Total Metals

Lead	<5.0	5.0	ug/L	1	B7D1829	04/28/17 13:28	04/29/17 00:55	EPA 200.8
------	------	-----	------	---	---------	----------------	----------------	-----------

1008-2 (7042617-06) Drinking Water (Grab) Sampled: 04/26/17 07:20 Received: 04/27/17 13:15

Analyte	Result	PQL	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Legend Technical Services of Arizona, Inc.									

Total Metals

Lead	<5.0	5.0	ug/L	1	B7D1829	04/28/17 13:28	04/29/17 00:59	EPA 200.8
------	------	-----	------	---	---------	----------------	----------------	-----------

1009-1 (7042617-07) Drinking Water (Grab) Sampled: 04/26/17 07:25 Received: 04/27/17 13:15

Analyte	Result	PQL	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----	-------	----------	-------	----------	----------	--------	-------

Legend Technical Services of Arizona, Inc.



Client Services Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Phone Number: (602) 324-6100

Page 1 of 24

David A. Burchard
Arizona Department of Environmental Quality, PHX
1110 W. Washington Street
Phoenix, AZ85007

Project: School Lead Testing Screening
Project Number: Mesa Verde Elementary School

Reported:
05/04/17 17:07

1009-1 (7042617-07) Drinking Water (Grab) Sampled: 04/26/17 07:25 Received: 04/27/17 13:15

Analyte	Result	PQL	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Legend Technical Services of Arizona, Inc.									

Total Metals

Lead	<5.0	5.0	ug/L	1	B7D1829	04/28/17 13:28	04/29/17 01:03	EPA 200.8
------	------	-----	------	---	---------	----------------	----------------	-----------

1009-2 (7042617-08) Drinking Water (Grab) Sampled: 04/26/17 07:30 Received: 04/27/17 13:15

Analyte	Result	PQL	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Legend Technical Services of Arizona, Inc.									

Total Metals

Lead	<5.0	5.0	ug/L	1	B7D1829	04/28/17 13:28	04/29/17 01:06	EPA 200.8
------	------	-----	------	---	---------	----------------	----------------	-----------

1010-1 (7042617-09) Drinking Water (Grab) Sampled: 04/26/17 07:35 Received: 04/27/17 13:15

Analyte	Result	PQL	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Legend Technical Services of Arizona, Inc.									

Total Metals

Lead	<5.0	5.0	ug/L	1	B7D1829	04/28/17 13:28	04/29/17 01:10	EPA 200.8
------	------	-----	------	---	---------	----------------	----------------	-----------

1010-2 (7042617-10) Drinking Water (Grab) Sampled: 04/26/17 07:40 Received: 04/27/17 13:15

Analyte	Result	PQL	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Legend Technical Services of Arizona, Inc.									

Total Metals

Lead	<5.0	5.0	ug/L	1	B7D1829	04/28/17 13:28	04/29/17 01:14	EPA 200.8
------	------	-----	------	---	---------	----------------	----------------	-----------

1011 (7042617-11) Drinking Water (Grab) Sampled: 04/26/17 07:45 Received: 04/27/17 13:15

Analyte	Result	PQL	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Legend Technical Services of Arizona, Inc.									

Total Metals

Lead	<5.0	5.0	ug/L	1	B7D1829	04/28/17 13:28	04/29/17 01:18	EPA 200.8
------	------	-----	------	---	---------	----------------	----------------	-----------

1012-1 (7042617-12) Drinking Water (Grab) Sampled: 04/27/17 06:25 Received: 04/27/17 13:15

Analyte	Result	PQL	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Legend Technical Services of Arizona, Inc.									

Total Metals

Lead	<5.0	5.0	ug/L	1	B7D1829	04/28/17 13:28	04/29/17 01:21	EPA 200.8
------	------	-----	------	---	---------	----------------	----------------	-----------

1012-2 (7042617-13) Drinking Water (Grab) Sampled: 04/27/17 06:20 Received: 04/27/17 13:15

Analyte	Result	PQL	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Legend Technical Services of Arizona, Inc.									

Total Metals

Lead	<5.0	5.0	ug/L	1	B7D1829	04/28/17 13:28	04/29/17 01:25	EPA 200.8
------	------	-----	------	---	---------	----------------	----------------	-----------

1013-1 (7042617-14) Drinking Water (Grab) Sampled: 04/26/17 07:50 Received: 04/27/17 13:15

Analyte	Result	PQL	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Legend Technical Services of Arizona, Inc.									

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

David A. Burchard
Arizona Department of Environmental Quality, PHX
1110 W. Washington Street
Phoenix, AZ85007

Project: School Lead Testing Screening
Project Number: Mesa Verde Elementary School

Reported:
05/04/17 17:07

1013-1 (7042617-14) Drinking Water (Grab) Sampled: 04/26/17 07:50 Received: 04/27/17 13:15

Analyte	Result	PQL	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Legend Technical Services of Arizona, Inc.									

Total Metals

Lead	<5.0	5.0	ug/L	1	B7D1829	04/28/17 13:28	04/29/17 01:37	EPA 200.8
------	------	-----	------	---	---------	----------------	----------------	-----------

1013-2 (7042617-15) Drinking Water (Grab) Sampled: 04/26/17 07:55 Received: 04/27/17 13:15

Analyte	Result	PQL	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Legend Technical Services of Arizona, Inc.									

Total Metals

Lead	<5.0	5.0	ug/L	1	B7D1830	04/28/17 13:31	04/29/17 02:00	EPA 200.8
------	------	-----	------	---	---------	----------------	----------------	-----------

1014-1 (7042617-16) Drinking Water (Grab) Sampled: 04/26/17 08:00 Received: 04/27/17 13:15

Analyte	Result	PQL	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Legend Technical Services of Arizona, Inc.									

Total Metals

Lead	<5.0	5.0	ug/L	1	B7D1830	04/28/17 13:31	04/29/17 02:03	EPA 200.8
------	------	-----	------	---	---------	----------------	----------------	-----------

1014-2 (7042617-17) Drinking Water (Grab) Sampled: 04/26/17 08:05 Received: 04/27/17 13:15

Analyte	Result	PQL	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Legend Technical Services of Arizona, Inc.									

Total Metals

Lead	<5.0	5.0	ug/L	1	B7D1830	04/28/17 13:31	04/29/17 02:07	EPA 200.8
------	------	-----	------	---	---------	----------------	----------------	-----------

1015 (7042617-18) Drinking Water (Grab) Sampled: 04/27/17 06:30 Received: 04/27/17 13:15

Analyte	Result	PQL	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Legend Technical Services of Arizona, Inc.									

Total Metals

Lead	<5.0	5.0	ug/L	1	B7D1830	04/28/17 13:31	04/29/17 02:11	EPA 200.8
------	------	-----	------	---	---------	----------------	----------------	-----------

Sample Condition Upon Receipt:

Temperature: 23.20 °C

All samples were received in acceptable condition unless noted otherwise in the case narrative.

Case Narrative:

Holding Times: All holding times were met unless otherwise qualified.

QA/QC Criteria: All analyses met method requirements unless otherwise qualified.

Accreditations: AZ(PHX)0004, AZ(TUC)0004, AIHA#102982, CDC ELITE Member.

Accreditation is applicable only to the test methods specified on each scope of accreditation held by LEGEND.

Comments: There were no problems encountered during the processing of the samples, unless otherwise noted.
All samples were analyzed on a "wet" basis unless designated as "dry weight".

Lead samples are preserved with Nitric acid upon receipt at the laboratory. However, some samples were analyzed prior to the 16 hour preservation waiting period due to urgency of analysis, per the client's request. Results are not for compliance purpose.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Notes and Definitions

ADEQ Public School Drinking Water Lead Screening Program
Sampling Plan & Collection Log

7042617-01

Collection Log

for experienced sample collectors

Complete copy of this form for each sample collected. Your drinking water sample cannot be tested unless a copy of this form is shipped to the lab with each sample. In addition, the sample cannot be tested unless the Sample Identification Number matches the number on the sample container label.

☒ Check this box to confirm that **water had not been used at this tap or other taps in the area for 6 hours** and **no** flushing was done prior to sampling

Name of School District	Amphitheater Unified District
School Name	Mesa Verde Elementary School
Building (name/number)	Admin.
Type of Fixture (tap, drinking fountain etc.)	DRINKING
Location of Fixture (example, room number)	ADMIN. OFFICE
Sample Identification Number (Write this number on the sample container and on this sheet)	1001-1
Date of Collection	4-26-17
Time of Collection	6:55 A.M.
Printed Name of Sample Collector	KEN RAMIREZ
Signature Sample Collector	Ken Ramirez

Notes Sample collector:

For Lab use only	
Analyze this drinking water sample for lead	
Date and Time Lab received	4/27/17 1240
Signature	Amanda Picatto
Notes: @Lab 1315	
23.2 °C	

For relinquishing samples upon delivery to labs only

Relinquished date and signature _____

These samples were collected for lead screening purposes only and cannot be used for compliance.

<http://www.azdeq.gov/LeadScreeningProg>

Page 2 of 2

ADEQ Public School Drinking Water Lead Screening Program
Sampling Plan & Collection Log

7042617-02

Collection Log
for experienced sample collectors

Complete copy of this form for each sample collected. Your drinking water sample cannot be tested unless a copy of this form is shipped to the lab with each sample. In addition, the sample cannot be tested unless the Sample Identification Number matches the number on the sample container label.

☒ Check this box to confirm that **water had not been used at this tap or other taps in the area for 6 hours** and **no** flushing was done prior to sampling

Name of School District	Amphitheater Unified District
School Name	Mesa Verde Elementary School
Building (name/number)	Admin.
Type of Fixture (tap, drinking fountain etc.)	SINK
Location of Fixture (example, room number)	Copy Room
Sample Identification Number (Write this number on the sample container and on this sheet)	1001-2
Date of Collection	4-26-17
Time of Collection	6:58 AM.
Printed Name of Sample Collector	KEN RAMIREZ
Signature Sample Collector	Ken Ramirez

Notes Sample collector:

For Lab use only	
Analyze this drinking water sample for lead	
Date and Time Lab received	4/27/17 1240
Signature	Amanda Licario
Notes: @Lab 1315	
23.2°C	

For relinquishing samples upon delivery to labs only

Relinquished date and signature _____

These samples were collected for lead screening purposes only and cannot be used for compliance.

ADEQ Public School Drinking Water Lead Screening Program
Sampling Plan & Collection Log

7042617-03

Collection Log
for experienced sample collectors

Complete copy of this form for each sample collected. Your drinking water sample cannot be tested unless a copy of this form is shipped to the lab with each sample. In addition, the sample cannot be tested unless the Sample Identification Number matches the number on the sample container label.

☒ Check this box to confirm that **water had not been used at this tap or other taps in the area for 6 hours** and **no** flushing was done prior to sampling

Name of School District	Amphitheater Unified District
School Name	Mesa Verde Elementary School
Building (name/number)	1-4
Type of Fixture (tap, drinking fountain etc.)	DRINKING - SINK
Location of Fixture (example, room number)	Rm 1
Sample Identification Number (Write this number on the sample container and on this sheet)	1007-1
Date of Collection	4-26-17
Time of Collection	7:05 A.M.
Printed Name of Sample Collector	KEN RAMIREZ
Signature Sample Collector	<i>Ken Ramirez</i>

Notes Sample collector:

For Lab use only	
Analyze this drinking water sample for lead	
Date and Time Lab received	4/27/17
Signature	<i>Amanda Piccolo</i>
Notes: @Lab 1315 23.2°C	

For relinquishing samples upon delivery to labs only

Relinquished date and signature _____

These samples were collected for lead screening purposes only and cannot be used for compliance.

ADEQ Public School Drinking Water Lead Screening Program
Sampling Plan & Collection Log

7042617-04

Collection Log
for experienced sample collectors

Complete copy of this form for each sample collected. Your drinking water sample cannot be tested unless a copy of this form is shipped to the lab with each sample. In addition, the sample cannot be tested unless the Sample Identification Number matches the number on the sample container label.

☒ Check this box to confirm that **water had not been used at this tap or other taps in the area for 6 hours** and **no** flushing was done prior to sampling

Name of School District	Amphitheater Unified District
School Name	Mesa Verde Elementary School
Building (name/number)	1-4
Type of Fixture (tap, drinking fountain etc.)	DRINKING - SINK
Location of Fixture (example, room number)	Rm. 4
Sample Identification Number (Write this number on the sample container and on this sheet)	1007-2
Date of Collection	4-26-17
Time of Collection	7:10 AM
Printed Name of Sample Collector	Ken Ramirez
Signature Sample Collector	<i>Ken Ramirez</i>

Notes Sample collector:

For Lab use only	
Analyze this drinking water sample for lead	
Date and Time Lab received	4/27/17 1240
Signature	<i>Amanda Picatto</i>
Notes: @Lab 1315	
73.2°C	

For relinquishing samples upon delivery to labs only

Relinquished date and signature _____

These samples were collected for lead screening purposes only and cannot be used for compliance.

ADEQ Public School Drinking Water Lead Screening Program
Sampling Plan & Collection Log

7042617-05

Collection Log
for experienced sample collectors

Complete copy of this form for each sample collected. Your drinking water sample cannot be tested unless a copy of this form is shipped to the lab with each sample. In addition, the sample cannot be tested unless the Sample Identification Number matches the number on the sample container label.

☒ Check this box to confirm that **water had not been used at this tap or other taps in the area for 6 hours** and **no** flushing was done prior to sampling

Name of School District	Amphitheater Unified District
School Name	Mesa Verde Elementary School
Building (name/number)	5-8
Type of Fixture (tap, drinking fountain etc.)	DRINKING
Location of Fixture (example, room number)	Room 5
Sample Identification Number (Write this number on the sample container and on this sheet)	1008-1
Date of Collection	4-26-17
Time of Collection	7:15 AM
Printed Name of Sample Collector	Ken Ramirez
Signature Sample Collector	Ken Ramirez

Notes Sample collector:

For Lab use only	
Analyze this drinking water sample for lead	
Date and Time Lab received	4/27/17 1240
Signature	Amanda Picano
Notes: @ Lab 1315	
23.2°C	

For relinquishing samples upon delivery to labs only

Relinquished date and signature _____

These samples were collected for lead screening purposes only and cannot be used for compliance.

<http://www.azdeq.gov/LeadScreeningProg>

Page 2 of 2

ADEQ Public School Drinking Water Lead Screening Program
Sampling Plan & Collection Log

7042617-06

Collection Log
for experienced sample collectors

Complete copy of this form for each sample collected. Your drinking water sample cannot be tested unless a copy of this form is shipped to the lab with each sample. In addition, the sample cannot be tested unless the Sample Identification Number matches the number on the sample container label.

☒ Check this box to confirm that **water had not been used at this tap or other taps in the area for 6 hours** and **no** flushing was done prior to sampling

Name of School District	Amphitheater Unified District
School Name	Mesa Verde Elementary School
Building (name/number)	5-8
Type of Fixture (tap, drinking fountain etc.)	DRINKING
Location of Fixture (example, room number)	Room 8
Sample Identification Number (Write this number on the sample container and on this sheet)	1008-2
Date of Collection	4-26-17
Time of Collection	7:20 AM.
Printed Name of Sample Collector	KEN Ramirez
Signature Sample Collector	Ken Ramirez

Notes Sample collector:

For Lab use only	
Analyze this drinking water sample for lead	
Date and Time Lab received	4/27/17 1240
Signature	Amanda Picarro
Notes: @lab 1315	
23.2°C	

For relinquishing samples upon delivery to labs only

Relinquished date and signature _____

These samples were collected for lead screening purposes only and cannot be used for compliance.

<http://www.azdeq.gov/LeadScreeningProg>

Page 2 of 2

ADEQ Public School Drinking Water Lead Screening Program
Sampling Plan & Collection Log

7042617-07

Collection Log

for experienced sample collectors

Complete copy of this form for each sample collected. Your drinking water sample cannot be tested unless a copy of this form is shipped to the lab with each sample. In addition, the sample cannot be tested unless the Sample Identification Number matches the number on the sample container label.

☒ Check this box to confirm that **water had not been used at this tap or other taps in the area for 6 hours** and **no** flushing was done prior to sampling

Name of School District	Amphitheater Unified District
School Name	Mesa Verde Elementary School
Building (name/number)	9-12
Type of Fixture (tap, drinking fountain etc.)	DRINKING
Location of Fixture (example, room number)	Room 9
Sample Identification Number (Write this number on the sample container and on this sheet)	1009-1
Date of Collection	4-26-17
Time of Collection	7:25 AM
Printed Name of Sample Collector	Ken Ramirez
Signature Sample Collector	Ken Ramirez

Notes Sample collector:

For Lab use only	
Analyze this drinking water sample for lead	
Date and Time Lab received	4/27/17 1240
Signature	Amanda Acario
Notes: @ Lab 1315	
03.20	

For relinquishing samples upon delivery to labs only

Relinquished date and signature _____

These samples were collected for lead screening purposes only and cannot be used for compliance.

<http://www.azdeq.gov/LeadScreeningProg>

Page 2 of 2

ADEQ Public School Drinking Water Lead Screening Program
Sampling Plan & Collection Log

7042617-08

Collection Log
for experienced sample collectors

Complete copy of this form for each sample collected. Your drinking water sample cannot be tested unless a copy of this form is shipped to the lab with each sample. In addition, the sample cannot be tested unless the Sample Identification Number matches the number on the sample container label.

☒ Check this box to confirm that **water had not been used at this tap or other taps in the area for 6 hours** and **no** flushing was done prior to sampling

Name of School District	Amphitheater Unified District
School Name	Mesa Verde Elementary School
Building (name/number)	9-12
Type of Fixture (tap, drinking fountain etc.)	DRINKING
Location of Fixture (example, room number)	Room 10
Sample Identification Number (Write this number on the sample container and on this sheet)	1009-2
Date of Collection	4-26-17
Time of Collection	7:30 AM
Printed Name of Sample Collector	Ken Ramirez
Signature Sample Collector	Ken Ramirez

Notes Sample collector:

For Lab use only	
Analyze this drinking water sample for lead	
Date and Time Lab received	4/27/17 1240
Signature	Amanda Picarro
Notes: @ Lab 1315	
23.2°C	

For relinquishing samples upon delivery to labs only

Relinquished date and signature _____

These samples were collected for lead screening purposes only and cannot be used for compliance.

ADEQ Public School Drinking Water Lead Screening Program
Sampling Plan & Collection Log

7042617-09

Collection Log
for experienced sample collectors

Complete copy of this form for each sample collected. Your drinking water sample cannot be tested unless a copy of this form is shipped to the lab with each sample. In addition, the sample cannot be tested unless the Sample Identification Number matches the number on the sample container label.

☒ Check this box to confirm that **water had not been used at this tap or other taps in the area for 6 hours** and **no** flushing was done prior to sampling

Name of School District	Amphitheater Unified District
School Name	Mesa Verde Elementary School
Building (name/number)	13-16
Type of Fixture (tap, drinking fountain etc.)	DRINKING
Location of Fixture (example, room number)	Room 13
Sample Identification Number (Write this number on the sample container and on this sheet)	1010-1
Date of Collection	4-26-17
Time of Collection	7:35 AM
Printed Name of Sample Collector	REN RAMIREZ
Signature Sample Collector	Ren Ramirez

Notes Sample collector:

For Lab use only	
Analyze this drinking water sample for lead	
Date and Time Lab received	4/27/17 1240
Signature	Amanda Picazzo
Notes: @Lab 1315	
23.2°C	

For relinquishing samples upon delivery to labs only

Relinquished date and signature _____

These samples were collected for lead screening purposes only and cannot be used for compliance.

ADEQ Public School Drinking Water Lead Screening Program
Sampling Plan & Collection Log

7042617-10

Collection Log
for experienced sample collectors

Complete copy of this form for each sample collected. Your drinking water sample cannot be tested unless a copy of this form is shipped to the lab with each sample. In addition, the sample cannot be tested unless the Sample Identification Number matches the number on the sample container label.

☒ Check this box to confirm that **water had not been used at this tap or other taps in the area for 6 hours** and **no** flushing was done prior to sampling

Name of School District	Amphitheater Unified District
School Name	Mesa Verde Elementary School
Building (name/number)	13-16
Type of Fixture (tap, drinking fountain etc.)	DRINKING
Location of Fixture (example, room number)	Room 16
Sample Identification Number (Write this number on the sample container and on this sheet)	1010 - 2
Date of Collection	4-26-17
Time of Collection	7:40 A.M.
Printed Name of Sample Collector	Ken Ramirez
Signature Sample Collector	Ken Ramirez

Notes Sample collector:

For Lab use only	
Analyze this drinking water sample for lead	
Date and Time Lab received	4/27/17 1240
Signature	Amanda Piccirilli
Notes: @Lab 1315	
23.2°C	

For relinquishing samples upon delivery to labs only

Relinquished date and signature _____

These samples were collected for lead screening purposes only and cannot be used for compliance.

ADEQ Public School Drinking Water Lead Screening Program
Sampling Plan & Collection Log

7042617-11

Collection Log
for experienced sample collectors

Complete copy of this form for each sample collected. Your drinking water sample cannot be tested unless a copy of this form is shipped to the lab with each sample. In addition, the sample cannot be tested unless the Sample Identification Number matches the number on the sample container label.

☒ Check this box to confirm that **water had not been used at this tap or other taps in the area for 6 hours** and **no** flushing was done prior to sampling

Name of School District	Amphitheater Unified District
School Name	Mesa Verde Elementary School
Building (name/number)	17-20
Type of Fixture (tap, drinking fountain etc.)	DRINKING
Location of Fixture (example, room number)	Room 20
Sample Identification Number (Write this number on the sample container and on this sheet)	1011
Date of Collection	4-26-17
Time of Collection	7:45 A.M.
Printed Name of Sample Collector	Ken Ramirez
Signature Sample Collector	Ken Ramirez

Notes Sample collector:

For Lab use only	
Analyze this drinking water sample for lead	
Date and Time Lab received	4/27/17 1240
Signature	Amanda Picano
Notes: @ Lab 1315	
23.2°C	

For relinquishing samples upon delivery to labs only

Relinquished date and signature _____

These samples were collected for lead screening purposes only and cannot be used for compliance.

ADEQ Public School Drinking Water Lead Screening Program
Sampling Plan & Collection Log

7042617-012
AP
4/27/17

Collection Log
for experienced sample collectors

Complete copy of this form for each sample collected. Your drinking water sample cannot be tested unless a copy of this form is shipped to the lab with each sample. In addition, the sample cannot be tested unless the Sample Identification Number matches the number on the sample container label.

☒ Check this box to confirm that **water had not been used at this tap or other taps in the area for 6 hours** and **no** flushing was done prior to sampling

Name of School District	Amphitheater Unified District
School Name	Mesa Verde Elementary School
Building (name/number)	24-27
Type of Fixture (tap, drinking fountain etc.)	DRINKING
Location of Fixture (example, room number)	Rm 24
Sample Identification Number (Write this number on the sample container and on this sheet)	1012-1
Date of Collection	4-27-17
Time of Collection	6:25 Am
Printed Name of Sample Collector	Ken Ramirez
Signature Sample Collector	Ken Ramirez

Notes Sample collector:

For Lab use only	
Analyze this drinking water sample for lead	
Date and Time Lab received	4/27/17 1240
Signature	Amanda Piccolo
Notes: @Lab 1315	
23.2°C	

For relinquishing samples upon delivery to labs only

Relinquished date and signature _____

These samples were collected for lead screening purposes only and cannot be used for compliance.

<http://www.azdeq.gov/LeadScreeningProg>

Page 2 of 2

ADEQ Public School Drinking Water Lead Screening Program
Sampling Plan & Collection Log

70426 17-13

Collection Log
for experienced sample collectors

Complete copy of this form for each sample collected. Your drinking water sample cannot be tested unless a copy of this form is shipped to the lab with each sample. In addition, the sample cannot be tested unless the Sample Identification Number matches the number on the sample container label.

☒ Check this box to confirm that **water had not been used at this tap or other taps in the area for 6 hours** and **no** flushing was done prior to sampling

Name of School District	Amphitheater Unified District
School Name	Mesa Verde Elementary School
Building (name/number)	24-27
Type of Fixture (tap, drinking fountain etc.)	DRINKING
Location of Fixture (example, room number)	Rm 25
Sample Identification Number (Write this number on the sample container and on this sheet)	1012-2
Date of Collection	4-27-17
Time of Collection	6:20 AM
Printed Name of Sample Collector	Ken Ramirez
Signature Sample Collector	Ken Ramirez

Notes Sample collector:

For Lab use only	
Analyze this drinking water sample for lead	
Date and Time Lab received	4/27/17 1240
Signature	Hmanda Hazzro
Notes: @Lab 1315	
23.2°C	

For relinquishing samples upon delivery to labs only

Relinquished date and signature _____

These samples were collected for lead screening purposes only and cannot be used for compliance.

<http://www.azdeq.gov/LeadScreeningProg>

Page 2 of 2

ADEQ Public School Drinking Water Lead Screening Program
Sampling Plan & Collection Log

Collection Log
for experienced sample collectors

Complete copy of this form for each sample collected. Your drinking water sample cannot be tested unless a copy of this form is shipped to the lab with each sample. In addition, the sample cannot be tested unless the Sample Identification Number matches the number on the sample container label.

☒ Check this box to confirm that **water had not been used at this tap or other taps in the area for 6 hours** and **no** flushing was done prior to sampling

Name of School District	Amphitheater Unified District
School Name	Mesa Verde Elementary School
Building (name/number)	MPR
Type of Fixture (tap, drinking fountain etc.)	DRINKING
Location of Fixture (example, room number)	Gym
Sample Identification Number (Write this number on the sample container and on this sheet)	1013-1
Date of Collection	4-26-17
Time of Collection	7:50
Printed Name of Sample Collector	Ken Ramirez
Signature Sample Collector	Ken Ramirez

Notes Sample collector:

For Lab use only	
Analyze this drinking water sample for lead	
Date and Time Lab received	4/27/17 1240
Signature	Amanda Picone
Notes	@Lab 1315 23.2°C

For relinquishing samples upon delivery to labs only

Relinquished date and signature _____

These samples were collected for lead screening purposes only and cannot be used for compliance.

ADEQ Public School Drinking Water Lead Screening Program
Sampling Plan & Collection Log

7042617 -15

Collection Log
for experienced sample collectors

Complete copy of this form for each sample collected. Your drinking water sample cannot be tested unless a copy of this form is shipped to the lab with each sample. In addition, the sample cannot be tested unless the Sample Identification Number matches the number on the sample container label.

☒ Check this box to confirm that **water had not been used at this tap or other taps in the area for 6 hours** and **no** flushing was done prior to sampling

Name of School District	Amphitheater Unified District
School Name	Mesa Verde Elementary School
Building (name/number)	MPR
Type of Fixture (tap, drinking fountain etc.)	DRINKING
Location of Fixture (example, room number)	SOUTH HALLWAY
Sample Identification Number (Write this number on the sample container and on this sheet)	1013-2
Date of Collection	4-26-17
Time of Collection	7:55 AM
Printed Name of Sample Collector	KEN RAMIREZ
Signature Sample Collector	Ken Ramirez

Notes Sample collector:

For Lab use only	
Analyze this drinking water sample for lead	
Date and Time Lab received	4/27/17 1240
Signature	Amanda Picano
Notes: @ Lab 1315	
23.2°C	

For relinquishing samples upon delivery to labs only

Relinquished date and signature _____

These samples were collected for lead screening purposes only and cannot be used for compliance.

ADEQ Public School Drinking Water Lead Screening Program
Sampling Plan & Collection Log

7042617-16

Collection Log
for experienced sample collectors

Complete copy of this form for each sample collected. Your drinking water sample cannot be tested unless a copy of this form is shipped to the lab with each sample. In addition, the sample cannot be tested unless the Sample Identification Number matches the number on the sample container label.

☒ Check this box to confirm that **water had not been used at this tap or other taps in the area for 6 hours** and **no** flushing was done prior to sampling

Name of School District	Amphitheater Unified District
School Name	Mesa Verde Elementary School
Building (name/number)	LIBRARY
Type of Fixture (tap, drinking fountain etc.)	SINK
Location of Fixture (example, room number)	OFFICE
Sample Identification Number (Write this number on the sample container and on this sheet)	1014-1
Date of Collection	4-26-17
Time of Collection	8:00 AM
Printed Name of Sample Collector	Ken Ramirez
Signature Sample Collector	Ken Ramirez

Notes Sample collector:

For Lab use only	
Analyze this drinking water sample for lead	
Date and Time Lab received	4/27/17 12:10
Signature	Amanda Pizarro
Notes: (at Lab 1315 23.2°C	

For relinquishing samples upon delivery to labs only

Relinquished date and signature _____

These samples were collected for lead screening purposes only and cannot be used for compliance.

ADEQ Public School Drinking Water Lead Screening Program
Sampling Plan & Collection Log

7042617-17

Collection Log
for experienced sample collectors

Complete copy of this form for each sample collected. Your drinking water sample cannot be tested unless a copy of this form is shipped to the lab with each sample. In addition, the sample cannot be tested unless the Sample Identification Number matches the number on the sample container label.

- ☒ Check this box to confirm that **water had not been used at this tap or other taps in the area for 6 hours** and **no** flushing was done prior to sampling

Name of School District	Amphitheater Unified District
School Name	Mesa Verde Elementary School
Building (name/number)	LIBRARY
Type of Fixture (tap, drinking fountain etc.)	DRINKING
Location of Fixture (example, room number)	LIBRARY HALLWAY
Sample Identification Number (Write this number on the sample container and on this sheet)	1014-2
Date of Collection	4-26-17
Time of Collection	8:05 AM
Printed Name of Sample Collector	Ken Ramirez
Signature Sample Collector	Ken Ramirez

Notes Sample collector:

For Lab use only	
Analyze this drinking water sample for lead	
Date and Time Lab received	4/27/17 1240
Signature	Amanda Picazzo
Notes: @ Lab 1315	
23.2°C	

For relinquishing samples upon delivery to labs only

Relinquished date and signature _____

These samples were collected for lead screening purposes only and cannot be used for compliance.

ADEQ Public School Drinking Water Lead Screening Program
Sampling Plan & Collection Log

7042617-18

Collection Log
for experienced sample collectors

Complete copy of this form for each sample collected. Your drinking water sample cannot be tested unless a copy of this form is shipped to the lab with each sample. In addition, the sample cannot be tested unless the Sample Identification Number matches the number on the sample container label.

☒ Check this box to confirm that **water had not been used at this tap or other taps in the area for 6 hours** and **no** flushing was done prior to sampling

Name of School District	Amphitheater Unified District
School Name	Mesa Verde Elementary School
Building (name/number)	28-29
Type of Fixture (tap, drinking fountain etc.)	DRINKING
Location of Fixture (example, room number)	Room 28
Sample Identification Number (Write this number on the sample container and on this sheet)	1015
Date of Collection	4-27-17
Time of Collection	6:30 AM
Printed Name of Sample Collector	Ken Ramirez
Signature Sample Collector	Ken Ramirez

Notes Sample collector:

For Lab use only	
Analyze this drinking water sample for lead	
Date and Time Lab received	4/27/17 1240
Signature	Amanda Piccolo
Notes: @ Lab 1315	
23.2°	

For relinquishing samples upon delivery to labs only


Relinquished date and signature _____



These samples were collected for lead screening purposes only and cannot be used for compliance.

704267

District	School	Building No	Building Desc	Building Use	Year Built	Number of Bottles Per Building
1 Amphitheater Unified District	Mesa Verde Elementary School	1001	Administration	Administration	1978	2
2 Amphitheater Unified District	Mesa Verde Elementary School	1002	P3 (28)	Classroom	1975	2
3 Amphitheater Unified District	Mesa Verde Elementary School	1003	P2 (27)	Classroom	1975	2
4 Amphitheater Unified District	Mesa Verde Elementary School	1004	P1 (PAL)	Classroom	1991	1
5 Amphitheater Unified District	Mesa Verde Elementary School	1005	P4 (29-30)	PAL	1994	1
6 Amphitheater Unified District	Mesa Verde Elementary School	1007	1-4	Classrooms	1978	2
7 Amphitheater Unified District	Mesa Verde Elementary School	1008	5-8	Classrooms	1978	2
8 Amphitheater Unified District	Mesa Verde Elementary School	1009	9-12	Classrooms	1978	2
9 Amphitheater Unified District	Mesa Verde Elementary School	1010	13-16	Classrooms	1978	2
10 Amphitheater Unified District	Mesa Verde Elementary School	1011	17-20	Classrooms	1978	2
11 Amphitheater Unified District	Mesa Verde Elementary School	1012	21-24-27	Classrooms	1980	2
12 Amphitheater Unified District	Mesa Verde Elementary School	1013	MPR	Cafeteria, Gymnasium	1978	2
13 Amphitheater Unified District	Mesa Verde Elementary School	1014	Library	Library	1978	2
14 Amphitheater Unified District	Mesa Verde Elementary School	1015	28-29 24-26-29	Classrooms	1987	12
15 Amphitheater Unified District	Mesa Verde Elementary School	1016	Storage Building	Storage	1978	2

102617



	
SCALE: 8.68 ACRES BUILDINGS: 51,260 SQFT	
MESA VERDE ELEMENTARY SCHOOL 1661 WEST SAGE STREET TUCSON, ARIZONA 85704 SECTION 27, T-12-S, R-13-E, G&SRM	