eurofins | Eaton Analytical

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: (626) 386-1100
Fax: (626) 386-1101
1 800 566 LABS (1 800 566 5227)

ACCREDITED TESTING AT-1807

Laboratory Report

for

Arizona Department of Environmental Quality
1110 West Washington Street
Phoenix, AZ 85007
Attention: David Burchard

Date of Issue
06/04/2017

Eurofins Eaton Analytical

NELAP ACCREDITED TNI LABORATORY
ORELAP 4034

TDF: Thomas.D.French

Project Manager

Report:663126
Project:WINDOWROCK-UD
ADHS License #:AZ0778
Group:Tse Hootsoi Dine
PO#:PO#: ADEQ16:116686:3

* Accredited in accordance with TNI 2009 and ISO/IEC 17025:2005.
* Laboratory certifies that the test results meet all **TNI 2009 and ISO/IEC 17025:2005** requirements unless noted under the individual analysis.
* Following the cover page are State Certification List, ISO 17025 Accredited Method List, Acknowledgement of Samples Received, Comments, Hits Report, Data Report, QC Summary, QC Report and Regulatory Forms, as applicable.
* Test results relate only to the sample(s) tested.
* This report shall not be reproduced except in full, without the written approval of the laboratory.

STATE CERTIFICATION LIST

State	Certification Number	State	Certification Number
Alabama	41060	**Mississippi**	Certified
Arizona	AZ0778	**Montana**	Cert 0035
Arkansas	Certified	**Nebraska**	Certified
California-Monrovia-ELAP	2813	**Nevada**	CA00006-2016
California-Colton- ELAP	2812	**New Hampshire ***	2959
California-Folsom- ELAP	2820	**New Jersey ***	CA 008
California-Fresno- ELAP	2966	**New Mexico**	Certified
Colorado	Certified	**New York ***	11320
Connecticut	PH-0107	**North Carolina**	06701
Delaware	CA 006	**North Dakota**	R-009
Florida *	E871024	**Oregon (Primary AB) ***	**ORELAP 4034**
Georgia	947	**Pennsylvania ***	68-565
Guam	16-003r	**Puerto Rico**	Certified
Hawaii	Certified	**Rhode Island**	LAO00326
Idaho	Certified	**South Carolina**	87016
Illinois *	200033	**South Dakota**	Certified
Indiana	C-CA-01	**Tennessee**	TN02839
Kansas *	E-10268	**Texas ***	T104704230-15-9
Kentucky	90107	**Utah ***	CA000062016-10
Louisiana *	LA16003	**Vermont**	VT0114
Maine	CA0006	**Virginia ***	460260
Maryland	224	**Washington**	C838
Commonwealth of Northern Marianas Is.	MP0004	**Wyoming**	Certified
Massachusetts	M-CA006	**EPA Region 5**	Certified
Michigan	9906	**Los Angeles County Sanitation Districts**	10264

* NELAP/TNI Recognized Accreditation Bodies

ISO 17025 Accredited Method List

The tests listed below are accredited and meet the requirements of ISO 17025 as verified by the ANSI-ASQ National Accreditation Board/ANAB.

Refer to Certificate and scope of accreditation (AT 1807) found at: http://www.eatonanalytical.com

SPECIFIC TESTS	METHOD OR TECHNIQUE USED	Environ-mental (Drinking Water)	Environ-mental (Waste Water)	Water as a Component of Food and Bev/Bev/ Bottled Water
1,4-Dioxane	EPA 522	x		x
2,3,7,8-TCDD	Modified EPA 1613B	x		x
Acrylamide	In House Method (2440)	x		x
Alkalinity	SM 2320B	x	x	x
Ammonia	EPA 350.1		x	x
Ammonia	SM 4500-NH3 H		x	x
Anions and DBPs by IC	EPA 300.0	x	x	x
Anions and DBPs by IC	EPA 300.1	x		x
Asbestos	EPA 100.2	x	x	
Bicarbonate Alkalinity as HCO3	SM 2320B	x	x	x
BOD / CBOD	SM 5210B		x	x
Bromate	In House Method (2447)	x		x
Carbamates	EPA 531.2	x		x
Carbonate as CO3	SM 2330B	x	x	x
Carbonyls	EPA 556	x		x
COD	EPA 410.4 / SM 5220D		x	
Chloramines	SM 4500-CL G	x	x	x
Chlorinated Acids	EPA 515.4	x		x
Chlorinated Acids	EPA 555	x		x
Chlorine Dioxide	SM 4500-CLO2 D	x		x
Chlorine -Total/Free/ Combined Residual	SM 4500-Cl G	x	x	x
Conductivity	EPA 120.1		x	
Conductivity	SM 2510B	x	x	x
Corrosivity (Langelier Index)	SM 2330B	x		x
Cryptosporidium	EPA 1623	x		x
Cyanide, Amenable	SM 4500-CN G	x	x	
Cyanide, Free	SM 4500CN F	x	x	x
Cyanide, Total	EPA 335.4	x	x	x
Cyanogen Chloride (screen)	In House Method (2470)	x		x
Diquat and Paraquat	EPA 549.2	x		x
DBP/HAA	SM 6251B	x		x
Dissolved Oxygen	SM 4500-O G		x	x
DOC	SM 5310C	x		x
E. Coli	(MTF/EC+MUG)	x		x
E. Coli	CFR 141.21(f)(6)(i)	x		x
E. Coli	SM 9223		x	
E. Coli (Enumeration)	SM 9221B.1/ SM 9221F	x		x
E. Coli (Enumeration)	SM 9223B	x		x
EDB/DCBP	EPA 504.1	x		
EDB/DBCP and DBP	EPA 551.1	x		x
EDTA and NTA	In House Method (2454)	x		x
Endothall	EPA 548.1	x		x
Endothall	In-house Method (2445)	x		x
Enterococci	SM 9230B	x	x	
Fecal Coliform	SM 9221 E (MTF/EC)	x		
Fecal Coliform	SM 9221C, E (MTF/EC)		x	
Fecal Coliform (Enumeration)	SM 9221E (MTF/EC)	x		x
Fecal Coliform with Chlorine Present	SM 9221E		x	
Fecal Streptococci	SM 9230B	x	x	
Fluoride	SM 4500-F C	x	x	x
Giardia	EPA 1623	x		x
Glyphosate	EPA 547	x		x
Gross Alpha/Beta	EPA 900.0	x	x	x
Gross Alpha Coprecipitation	SM 7110 C	x	x	x
Hardness	SM 2340B	x	x	x
Heterotrophic Bacteria	In House Method (2439)	x		x
Heterotrophic Bacteria	SM 9215 B	x		x
Hexavalent Chromium	EPA 218.6	x	x	x

SPECIFIC TESTS	METHOD OR TECHNIQUE USED	Environ-mental (Drinking Water)	Environ-mental (Waste Water)	Water as a Component of Food and Bev/Bev/ Bottled Water
Hexavalent Chromium	EPA 218.7	x		x
Hexavalent Chromium	SM 3500-Cr B		x	
Hormones	EPA 539	x		x
Hydroxide as OH Calc.	SM 2330B	x		x
Kjeldahl Nitrogen	EPA 351.2		x	
Legionella	CDC Legionella	x		x
Mercury	EPA 245.1	x	x	x
Metals	EPA 200.7 / 200.8	x	x	x
Microcystin LR	ELISA (2360)	x		x
NDMA	EPA 521	x		x
NDMA	TQ In house method based on EPA 521 (2425)	x		x
Nitrate/Nitrite Nitrogen	EPA 353.2	x	x	x
OCL, Pesticides/PCB	EPA 505	x		x
Ortho Phosphate	EPA 365.1	x	x	x
Ortho Phosphate	SM 4500P E			x
Ortho Phosphorous	SM 4500P E	x		
Oxyhalides Disinfection Byproducts	EPA 317.0	x		x
Perchlorate	EPA 331.0	x		x
Perchlorate (low and high)	EPA 314.0	x		x
Perfluorinated Alkyl Acids	EPA 537	x		x
pH	EPA 150.1	x		
pH	SM 4500-H+B	x	x	x
Phenylurea Pesticides/ Herbicides	In House Method, based on EPA 532 (2448)	x		x
Pseudomonas	IDEXX Pseudalert (2461)	x		x
Radium-226	GA Institute of Tech	x		x
Radium-228	GA Institute of Tech	x		x
Radon-222	SM 7500RN	x		x
Residue, Filterable	SM 2540C	x	x	x
Residue, Non-filterable	SM 2540D		x	
Residue, Total	SM 2540B		x	x
Residue, Volatile	EPA 160.4		x	
Semi-VOC	EPA 525.2	x		x
Semi-VOC	EPA 625		x	x
Silica	SM 4500-Si D	x	x	
Silica	SM 4500-SiO2 C	x	x	
Sulfide	SM 4500-$S^{=}$ D		x	
Sulfite	SM 4500-SO^3B	x	x	x
Surfactants	SM 5540C	x	x	x
Taste and Odor Analytes	SM 6040E	x		x
Total Coliform (P/A)	SM 9221 A, B	x		x
Total Coliform (Enumeration)	SM 9221 A, B, C	x		x
Total Coliform / E. coli	Colisure SM 9223	x		x
Total Coliform	SM 9221B		x	
Total Coliform with Chlorine Present	SM 9221B		x	
Total Coliform / E.coli (P/A and Enumeration)	SM 9223	x		x
TOC	SM 5310C	x	x	x
TOX	SM 5320B		x	
Total Phenols	EPA 420.1		x	
Total Phenols	EPA 420.4	x	x	x
Total Phosphorous	SM 4500 P E		x	
Turbidity	EPA 180.1	x	x	x
Turbidity	SM 2130B	x	x	
Uranium by ICP/MS	EPA 200.8	x		x
UV 254	SM 5910B	x		
VOC	EPA 524.2/EPA 524.3	x		x
VOC	EPA 624		x	x
VOC	EPA SW 846 8260	x		x
VOC	In House Method (2411)	x		x
Yeast and Mold	SM 9610	x		x

eurofins | Eaton Analytical

Acknowledgement of Samples Received

Addr: **Arizona Department of Environmental Quality**
1110 West Washington Street
Phoenix, AZ 85007

Client ID: ADEQ-LEAD
Folder #: 663126
Project: WINDOWROCK-UD
Sample Group: Tse Hootsoi Dine

Attn: David Burchard
Phone: (602) 771-4298

Project Manager: Thomas.D.French
Phone: (480) 778-1558
PO #: ADEQ16:116686:3
Sampler: Michael Johnson

The following samples were received from you on **May 30, 2017** at **1210**. They have been scheduled for the tests listed below each sample. If this information is incorrect, please contact your service representative. Thank you for using Eurofins Eaton Analytical.

Sample #	Sample ID	Sample Date
201705301274	1002 A	05/24/2017 0615
	Sample Type: Bldg 1st Floor A164 Facility ID: A164	
	@ICPMS Freight - Outbound Freight - Return	
201705301275	1002 B	05/24/2017 0615
	Sample Type: Bldg 830 1st Floor Facility ID: A164	
	@ICPMS	
201705301276	1004 A	05/24/2017 0612
	Sample Type: 216-227 rms (replaced) Facility ID: Kitchen & Cafeteria Sink	
	@ICPMS	
201705301277	1004 B	05/24/2017 0612
	Sample Type: 216-227 rms (replaced) Facility ID: Kitchen & Cafeteria Sink	
	@ICPMS	
201705301278	1015 A	05/24/2017 0610
	Sample Type: Bldg 990 Facility ID: Nurse Office	
	@ICPMS	
201705301279	1015 B	05/24/2017 0610
	Sample Type: Bldg 990 Facility ID: Nurse Office	
	@ICPMS	
201705301280	Break Room Sink A	05/24/2017 0630
	Sample Type: Break Room Facility ID: Break Room	
	@ICPMS	
201705301281	Break Room Sink B	05/24/2017 0630
	Sample Type: Break Room Facility ID: Break Room	
	@ICPMS	
201705301282	Break Room Sink C	05/24/2017 0630
	Sample Type: Break Room Facility ID: Break Room	

750 Royal Oaks Drive, Suite 100, Monrovia, CA 91016 Tel (626) 386-1100 Fax (626) 386-1101 www.EurofinsUS.com/Eaton

eurofins | Eaton Analytical

Acknowledgement of Samples Received

Addr: **Arizona Department of Environmental Quality**
1110 West Washington Street
Phoenix, AZ 85007

Client ID: ADEQ-LEAD
Folder #: 663126
Project: WINDOWROCK-UD
Sample Group: Tse Hootsoi Dine

Attn: David Burchard
Phone: (602) 771-4298

Project Manager: Thomas.D.French
Phone: (480) 778-1558
PO #: ADEQ16:116686:3
Sampler: Michael Johnson

The following samples were received from you on **May 30, 2017** at **1210**. They have been scheduled for the tests listed below each sample. If this information is incorrect, please contact your service representative. Thank you for using Eurofins Eaton Analytical.

Sample #	Sample ID	Sample Date
	@ICPMS	
201705301283	2nd Floor Break Room Sink A	05/24/2017 0640
	Sample Type: TSE Houtsoi Dine Biota Facility ID: 2nd Floor Break Room	
	@ICPMS	
201705301284	2nd Floor Break Room Sink B	05/24/2017 0640
	Sample Type: TSE Houtsoi Dine Biota Facility ID: 2nd Floor Break Room	
	@ICPMS	
201705301285	RR2ND-A	05/24/2017 0650
	Sample Type: TSE Houtsoi Dine Biota Facility ID: Near Restroom 2nd Floor	
	@ICPMS	
201705301286	RR2ND-B	05/24/2017 0650
	Sample Type: TSE Houtsoi Dine Biota Facility ID: Near Restroom 2nd Floor	
	@ICPMS	
201705301287	RR-A	05/24/2017 0650
	Sample Type: TSE Houtsoi Dine Biota Facility ID: Near Restroom	
	@ICPMS	
201705301288	RR-B	05/24/2017 0650
	Sample Type: TSE Houtsoi Dine Biota Facility ID: Near Restroom	
	@ICPMS	
201705301289	E-A	05/24/2017 0650
	Sample Type: TSE Houtsoi Dine Biota Facility ID: Near Elevator	
	@ICPMS	
201705301291	Near Restroom DF A	05/24/2017 0655
	Sample Type: TSE Houtsoi Dine Biota Facility ID: Near Restroom	
	@ICPMS	
201705301292	Near Restroom DF B	05/24/2017 0655

eurofins | Eaton Analytical

Acknowledgement of Samples Received

Addr: **Arizona Department of Environmental Quality**
1110 West Washington Street
Phoenix, AZ 85007

Client ID: ADEQ-LEAD
Folder #: 663126
Project: WINDOWROCK-UD
Sample Group: Tse Hootsoi Dine

Attn: David Burchard
Phone: (602) 771-4298

Project Manager: Thomas.D.French
Phone: (480) 778-1558
PO #: ADEQ16:116686:3
Sampler: Michael Johnson

The following samples were received from you on **May 30, 2017** at **1210**. They have been scheduled for the tests listed below each sample. If this information is incorrect, please contact your service representative. Thank you for using Eurofins Eaton Analytical.

Sample #	Sample ID	Sample Date
	Sample Type: TSE Houtsoi Dine Biota Facility ID: Near Restroom	
	@ICPMS	

Test Description

@ICPMS -- ICPMS Metals

750 Royal Oaks Drive, Suite 100, Monrovia, CA 91016 Tel (626) 386-1100 Fax (626) 386-1101 www.EurofinsUS.com/Eaton

eurofins | Eaton Analytical

Acknowledgement of Samples Received

Addr: **Arizona Department of Environmental Quality**
1110 West Washington Street
Phoenix, AZ 85007

Client ID: ADEQ-LEAD
Folder #: 663126
Project: WINDOWROCK-UD
Sample Group: Tse Hootsoi Dine

Attn: David Burchard
Phone: (602) 771-4298

Project Manager: Thomas.D.French
Phone: (480) 778-1558
PO #: ADEQ16:116686:3
Sampler: Michael Johnson

The following samples were received from you on **May 30, 2017** at **1210**. They have been scheduled for the tests listed below each sample. If this information is incorrect, please contact your service representative. Thank you for using Eurofins Eaton Analytical.

Sample #	Sample ID	Sample Date
201705301274	1002 A	05/24/2017 0615
	Sample Type: Bldg 1st Floor A164 Facility ID: A164	
	@ICPMS Freight - Outbound Freight - Return	
201705301275	1002 B	05/24/2017 0615
	Sample Type: Bldg 830 1st Floor Facility ID: A164	
	@ICPMS	
201705301276	1004 A	05/24/2017 0612
	Sample Type: 216-227 rms (replaced) Facility ID: Kitchen & Cafeteria Sink	
	@ICPMS	
201705301277	1004 B	05/24/2017 0612
	Sample Type: 216-227 rms (replaced) Facility ID: Kitchen & Cafeteria Sink	
	@ICPMS	
201705301278	1015 A	05/24/2017 0610
	Sample Type: Bldg 990 Facility ID: Nurse Office	
	@ICPMS	
201705301279	1015 B	05/24/2017 0610
	Sample Type: Bldg 990 Facility ID: Nurse Office	
	@ICPMS	
201705301280	Break Room Sink A	05/24/2017 0630
	Sample Type: Break Room Facility ID: Break Room	
	@ICPMS	
201705301281	Break Room Sink B	05/24/2017 0630
	Sample Type: Break Room Facility ID: Break Room	
	@ICPMS	
201705301282	Break Room Sink C	05/24/2017 0630
	Sample Type: Break Room Facility ID: Break Room	

750 Royal Oaks Drive, Suite 100, Monrovia, CA 91016 Tel (626) 386-1100 Fax (626) 386-1101 www.EurofinsUS.com/Eaton

eurofins | Eaton Analytical

Acknowledgement of Samples Received

Addr: **Arizona Department of Environmental Quality**
1110 West Washington Street
Phoenix, AZ 85007

Client ID: ADEQ-LEAD
Folder #: 663126
Project: WINDOWROCK-UD
Sample Group: Tse Hootsoi Dine

Attn: David Burchard
Phone: (602) 771-4298

Project Manager: Thomas.D.French
Phone: (480) 778-1558
PO #: ADEQ16:116686:3
Sampler: Michael Johnson

The following samples were received from you on **May 30, 2017** at **1210**. They have been scheduled for the tests listed below each sample. If this information is incorrect, please contact your service representative. Thank you for using Eurofins Eaton Analytical.

Sample #	Sample ID	Sample Date
	@ICPMS	
201705301283	2nd Floor Break Room Sink A	05/24/2017 0640
	Sample Type: TSE Houtsoi Dine Biota Facility ID: 2nd Floor Break Room	
	@ICPMS	
201705301284	2nd Floor Break Room Sink B	05/24/2017 0640
	Sample Type: TSE Houtsoi Dine Biota Facility ID: 2nd Floor Break Room	
	@ICPMS	
201705301285	RR2ND-A	05/24/2017 0650
	Sample Type: TSE Houtsoi Dine Biota Facility ID: Near Restroom 2nd Floor	
	@ICPMS	
201705301286	RR2ND-B	05/24/2017 0650
	Sample Type: TSE Houtsoi Dine Biota Facility ID: Near Restroom 2nd Floor	
	@ICPMS	
201705301287	RR-A	05/24/2017 0650
	Sample Type: TSE Houtsoi Dine Biota Facility ID: Near Restroom	
	@ICPMS	
201705301288	RR-B	05/24/2017 0650
	Sample Type: TSE Houtsoi Dine Biota Facility ID: Near Restroom	
	@ICPMS	
201705301289	E-A	05/24/2017 0650
	Sample Type: TSE Houtsoi Dine Biota Facility ID: Near Elevator	
	@ICPMS	
201705301290	E-B	05/24/2017 0650
	Sample Type: TSE Houtsoi Dine Biota Facility ID: Near Elevator	
	@ICPMS	
201705301291	Near Restroom DF A	05/24/2017 0655

750 Royal Oaks Drive, Suite 100, Monrovia, CA 91016 Tel (626) 386-1100 Fax (626) 386-1101 www.EurofinsUS.com/Eaton

eurofins | Eaton Analytical

Acknowledgement of Samples Received

Addr: **Arizona Department of Environmental Quality**
1110 West Washington Street
Phoenix, AZ 85007

Client ID: ADEQ-LEAD
Folder #: 663126
Project: WINDOWROCK-UD
Sample Group: Tse Hootsoi Dine

Attn: David Burchard
Phone: (602) 771-4298

Project Manager: Thomas.D.French
Phone: (480) 778-1558
PO #: ADEQ16:116686:3
Sampler: Michael Johnson

The following samples were received from you on **May 30, 2017** at **1210**. They have been scheduled for the tests listed below each sample. If this information is incorrect, please contact your service representative. Thank you for using Eurofins Eaton Analytical.

Sample #	Sample ID	Sample Date
	Sample Type: TSE Houtsoi Dine Biota Facility ID: Near Restroom	
	@ICPMS	
201705301292	Near Restroom DF B	05/24/2017 0655
	Sample Type: TSE Houtsoi Dine Biota Facility ID: Near Restroom	
	@ICPMS	

Test Description

@ICPMS -- ICPMS Metals

750 Royal Oaks Drive, Suite 100, Monrovia, CA 91016 Tel (626) 386-1100 Fax (626) 386-1101 www.EurofinsUS.com/Eaton

eurofins | Eaton Analytical

Draft Invoice

P.M. Reviewed Date

Folder #: 663126
Received Date: 2017-05-30

Client Name: [ADEQ-LEAD] Arizona Department of Environmental Quality
Project: WINDOWROCK-UD
Sample Group: Tse Hootsoi Dine

Project #:
PO #: ADEQ16:116686:3

Billing Address:
ADEQ
Arizona Department of Environmental Quality
1110 West Washington Street
Phoenix, AZ 85007

Report Address:
David Burchard
Arizona Department of Environmental Quality
1110 West Washington Street
Phoenix, AZ 85007

Please Remit To:
Eurofins Eaton Analytical, Inc.
Post Office Box 95362
Grapevine, TX 76099-9733 USA

Payment questions or inquiries:
AR_PA@eurofinsus.com

Wiring Instruction:
Bank Name: Regions Bank
Bank Address: 1900 5th Avenue, #300
Birmingham, AL 35203 USA
Account Name: Eurofins Eaton Analytical
Account #: 013 987 9755
Routing #: 062 005 690 Swift #: UPNBUS44

--- Please note the address change ---

	Order #	Sample ID	Sampled	
#PB_SCHOOL_Unpreserved				
1	201705301274	1002 A	2017-05-24	15.00
2	201705301275	1002 B	2017-05-24	15.00
3	201705301276	1004 A	2017-05-24	15.00
4	201705301277	1004 B	2017-05-24	15.00
5	201705301278	1015 A	2017-05-24	15.00
6	201705301279	1015 B	2017-05-24	15.00
7	201705301280	Break Room Sink A	2017-05-24	15.00
8	201705301281	Break Room Sink B	2017-05-24	15.00
9	201705301282	Break Room Sink C	2017-05-24	15.00
10	201705301283	2nd Floor Break Room Sink A	2017-05-24	15.00
11	201705301284	2nd Floor Break Room Sink B	2017-05-24	15.00
12	201705301285	RR2ND-A	2017-05-24	15.00
13	201705301286	RR2ND-B	2017-05-24	15.00
14	201705301287	RR-A	2017-05-24	15.00
15	201705301288	RR-B	2017-05-24	15.00
16	201705301289	E-A	2017-05-24	15.00
17	201705301290	E-B	2017-05-24	15.00
18	201705301291	Near Restroom DF A	2017-05-24	15.00
19	201705301292	Near Restroom DF B	2017-05-24	15.00
			Profile Sub Total:	**285.00**
Freight - Outbound				
1	201705301274	1002 A	2017-05-24	15.00
			Profile Sub Total:	**15.00**
Freight - Return				
1	201705301274	1002 A	2017-05-24	15.00
			Profile Sub Total:	**15.00**

Total Due (USD): **315.00**

TERMS = PAY UPON RECEIPT - 18% CHARGE PER YEAR ON PAST DUE ACCOUNTS

750 Royal Oaks Drive, Suite 100, Monrovia, CA 91016 Tel (626) 386-1100 Fax (626) 386-1101 www.EurofinsUS.com/Eaton

Collection Log

for experienced sample collectors

663126

Complete copy of this form for each sample collected. Your drinking water sample cannot be tested unless a copy of this form is shipped to the lab with each sample. In addition, the sample cannot be tested unless the Sample Identification Number matches the number on the sample container label.

☒ Check this box to confirm that **water had not been used at this tap or other taps in the area for 6 hours** and no flushing was done prior to sampling

Name of School District	WINDOW ROCK SCHOOL DISTRICT
School Name	TSE HOOTSOI DINE BIOLTA
Building (name/number)	TSE HOOTSOI DINE BIOLTA / BLDG 530 1ST FLOOR A1604
Type of Fixture (tap, drinking fountain etc.)	SINK
Location of Fixture (example, room number)	A1604
Sample Identification Number (**Write this number on the sample container and on this sheet**)	1002
Date of Collection	5/24/17
Time of Collection	6:15 AM
Printed Name of Sample Collector	MICHEAL JOHNSON
Signature Sample Collector	[signature]

Notes Sample collector:

For Lab use only	
Analyze this drinking water sample for lead	
Date and Time Lab received	5.30.17 12:10
Signature	MAV
Notes:	

For relinquishing samples upon delivery to labs only

Relinquished date and signature [signature]

These samples were collected for lead screening purposes only and cannot be used for compliance.

Collection Log

for experienced sample collectors

Complete copy of this form for each sample collected. Your drinking water sample cannot be tested unless a copy of this form is shipped to the lab with each sample. In addition, the sample cannot be tested unless the Sample Identification Number matches the number on the sample container label.

☒ Check this box to confirm that **water had not been used at this tap or other taps in the area for 6 hours** and no flushing was done prior to sampling

Name of School District	WINDOW ROCK SCHOOL DISTRICT
School Name	TSE HOOTSOI DINE BIOLTA
Building (name/number)	TSE HOOTSOI DINE BIOLTA / BLDG 830 1ST FLOOR
Type of Fixture (tap, drinking fountain etc.)	SINK
Location of Fixture (example, room number)	A164
Sample Identification Number (**Write this number on the sample container and on this sheet**)	1002
Date of Collection	5/24/17
Time of Collection	6:15 AM
Printed Name of Sample Collector	MICHEAL JOHNSON
Signature Sample Collector	Michael Johnson

Notes Sample collector:

For Lab use only	
Analyze this drinking water sample for lead	
Date and Time Lab received	5·30·17 12:10
Signature	MAN
Notes:	

For relinquishing samples upon delivery to labs only

Relinquished date and signature Michael Johnson

These samples were collected for lead screening purposes only and cannot be used for compliance.

Collection Log

for experienced sample collectors

Complete copy of this form for each sample collected. Your drinking water sample cannot be tested unless a copy of this form is shipped to the lab with each sample. In addition, the sample cannot be tested unless the Sample Identification Number matches the number on the sample container label.

☒ Check this box to confirm that **water had not been used at this tap or other taps in the area for 6 hours** and no flushing was done prior to sampling

Name of School District	WINDOW ROCK UNIFIED DISTRICT
School Name	TSE HOOTSOI DINE BIOLTA
Building (name/number)	TSE HOOTSOI DINE BIOLTA / hms 216-227 (Replaced)
Type of Fixture (tap, drinking fountain etc.)	SINK
Location of Fixture (example, room number)	KITCHEN & CAFETERIA SINK
Sample Identification Number (**Write this number on the sample container and on this sheet**)	1004
Date of Collection	5/24/17
Time of Collection	6:12 AM
Printed Name of Sample Collector	MICHEAL JOHNSON
Signature Sample Collector	Michael Johnson

Notes Sample collector:

For Lab use only	
Analyze this drinking water sample for lead	
Date and Time Lab received	5-30-17 12:10
Signature	MAN
Notes:	

For relinquishing samples upon delivery to labs only

Relinquished date and signature Michael Johnson

These samples were collected for lead screening purposes only and cannot be used for compliance.

Collection Log

for experienced sample collectors

Complete copy of this form for each sample collected. Your drinking water sample cannot be tested unless a copy of this form is shipped to the lab with each sample. In addition, the sample cannot be tested unless the Sample Identification Number matches the number on the sample container label.

☒ Check this box to confirm that **water had not been used at this tap or other taps in the area for 6 hours** and no flushing was done prior to sampling

Name of School District	WINDOW ROCK UNIFIED DISTRICT
School Name	TSE HOOTSOI DINE BIOLTA
Building (name/number)	TSE HOOTSOI DINE BIOLTA / RMS 216-227 (REPLACED)
Type of Fixture (tap, drinking fountain etc.)	SINK
Location of Fixture (example, room number)	KITCHEN & CAFETERIA SINK
Sample Identification Number (**Write this number on the sample container and on this sheet**)	1004
Date of Collection	5/24/17
Time of Collection	6:12 AM
Printed Name of Sample Collector	MICHEAL JOHNSON
Signature Sample Collector	Michael Johnson

Notes Sample collector:

For Lab use only	
Analyze this drinking water sample for lead	
Date and Time Lab received	5.30.17 12:10
Signature	MAV
Notes:	

For relinquishing samples upon delivery to labs only

Relinquished date and signature Michael Johnson

These samples were collected for lead screening purposes only and cannot be used for compliance.

Collection Log

for experienced sample collectors

Complete copy of this form for each sample collected. Your drinking water sample cannot be tested unless a copy of this form is shipped to the lab with each sample. In addition, the sample cannot be tested unless the Sample Identification Number matches the number on the sample container label.

☐ Check this box to confirm that **water had not been used at this tap or other taps in the area for 6 hours** and no flushing was done prior to sampling

Name of School District	WINDOW ROCK UNIFIED DISTRICT
School Name	TSE HOOTSOI DINE BIOLTA
Building (name/number)	TSE HOOTSOI DINE BIOLTA/BLDG 950
Type of Fixture (tap, drinking fountain etc.)	SINK
Location of Fixture (example, room number)	NURSE OFFICE
Sample Identification Number (**Write this number on the sample container and on this sheet**)	1015
Date of Collection	5/24/17
Time of Collection	6:10AM
Printed Name of Sample Collector	MICHEAL JOHNSON
Signature Sample Collector	Michael Johnson

Notes Sample collector:

For Lab use only	
Analyze this drinking water sample for lead	
Date and Time Lab received	5.30.17 12:P
Signature	MAV
Notes:	

For relinquishing samples upon delivery to labs only

Relinquished date and signature Michael Johnson

These samples were collected for lead screening purposes only and cannot be used for compliance.

Collection Log

for experienced sample collectors

Complete copy of this form for each sample collected. Your drinking water sample cannot be tested unless a copy of this form is shipped to the lab with each sample. In addition, the sample cannot be tested unless the Sample Identification Number matches the number on the sample container label.

☐ Check this box to confirm that **water had not been used at this tap or other taps in the area for 6 hours** and no flushing was done prior to sampling

Name of School District	WINDOW ROCK SCHOOL DISTRICT
School Name	TSE HOOTSOI DINE BIOLTA
Building (name/number)	TSE HOOTSOI DINE BIOLTA / BLDG 990
Type of Fixture (tap, drinking fountain etc.)	SINK
Location of Fixture (example, room number)	NURSE OFFICE
Sample Identification Number (**Write this number on the sample container and on this sheet**)	1015
Date of Collection	5/24/17
Time of Collection	6:10AM
Printed Name of Sample Collector	MICHEAL JOHNSON
Signature Sample Collector	Michael Johnson

Notes Sample collector:

For Lab use only	
Analyze this drinking water sample for lead	
Date and Time Lab received	5·30·17 12:10
Signature	MAN
Notes:	

For relinquishing samples upon delivery to labs only

Relinquished date and signature Michael Johnson

These samples were collected for lead screening purposes only and cannot be used for compliance.

Collection Log

for experienced sample collectors

Complete copy of this form for each sample collected. Your drinking water sample cannot be tested unless a copy of this form is shipped to the lab with each sample. In addition, the sample cannot be tested unless the Sample Identification Number matches the number on the sample container label.

☐ Check this box to confirm that **water had not been used at this tap or other taps in the area for 6 hours** and no flushing was done prior to sampling

Name of School District	WINDOW ROCK UNIFIED DISTRICT
School Name	TSE HOOTSOI DINE BIOLTA
Building (name/number)	TSE HOOTSOI DINE BIOLTA / BREK ROOM
Type of Fixture (tap, drinking fountain etc.)	SINK
Location of Fixture (example, room number)	BREAK ROOM
Sample Identification Number (**Write this number on the sample container and on this sheet**)	
Date of Collection	5/24/17
Time of Collection	6:30 AM
Printed Name of Sample Collector	MICHEAL JOHNSON
Signature Sample Collector	Michael Johnson

Notes Sample collector:

For Lab use only	
Analyze this drinking water sample for lead	
Date and Time Lab received	5.30.17 12:10
Signature	MAN
Notes:	

For relinquishing samples upon delivery to labs only

Relinquished date and signature Michael Johnson

These samples were collected for lead screening purposes only and cannot be used for compliance.

Collection Log

for experienced sample collectors

Complete copy of this form for each sample collected. Your drinking water sample cannot be tested unless a copy of this form is shipped to the lab with each sample. In addition, the sample cannot be tested unless the Sample Identification Number matches the number on the sample container label.

☐ Check this box to confirm that **water had not been used at this tap or other taps in the area for 6 hours** and no flushing was done prior to sampling

Name of School District	WINDOW ROCK UNIFIED DISTRICT
School Name	TSE HOOTSOI DINE BIOLTA
Building (name/number)	TSE HOOTSOI DINE BIOLTA / BREAK ROOM
Type of Fixture (tap, drinking fountain etc.)	SINK
Location of Fixture (example, room number)	BREAK ROOM
Sample Identification Number (**Write this number on the sample container and on this sheet**)	
Date of Collection	5/24/17
Time of Collection	6:30 AM
Printed Name of Sample Collector	MICHEAL JOHNSON
Signature Sample Collector	[signature]

Notes Sample collector:

For Lab use only	
Analyze this drinking water sample for lead	
Date and Time Lab received	5.30.17 12:10
Signature	MAV
Notes: 3 sample were received with date & time as 5.24.17 06:30	

For relinquishing samples upon delivery to labs only

Relinquished date and signature [signature]

These samples were collected for lead screening purposes only and cannot be used for compliance.

Collection Log

for experienced sample collectors

Complete copy of this form for each sample collected. Your drinking water sample cannot be tested unless a copy of this form is shipped to the lab with each sample. In addition, the sample cannot be tested unless the Sample Identification Number matches the number on the sample container label.

☒ Check this box to confirm that **water had not been used at this tap or other taps in the area for 6 hours** and no flushing was done prior to sampling

Name of School District	WINDOW ROCK UNIFIED DISTRICT
School Name	TSE HOOTSOI DINE BIOLTA
Building (name/number)	TSE HOOTSOI DINE BIOLTA
Type of Fixture (tap, drinking fountain etc.)	SINK
Location of Fixture (example, room number)	2ND FLOOR BREAK ROOM
Sample Identification Number (**Write this number on the sample container and on this sheet**)	
Date of Collection	5/24/17
Time of Collection	6:40 AM
Printed Name of Sample Collector	MICHEAL JOHNSON
Signature Sample Collector	[signature]

Notes Sample collector:

For Lab use only	
Analyze this drinking water sample for lead	
Date and Time Lab received	5.30.17 12:10
Signature	MAV
Notes:	

For relinquishing samples upon delivery to labs only

Relinquished date and signature [signature]

These samples were collected for lead screening purposes only and cannot be used for compliance.

Collection Log

for experienced sample collectors

Complete copy of this form for each sample collected. Your drinking water sample cannot be tested unless a copy of this form is shipped to the lab with each sample. In addition, the sample cannot be tested unless the Sample Identification Number matches the number on the sample container label.

☒ Check this box to confirm that **water had not been used at this tap or other taps in the area for 6 hours** and no flushing was done prior to sampling

Name of School District	WINDOW ROCK UNIFIED DISTRICT
School Name	TSE HOOTSOI DINE BOLTA
Building (name/number)	TSE HOOTSOI DINE BOLTA
Type of Fixture (tap, drinking fountain etc.)	SINK
Location of Fixture (example, room number)	2ND FLOOR BREAK ROOM
Sample Identification Number (**Write this number on the sample container and on this sheet**)	
Date of Collection	5/24/17
Time of Collection	6:40 AM
Printed Name of Sample Collector	MICHEAL JOHNSON
Signature Sample Collector	[signature]

Notes Sample collector:

For Lab use only	
Analyze this drinking water sample for lead	
Date and Time Lab received	5-30-17 12:10
Signature	MAN
Notes:	

For relinquishing samples upon delivery to labs only

Relinquished date and signature [signature]

These samples were collected for lead screening purposes only and cannot be used for compliance.

Collection Log

for experienced sample collectors

Complete copy of this form for each sample collected. Your drinking water sample cannot be tested unless a copy of this form is shipped to the lab with each sample. In addition, the sample cannot be tested unless the Sample Identification Number matches the number on the sample container label.

☒ Check this box to confirm that **water had not been used at this tap or other taps in the area for 6 hours** and no flushing was done prior to sampling

Name of School District	WINDOW ROCK UNIFIED DISTRICT
School Name	TSE HOOTSOI DINE BOLTA
Building (name/number)	TSE HOOTSOI DINE BOLTA
Type of Fixture (tap, drinking fountain etc.)	DRINKING FOUNTAIN
Location of Fixture (example, room number)	NEAR REST ROOM 2ND FLOOR
Sample Identification Number (**Write this number on the sample container and on this sheet**)	
Date of Collection	5/24/17
Time of Collection	11:50AM
Printed Name of Sample Collector	MICHEAL JOHNSON
Signature Sample Collector	[signature]

Notes Sample collector:

For Lab use only	
Analyze this drinking water sample for lead	
Date and Time Lab received	5.30.17 12:10
Signature	MAV
Notes:	

For relinquishing samples upon delivery to labs only

Relinquished date and signature [signature]

These samples were collected for lead screening purposes only and cannot be used for compliance.

Collection Log

for experienced sample collectors

Complete copy of this form for each sample collected. Your drinking water sample cannot be tested unless a copy of this form is shipped to the lab with each sample. In addition, the sample cannot be tested unless the Sample Identification Number matches the number on the sample container label.

☒ Check this box to confirm that **water had not been used at this tap or other taps in the area for 6 hours** and no flushing was done prior to sampling

Name of School District	WINDOW ROCK UNIFIED DISTRICT
School Name	TSE HOOTSOI DINE BIOLTA
Building (name/number)	TSE HOOTSOI DINE BIOLTA
Type of Fixture (tap, drinking fountain etc.)	DRINKING FOUNTAIN
Location of Fixture (example, room number)	NEAR RESTROOM 2ND FLOOR
Sample Identification Number (**Write this number on the sample container and on this sheet**)	
Date of Collection	5/24/17
Time of Collection	6:50 AM
Printed Name of Sample Collector	MICHEAL JOHNSON
Signature Sample Collector	Michael Johnson

Notes Sample collector:

For Lab use only	
Analyze this drinking water sample for lead	
Date and Time Lab received	5.30.17 12:10 MAN
Signature	
Notes:	

For relinquishing samples upon delivery to labs only

Relinquished date and signature Michael Johnson

These samples were collected for lead screening purposes only and cannot be used for compliance.

Collection Log

for experienced sample collectors

Complete copy of this form for each sample collected. Your drinking water sample cannot be tested unless a copy of this form is shipped to the lab with each sample. In addition, the sample cannot be tested unless the Sample Identification Number matches the number on the sample container label.

☒ Check this box to confirm that **water had not been used at this tap or other taps in the area for 6 hours** and no flushing was done prior to sampling

Name of School District	WINDOW ROCK UNIFIED DISTRICT
School Name	TSE HOOTSOI DINE BIOLTA
Building (name/number)	TSE HOOTSOI DINE BIOLTA
Type of Fixture (tap, drinking fountain etc.)	DRINKING FOUNTAIN
Location of Fixture (example, room number)	NEAR RESTROOM
Sample Identification Number (**Write this number on the sample container and on this sheet**)	
Date of Collection	5/24/17
Time of Collection	6:50 AM
Printed Name of Sample Collector	MICHEAL JOHNSON
Signature Sample Collector	Michel Johnson

Notes Sample collector:

For Lab use only	
Analyze this drinking water sample for lead	
Date and Time Lab received	5.30.17 12:10 MAN
Signature	
Notes:	

For relinquishing samples upon delivery to labs only

Relinquished date and signature Michel Johnson

These samples were collected for lead screening purposes only and cannot be used for compliance.

Collection Log

for experienced sample collectors

Complete copy of this form for each sample collected. Your drinking water sample cannot be tested unless a copy of this form is shipped to the lab with each sample. In addition, the sample cannot be tested unless the Sample Identification Number matches the number on the sample container label.

☒ Check this box to confirm that **water had not been used at this tap or other taps in the area for 6 hours** and no flushing was done prior to sampling

Name of School District	WINDOW ROCK UNIFIED DISTRICT
School Name	TSE HOOTSOI DINE BIOLTA
Building (name/number)	TSE HOOTSOI DINE BIOLTA
Type of Fixture (tap, drinking fountain etc.)	DRINKING FOUNTAIN
Location of Fixture (example, room number)	NEAR RESTROOM
Sample Identification Number (**Write this number on the sample container and on this sheet**)	
Date of Collection	5/24/17
Time of Collection	6:50 AM
Printed Name of Sample Collector	MICHEAL JOHNSON
Signature Sample Collector	Michael Johnson

Notes Sample collector:

For Lab use only	
Analyze this drinking water sample for lead	
Date and Time Lab received	5.30.17 12:10
Signature	MAN
Notes:	

For relinquishing samples upon delivery to labs only

Relinquished date and signature Michael Johnson

These samples were collected for lead screening purposes only and cannot be used for compliance.

Collection Log

for experienced sample collectors

Complete copy of this form for each sample collected. Your drinking water sample cannot be tested unless a copy of this form is shipped to the lab with each sample. In addition, the sample cannot be tested unless the Sample Identification Number matches the number on the sample container label.

☒ Check this box to confirm that **water had not been used at this tap or other taps in the area for 6 hours** and no flushing was done prior to sampling

Name of School District	WINDOW ROCK UNIFIED DISTRICT
School Name	TSE HOOTSOI DINE BIOLATA
Building (name/number)	TSE HOOTSOI DINE BIOLTA
Type of Fixture (tap, drinking fountain etc.)	DRINKING FOUNTAIN
Location of Fixture (example, room number)	NEAR ELEVATOR
Sample Identification Number (**Write this number on the sample container and on this sheet**)	
Date of Collection	5/24/17
Time of Collection	6:50 AM
Printed Name of Sample Collector	MICHEAL JOHNSON
Signature Sample Collector	[signature]

Notes Sample collector:

For Lab use only	
Analyze this drinking water sample for lead	
Date and Time Lab received	5.30.17 12:10
Signature	MAV
Notes:	

For relinquishing samples upon delivery to labs only

Relinquished date and signature [signature]

These samples were collected for lead screening purposes only and cannot be used for compliance.

Collection Log

for experienced sample collectors

Complete copy of this form for each sample collected. Your drinking water sample cannot be tested unless a copy of this form is shipped to the lab with each sample. In addition, the sample cannot be tested unless the Sample Identification Number matches the number on the sample container label.

☒ Check this box to confirm that **water had not been used at this tap or other taps in the area for 6 hours** and no flushing was done prior to sampling

Name of School District	WINDOW ROCK UNIFIED DISTRICT
School Name	TSE HOOTSOI DINE BIOLTA
Building (name/number)	TSE HOOTSOI DINE BIOLTA
Type of Fixture (tap, drinking fountain etc.)	DRINKING FOUNTAIN
Location of Fixture (example, room number)	NEAR ELEVATOR
Sample Identification Number (**Write this number on the sample container and on this sheet**)	
Date of Collection	5/24/17
Time of Collection	6:50 AM
Printed Name of Sample Collector	MICHEAL JOHNSON
Signature Sample Collector	Michael Johnson

Notes Sample collector:

For Lab use only	
Analyze this drinking water sample for lead	
Date and Time Lab received	5.30.17 12:10
Signature	MAN
Notes:	

For relinquishing samples upon delivery to labs only

Relinquished date and signature Michael Johnson

These samples were collected for lead screening purposes only and cannot be used for compliance.

Collection Log

for experienced sample collectors

Complete copy of this form for each sample collected. Your drinking water sample cannot be tested unless a copy of this form is shipped to the lab with each sample. In addition, the sample cannot be tested unless the Sample Identification Number matches the number on the sample container label.

☒ Check this box to confirm that **water had not been used at this tap or other taps in the area for 6 hours** and no flushing was done prior to sampling

Name of School District	WINDOW ROCK UNIFIED DISTRICT
School Name	TSE HOOTSOI DINE BIOLTA
Building (name/number)	TSE HOOTSOI DINE BIOLTA
Type of Fixture (tap, drinking fountain etc.)	DRINKING FOUNTAIN
Location of Fixture (example, room number)	NEAR RESTROOM
Sample Identification Number (**Write this number on the sample container and on this sheet**)	
Date of Collection	5/24/17
Time of Collection	6:55 AM
Printed Name of Sample Collector	MICHEAL JOHNSON
Signature Sample Collector	[signature]

Notes Sample collector:

For Lab use only	
Analyze this drinking water sample for lead	
Date and Time Lab received	5-30-17 12:19
Signature	MAN
Notes:	

For relinquishing samples upon delivery to labs only

Relinquished date and signature [signature]

These samples were collected for lead screening purposes only and cannot be used for compliance.

Collection Log

for experienced sample collectors

Complete copy of this form for each sample collected. Your drinking water sample cannot be tested unless a copy of this form is shipped to the lab with each sample. In addition, the sample cannot be tested unless the Sample Identification Number matches the number on the sample container label.

☑ Check this box to confirm that **water had not been used at this tap or other taps in the area for 6 hours** and no flushing was done prior to sampling

Name of School District	WINDOW ROCK UNIFIED DISTRICT
School Name	TSE HOOTSOI DINE BIOLTA
Building (name/number)	TSE HOOTSOI DINE BIOLTA
Type of Fixture (tap, drinking fountain etc.)	DRINKING FOUNTAIN
Location of Fixture (example, room number)	NEAR RESTROOM
Sample Identification Number (**Write this number on the sample container and on this sheet**)	
Date of Collection	5/24/17
Time of Collection	6:55 AM
Printed Name of Sample Collector	MICHEAL JOHNSON
Signature Sample Collector	[signature]

Notes Sample collector:

For Lab use only	
Analyze this drinking water sample for lead	
Date and Time Lab received	5.30.17 12:10
Signature	MAV
Notes:	

For relinquishing samples upon delivery to labs only

Relinquished date and signature [signature]

These samples were collected for lead screening purposes only and cannot be used for compliance.

Collection Log

for experienced sample collectors

Complete copy of this form for each sample collected. Your drinking water sample cannot be tested unless a copy of this form is shipped to the lab with each sample. In addition, the sample cannot be tested unless the Sample Identification Number matches the number on the sample container label.

☒ Check this box to confirm that **water had not been used at this tap or other taps in the area for 6 hours** and no flushing was done prior to sampling

Name of School District	WINDOW ROCK UNIFIED DISTRICT
School Name	TSE HOOTSOI DINE BIOLTA
Building (name/number)	TSE HOOTSOI DINE BIOLTA
Type of Fixture (tap, drinking fountain etc.)	
Location of Fixture (example, room number)	TDB CLASSROOMS
Sample Identification Number (**Write this number on the sample container and on this sheet**)	1001
Date of Collection	5/24/17
Time of Collection	
Printed Name of Sample Collector	MICHEAL JOHNSON
Signature Sample Collector	Michael Johnson

Notes Sample collector: NO WATER IN CLASSROOM

For Lab use only	
Analyze this drinking water sample for lead	
Date and Time Lab received	5.30.17 12:10
Signature	MAV
Notes:	

For relinquishing samples upon delivery to labs only

Relinquished date and signature Michael Johnson

These samples were collected for lead screening purposes only and cannot be used for compliance.

Collection Log

for experienced sample collectors

Complete copy of this form for each sample collected. Your drinking water sample cannot be tested unless a copy of this form is shipped to the lab with each sample. In addition, the sample cannot be tested unless the Sample Identification Number matches the number on the sample container label.

☒ Check this box to confirm that **water had not been used at this tap or other taps in the area for 6 hours** and no flushing was done prior to sampling

Name of School District	Window Rock Unified District
School Name	TSE HOOTSO DINE BOLTA
Building (name/number)	TSE HOOTSO DINE BOLTA
Type of Fixture (tap, drinking fountain etc.)	
Location of Fixture (example, room number)	BLDG 530 2ND FLOOR / STORAGE & OFFICES
Sample Identification Number (**Write this number on the sample container and on this sheet**)	1003
Date of Collection	5/24/17
Time of Collection	
Printed Name of Sample Collector	MICHEAL JOHNSON
Signature Sample Collector	Michael Johnson

Notes Sample collector: NO WATER IN CLASS ROOM

For Lab use only	
Analyze this drinking water sample for lead	
Date and Time Lab received	5.30.17 12:10
Signature	MAV
Notes:	

For relinquishing samples upon delivery to labs only

Relinquished date and signature Michael Johnson

These samples were collected for lead screening purposes only and cannot be used for compliance.

Collection Log

for experienced sample collectors

Complete copy of this form for each sample collected. Your drinking water sample cannot be tested unless a copy of this form is shipped to the lab with each sample. In addition, the sample cannot be tested unless the Sample Identification Number matches the number on the sample container label.

☐ Check this box to confirm that **water had not been used at this tap or other taps in the area for 6 hours** and no flushing was done prior to sampling

Name of School District	Window Rock Unified District
School Name	TSE HOOTSOI DINE BIOLTA
Building (name/number)	TSE HOOTSOI DINE BIOLTA / BLDG 850
Type of Fixture (tap, drinking fountain etc.)	
Location of Fixture (example, room number)	LIBRARY
Sample Identification Number (**Write this number on the sample container and on this sheet**)	1005
Date of Collection	5/24/17
Time of Collection	
Printed Name of Sample Collector	MICHEAL JOHNSON
Signature Sample Collector	[signature]

Notes Sample collector: NO WATER IN LIBRARY

For Lab use only	
Analyze this drinking water sample for lead	
Date and Time Lab received	5.30.17 12:10
Signature	MAN
Notes:	

For relinquishing samples upon delivery to labs only

Relinquished date and signature [signature]

These samples were collected for lead screening purposes only and cannot be used for compliance.

Collection Log

for experienced sample collectors

Complete copy of this form for each sample collected. Your drinking water sample cannot be tested unless a copy of this form is shipped to the lab with each sample. In addition, the sample cannot be tested unless the Sample Identification Number matches the number on the sample container label.

☐ Check this box to confirm that **water had not been used at this tap or other taps in the area for 6 hours** and no flushing was done prior to sampling

Name of School District	Window Rock Unified District
School Name	TSE HOOTSOI DINE BIOLTA
Building (name/number)	TSE HOOTSOI DINE BIOLTA / BLDG 900
Type of Fixture (tap, drinking fountain etc.)	
Location of Fixture (example, room number)	classrooms
Sample Identification Number (**Write this number on the sample container and on this sheet**)	1006
Date of Collection	5/24/17
Time of Collection	
Printed Name of Sample Collector	MICHEAL JOHNSON
Signature Sample Collector	[signature]

Notes Sample collector: NO WATER IN CLASS ROOM.

For Lab use only	
Analyze this drinking water sample for lead	
Date and Time Lab received	5.30.17 12:10 MAV
Signature	
Notes:	

For relinquishing samples upon delivery to labs only

Relinquished date and signature [signature]

These samples were collected for lead screening purposes only and cannot be used for compliance.

Collection Log

for experienced sample collectors

Complete copy of this form for each sample collected. Your drinking water sample cannot be tested unless a copy of this form is shipped to the lab with each sample. In addition, the sample cannot be tested unless the Sample Identification Number matches the number on the sample container label.

☐ Check this box to confirm that **water had not been used at this tap or other taps in the area for 6 hours** and no flushing was done prior to sampling

Name of School District	Window Rock Unified District
School Name	TSE HOOTSOI DINE BIOLTA
Building (name/number)	TSE HOOTSOI DINE BIOLTA / BLDG 900
Type of Fixture (tap, drinking fountain etc.)	
Location of Fixture (example, room number)	CLASSROOMS
Sample Identification Number (**Write this number on the sample container and on this sheet**)	1007
Date of Collection	5/24/17
Time of Collection	
Printed Name of Sample Collector	MICHEAL JOHNSON
Signature Sample Collector	[signature]

Notes Sample collector: NO WATER IN CLASSROOM

For Lab use only	
Analyze this drinking water sample for lead	
Date and Time Lab received	5.30.17 12:10
Signature	MAN
Notes:	

For relinquishing samples upon delivery to labs only

Relinquished date and signature [signature]

These samples were collected for lead screening purposes only and cannot be used for compliance.

Collection Log

for experienced sample collectors

Complete copy of this form for each sample collected. Your drinking water sample cannot be tested unless a copy of this form is shipped to the lab with each sample. In addition, the sample cannot be tested unless the Sample Identification Number matches the number on the sample container label.

☐ Check this box to confirm that **water had not been used at this tap or other taps in the area for 6 hours** and no flushing was done prior to sampling

Name of School District	Window Rock Unified District
School Name	TSE HOOTSO: DINE BIOLTA
Building (name/number)	TSE HOOTSO: DINE BIOLTA / BLDG 920
Type of Fixture (tap, drinking fountain etc.)	
Location of Fixture (example, room number)	Classrooms
Sample Identification Number (**Write this number on the sample container and on this sheet**)	1008
Date of Collection	5/24/17
Time of Collection	
Printed Name of Sample Collector	MICHEAL JOHNSON
Signature Sample Collector	[signature]

Notes Sample collector: NO WATER IN CLASS ROOM

For Lab use only	
Analyze this drinking water sample for lead	
Date and Time Lab received	5.30.17 12:10
Signature	MAN
Notes:	

For relinquishing samples upon delivery to labs only

Relinquished date and signature [signature]

These samples were collected for lead screening purposes only and cannot be used for compliance.

Collection Log

for experienced sample collectors

Complete copy of this form for each sample collected. Your drinking water sample cannot be tested unless a copy of this form is shipped to the lab with each sample. In addition, the sample cannot be tested unless the Sample Identification Number matches the number on the sample container label.

☐ Check this box to confirm that **water had not been used at this tap or other taps in the area for 6 hours** and no flushing was done prior to sampling

Name of School District	Window Rock Unified District
School Name	TSE HOOTSOI DINE BIOLTA
Building (name/number)	TSE HOOTSOI DINE DIOLTA / BLDG 930
Type of Fixture (tap, drinking fountain etc.)	
Location of Fixture (example, room number)	Classrooms
Sample Identification Number (**Write this number on the sample container and on this sheet**)	1009
Date of Collection	5/24/17
Time of Collection	
Printed Name of Sample Collector	MICHEAL JOHNSON
Signature Sample Collector	[signature]

Notes Sample collector: NO WATER IN CLASSROOM

For Lab use only	
Analyze this drinking water sample for lead	
Date and Time Lab received	5.30.17 12:10
Signature	MAV
Notes:	

For relinquishing samples upon delivery to labs only

Relinquished date and signature [signature]

These samples were collected for lead screening purposes only and cannot be used for compliance.

Collection Log

for experienced sample collectors

Complete copy of this form for each sample collected. Your drinking water sample cannot be tested unless a copy of this form is shipped to the lab with each sample. In addition, the sample cannot be tested unless the Sample Identification Number matches the number on the sample container label.

☐ Check this box to confirm that **water had not been used at this tap or other taps in the area for 6 hours** and no flushing was done prior to sampling

Name of School District	Window Rock Unified District
School Name	TSE HOOTSOI DINE BOLTA
Building (name/number)	TSE HOOTSOI DINE BOLTA / BLDG 940
Type of Fixture (tap, drinking fountain etc.)	
Location of Fixture (example, room number)	SPECIAL ED
Sample Identification Number (**Write this number on the sample container and on this sheet**)	1000
Date of Collection	5/24/17
Time of Collection	
Printed Name of Sample Collector	MICHEAL JOHNSON
Signature Sample Collector	[signature]

Notes Sample collector: NO WATER IN CLASSROOM

For Lab use only	
Analyze this drinking water sample for lead	
Date and Time Lab received	5.30.17 12:10
Signature	MAL
Notes:	

For relinquishing samples upon delivery to labs only

Relinquished date and signature [signature]

These samples were collected for lead screening purposes only and cannot be used for compliance.

Collection Log

for experienced sample collectors

Complete copy of this form for each sample collected. Your drinking water sample cannot be tested unless a copy of this form is shipped to the lab with each sample. In addition, the sample cannot be tested unless the Sample Identification Number matches the number on the sample container label.

☐ Check this box to confirm that **water had not been used at this tap or other taps in the area for 6 hours** and no flushing was done prior to sampling

Name of School District	Window Rock Unified District
School Name	TSE BOOTSOI DINE BIOLTA
Building (name/number)	TSE BOOTSOI DINE BIOLTA / BLDG 950
Type of Fixture (tap, drinking fountain etc.)	
Location of Fixture (example, room number)	Classrooms
Sample Identification Number (**Write this number on the sample container and on this sheet**)	1011
Date of Collection	5/24/17
Time of Collection	
Printed Name of Sample Collector	MICHEAL JOHNSON
Signature Sample Collector	Michel John

Notes Sample collector: NO WATER IN CLASS ROOM

For Lab use only	
Analyze this drinking water sample for lead	
Date and Time Lab received	5.30.17 12:10
Signature	MAL
Notes:	

For relinquishing samples upon delivery to labs only

Relinquished date and signature Michel John

These samples were collected for lead screening purposes only and cannot be used for compliance.

Collection Log

for experienced sample collectors

Complete copy of this form for each sample collected. Your drinking water sample cannot be tested unless a copy of this form is shipped to the lab with each sample. In addition, the sample cannot be tested unless the Sample Identification Number matches the number on the sample container label.

☐ Check this box to confirm that **water had not been used at this tap or other taps in the area for 6 hours** and no flushing was done prior to sampling

Name of School District	Window Rock Unified District
School Name	TSE HOOTSOI DIXIE BIOLTA
Building (name/number)	TSE HOOTSOI DIXIE BIOLTA / BLDG 9100
Type of Fixture (tap, drinking fountain etc.)	
Location of Fixture (example, room number)	classrooms
Sample Identification Number (**Write this number on the sample container and on this sheet**)	1012
Date of Collection	5/24/17
Time of Collection	
Printed Name of Sample Collector	MICHEAL JOHNSON
Signature Sample Collector	[signature]

Notes Sample collector: NO WATER IN CLASSROOM

For Lab use only	
Analyze this drinking water sample for lead	
Date and Time Lab received	5.30.17 12:10
Signature	MAN
Notes:	

For relinquishing samples upon delivery to labs only

Relinquished date and signature [signature]

These samples were collected for lead screening purposes only and cannot be used for compliance.

Collection Log

for experienced sample collectors

Complete copy of this form for each sample collected. Your drinking water sample cannot be tested unless a copy of this form is shipped to the lab with each sample. In addition, the sample cannot be tested unless the Sample Identification Number matches the number on the sample container label.

☐ Check this box to confirm that **water had not been used at this tap or other taps in the area for 6 hours** and no flushing was done prior to sampling

Name of School District	Window Rock Unified District
School Name	TSE HOOTSOI DINE BIOLTA
Building (name/number)	TSE HOOTSOI DINE BIOLTA / BLDG 970
Type of Fixture (tap, drinking fountain etc.)	
Location of Fixture (example, room number)	CLASSROOMS
Sample Identification Number (**Write this number on the sample container and on this sheet**)	1013
Date of Collection	5/24/17
Time of Collection	
Printed Name of Sample Collector	MICHEAL JOHNSON
Signature Sample Collector	[signature]

Notes Sample collector: NO WATER IN CLASSROOM

For Lab use only	
Analyze this drinking water sample for lead	
Date and Time Lab received	5.30.17 12:10
Signature	MAN
Notes:	

For relinquishing samples upon delivery to labs only

Relinquished date and signature [signature]

These samples were collected for lead screening purposes only and cannot be used for compliance.

eurofins | Eaton Analytical

Kit Order for Arizona Department of Environmental Quality

Thomas.D.French is your Eurofins Eaton Analytical Service Manager

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
(626) 386-1100 FAX (626) 386-1101

Note: Sampler Please return this paper with your samples

Kit #: 170516

Created By: Thomas.D.French - [TDF]
Deliver By: 05/23/2017
STG: Bottle Orders
Ice Type: W

Client ID: ADEQ-LEAD
Project Code: WINDOWROCK-UD Bottle Orders
Group Name: Tse Hootsoi Dine
PO#/JOB#: ADEQ16:116686:3

Ship Sample Kits to
Window Rock Unified District #8
Navajo Route 12
P. O. Box 559
Fort Defiance, AZ 86504

Attn: Heather Duncan
Phone: (928(729-6706

Send Report to
Arizona Department of Environmental Quality
1110 West Washington Street
Phoenix, AZ 85007

Attn: David Burchard
Phone: (602) 771-4298

Billing Address
Arizona Department of Environmental Quality
1110 West Washington Street
Phoenix, AZ 85007

Attn: ADEQ
Phone: (602) 771-1936

# of Sample	Tests	Bottle Qty - Type [preservative information]	UN DOT #
39	@ICPMS	1 - 250ml poly [no preservative]	

Comments

Tse Hootsoi Dine - Include Window Rock Unified School District Sample list, 39 Lead Sampling Plan Records, packing instructions for return shipment to Eurofins Eaton Analytical, Inc. 750 Royal Oaks Drive, Suite C, Monrovia, CA 91016. 39 sample containers. Return Shipment Fed EX

Sampler - please refer to Sampling Plan Records for instructions on completing paperwork and what to include with return shipment of the samples.

Code	Status	Date Shipped	Via	Tracking #	# of Coolers	Prepared By

eurofins | Eaton Analytical

INTERNAL CHAIN OF CUSTODY RECORD

EEA Folder Number: 663126

SAMPLE TEMP RECEIVED: **SAMPLES REC'D DAY OF COLLECTION?** ☐

IR Gun ID = 569A (Observation= 24.4 °C) (Corr.Factor -.2 °C) (Final = 24.2 °C)

TYPE OF ICE: Real ____ Synthetic ____ No Ice ✓ **CONDITION OF ICE:** Frozen ____ Partially Frozen ____ Thawed ____ N/A ✓

METHOD OF SHIPMENT: Pick-Up / Walk-In / FedEx / UPS / DHL / Area Fast / Top Line / Other: _____

TRK# 7324 9820 6204

Compliance Acceptance Criteria:

1) **Chemistry:** >0, ≤6°C, not frozen (NELAP) (if received after 24 hrs of sample collection)

2) **Microbiology, Distribution:** < 10°C, not frozen (can be ≥10°C if received on ice the same day as sample collection, within 8 hours)

3) **Microbiology, Surface Water:** < 10°C (if received after 2 hours of sample collection)

If out of temperature range for both Chemistry and Microbiology samples and temperature does not confirm, then measure the temperature of each quadrant and record each temperature of the quadrants

1 = (Observation= ____ °C) (Corr.Factor ____ °C) (Final = ____ °C)	2 = (Observation= ____ °C) (Corr.Factor ____ °C) (Final = ____ °C)
3 = (Observation= ____ °C) (Corr.Factor ____ °C) (Final = ____ °C)	4 = (Observation= ____ °C) (Corr.Factor ____ °C) (Final = ____ °C)

4) UCMR3 : (non-GLEC) **524.3:** (Observation= _____ °C) (Corr.Factor _____ °C) (Final = _____ °C)

522: (Observation= _____ °C) (Corr.Factor _____ °C) (Final = _____ °C)

≤ 10°C if received within 48 hours of sample collection (not the same business day); ≤ 6°C if received after 48 hours of sample collection. Measure temperature for each method above.

5) **LT2: Giardia /Cryptosporidium:** <20 °C, not frozen (received after 8 hours of sample collection)

E. Coli: < 10°C, not frozen (if received after 2 hours of sample collection)

Giardia/Crypto: (Observation= _____ °C) (Corr.Factor _____ °C) (Final = _____ °C)

E.Coli: (Observation= _____ °C) (Corr.Factor _____ °C) (Final = _____ °C)

6) **Dioxin (1613 or 2,3,7,8 TCDD):** must be between 0-4 °C, not frozen (if received after 24 hrs of sample collection)

Note: If samples are out of temperature range, let the ASMs know. ASMs will determine whether to proceed with analysis or not.

	SIGNATURE	PRINT NAME	COMPANY/TITLE	DATE	TIME
RECEIVED BY:	MAL	MAL	Eurofins Eaton Analytical	5·30·17	12:10

Window Rock Unified District	Tse Hootsoi Dine BiOlta (formerly Fort Defiance Elementary)	1001	bldg 800 (Replaced)	TDB - classrooms	1956	Apache	2
Window Rock Unified District	Tse Hootsoi Dine BiOlta (formerly Fort Defiance Elementary)	1002	bldg 830 1st floor (Replaced)	TDB - gym & offices	1966	Apache	2
Window Rock Unified District	Tse Hootsoi Dine BiOlta (formerly Fort Defiance Elementary)	1003	bldg 830 2nd floor (Replaced)	TDB - storage & offices	1966	Apache	2
Window Rock Unified District	Tse Hootsoi Dine BiOlta (formerly Fort Defiance Elementary)	1004	rms 216 - 227 (Replaced)	TDB - Kitchen & Cafeteria	1952	Apache	2
Window Rock Unified District	Tse Hootsoi Dine BiOlta (formerly Fort Defiance Elementary)	1005	bldg 850	library	1962	Apache	2
Window Rock Unified District	Tse Hootsoi Dine BiOlta (formerly Fort Defiance Elementary)	1006	bldg 910	classrooms	1962	Apache	2
Window Rock Unified District	Tse Hootsoi Dine BiOlta (formerly Fort Defiance Elementary)	1007	bldg 900	classrooms	1962	Apache	2
Window Rock Unified District	Tse Hootsoi Dine BiOlta (formerly Fort Defiance Elementary)	1008	bldg 920	classrooms	1962	Apache	2

Window Rock Unified District	Tse Hootsoi Dine BiOlta (formerly Fort Defiance Elementary)	1009	bldg 930	classrooms	1962	Apache	2
Window Rock Unified District	Tse Hootsoi Dine BiOlta (formerly Fort Defiance Elementary)	1010	bldg 940	special ed	1962	Apache	2
Window Rock Unified District	Tse Hootsoi Dine BiOlta (formerly Fort Defiance Elementary)	1011	bldg 950	classrooms	1962	Apache	2
Window Rock Unified District	Tse Hootsoi Dine BiOlta (formerly Fort Defiance Elementary)	1012	bldg 960	classrooms	1962	Apache	2
Window Rock Unified District	Tse Hootsoi Dine BiOlta (formerly Fort Defiance Elementary)	1013	bldg 970	classrooms	1962	Apache	2
Window Rock Unified District	Tse Hootsoi Dine BiOlta (formerly Fort Defiance Elementary)	1014	bldg 980	classrooms	1962	Apache	2
Window Rock Unified District	Tse Hootsoi Dine BiOlta (formerly Fort Defiance Elementary)	1015	bldg 990	nurse office	1962	Apache	2
Window Rock Unified District	Tse Hootsoi Dine BiOlta (formerly Fort Defiance Elementary)	1016	rms 860 - 864	classrooms	1962	Apache	2

Window Rock Unified District	Tse Hootsoi Dine BiOlta (formerly Fort Defiance Elementary)	1017	bldg 865	special ed	1962	Apache	2
Window Rock Unified District	Tse Hootsoi Dine BiOlta (formerly Fort Defiance Elementary)	1018	bldg 866	music room	1962	Apache	2
Window Rock Unified District	Tse Hootsoi Dine BiOlta (formerly Fort Defiance Elementary)	1019	rm 230 - 231	navajo head start	1962	Apache	2
Window Rock Unified District	Tse Hootsoi Dine BiOlta (formerly Fort Defiance Elementary)	1020	Replacement building	Classroom	2003	Apache	1
Total Containers							**39**

eurofins | Eaton Analytical

Tel: (626) 386-1100
Fax: (626) 386-1101
1 800 566 LABS (1 800 566 5227)

Laboratory Comments

Report: 663126
Project: WINDOWROCK-UD
Group: Tse Hootsoi Dine

Arizona Department of Environmental Quality
David Burchard
1110 West Washington Street
Phoenix, AZ 85007

The Comments Report may be blank if there are no comments for this report.

eurofins | Eaton Analytical

Tel: (626) 386-1100
Fax: (626) 386-1101
1 800 566 LABS (1 800 566 5227)

Laboratory Hits

Report: 663126
Project: WINDOWROCK-UD
Group: Tse Hootsoi Dine

Arizona Department of Environmental Quality
David Burchard
1110 West Washington Street
Phoenix, AZ 85007

Samples Received on:
05/30/2017 1210

Analyzed	Analyte	Sample ID	Result	Federal MCL	Units	MRL
	201705301276	**1004 A**				
06/02/2017 12:17	Lead Total ICAP/MS		5.0	15	ug/L	0.5
	201705301277	**1004 B**				
06/02/2017 12:18	Lead Total ICAP/MS		2.2	15	ug/L	0.5
	201705301278	**1015 A**				
06/02/2017 12:19	Lead Total ICAP/MS		0.50	15	ug/L	0.5
	201705301280	**Break Room Sink A**				
06/02/2017 12:20	Lead Total ICAP/MS		0.54	15	ug/L	0.5
	201705301282	**Break Room Sink C**				
06/02/2017 12:22	Lead Total ICAP/MS		0.56	15	ug/L	0.5
	201705301285	**RR2ND-A**				
06/02/2017 12:31	Lead Total ICAP/MS		0.54	15	ug/L	0.5

SUMMARY OF POSITIVE DATA ONLY

eurofins | Eaton Analytical

Tel: (626) 386-1100
Fax: (626) 386-1101
1 800 566 LABS (1 800 566 5227)

Laboratory Data

Report: 663126
Project: WINDOWROCK-UD
Group: Tse Hootsoi Dine

Arizona Department of Environmental Quality
David Burchard
1110 West Washington Street
Phoenix, AZ 85007

Samples Received on:
05/30/2017 1210

Prepped	Analyzed	Prep Batch	Analytical Batch	Method	Analyte	Result	Units	MRL	Dilution
1002 A (201705301274)							**Sampled on 05/24/2017 0615**		
Sample Type: Bldg 1st Floor A164									
Facility ID: A164									
EPA 200.8 - ICPMS Metals									
05/31/17	06/02/17 12:16	999234	999821	(EPA 200.8)	Lead Total ICAP/MS	ND	ug/L	0.5	1
1002 B (201705301275)							**Sampled on 05/24/2017 0615**		
Sample Type: Bldg 830 1st Floor									
Facility ID: A164									
EPA 200.8 - ICPMS Metals									
05/31/17	06/02/17 12:16	999234	999821	(EPA 200.8)	Lead Total ICAP/MS	ND	ug/L	0.5	1
1004 A (201705301276)							**Sampled on 05/24/2017 0612**		
Sample Type: 216-227 rms (replaced)									
Facility ID: Kitchen & Cafeteria Sink									
EPA 200.8 - ICPMS Metals									
05/31/17	06/02/17 12:17	999234	999821	(EPA 200.8)	Lead Total ICAP/MS	5.0	ug/L	0.5	1
1004 B (201705301277)							**Sampled on 05/24/2017 0612**		
Sample Type: 216-227 rms (replaced)									
Facility ID: Kitchen & Cafeteria Sink									
EPA 200.8 - ICPMS Metals									
05/31/17	06/02/17 12:18	999234	999821	(EPA 200.8)	Lead Total ICAP/MS	2.2	ug/L	0.5	1
1015 A (201705301278)							**Sampled on 05/24/2017 0610**		
Sample Type: Bldg 990									
Facility ID: Nurse Office									
EPA 200.8 - ICPMS Metals									
05/31/17	06/02/17 12:19	999234	999821	(EPA 200.8)	Lead Total ICAP/MS	0.50	ug/L	0.5	1
1015 B (201705301279)							**Sampled on 05/24/2017 0610**		
Sample Type: Bldg 990									
Facility ID: Nurse Office									
EPA 200.8 - ICPMS Metals									
05/31/17	06/02/17 12:19	999234	999821	(EPA 200.8)	Lead Total ICAP/MS	ND	ug/L	0.5	1
Break Room Sink A (201705301280)							**Sampled on 05/24/2017 0630**		
Sample Type: Break Room									
Facility ID: Break Room									
EPA 200.8 - ICPMS Metals									
05/31/17	06/02/17 12:20	999234	999821	(EPA 200.8)	Lead Total ICAP/MS	0.54	ug/L	0.5	1
Break Room Sink B (201705301281)							**Sampled on 05/24/2017 0630**		
Sample Type: Break Room									
Facility ID: Break Room									
EPA 200.8 - ICPMS Metals									
05/31/17	06/02/17 12:21	999234	999821	(EPA 200.8)	Lead Total ICAP/MS	ND	ug/L	0.5	1
Break Room Sink C (201705301282)							**Sampled on 05/24/2017 0630**		

Rounding on totals after summation.
(c) - indicates calculated results

eurofins | Eaton Analytical

Tel: (626) 386-1100
Fax: (626) 386-1101
1 800 566 LABS (1 800 566 5227)

Laboratory Data

Report: 663126
Project: WINDOWROCK-UD
Group: Tse Hootsoi Dine

Arizona Department of Environmental Quality
David Burchard
1110 West Washington Street
Phoenix, AZ 85007

Samples Received on:
05/30/2017 1210

Prepped	Analyzed	Prep Batch	Analytical Batch	Method	Analyte	Result	Units	MRL	Dilution
	Sample Type: Break Room								
	Facility ID: Break Room								
	EPA 200.8 - ICPMS Metals								
05/31/17	06/02/17 12:22	999234	999821	(EPA 200.8)	Lead Total ICAP/MS	0.56	ug/L	0.5	1
2nd Floor Break Room Sink A (201705301283)							**Sampled on 05/24/2017 0640**		
	Sample Type: TSE Houtsoi Dine Biota								
	Facility ID: 2nd Floor Break Room								
	EPA 200.8 - ICPMS Metals								
05/31/17	06/02/17 12:27	999234	999824	(EPA 200.8)	Lead Total ICAP/MS	ND	ug/L	0.5	1
2nd Floor Break Room Sink B (201705301284)							**Sampled on 05/24/2017 0640**		
	Sample Type: TSE Houtsoi Dine Biota								
	Facility ID: 2nd Floor Break Room								
	EPA 200.8 - ICPMS Metals								
05/31/17	06/02/17 12:30	999234	999824	(EPA 200.8)	Lead Total ICAP/MS	ND	ug/L	0.5	1
RR2ND-A (201705301285)							**Sampled on 05/24/2017 0650**		
	Sample Type: TSE Houtsoi Dine Biota								
	Facility ID: Near Restroom 2nd Floor								
	EPA 200.8 - ICPMS Metals								
05/31/17	06/02/17 12:31	999234	999824	(EPA 200.8)	Lead Total ICAP/MS	0.54	ug/L	0.5	1
RR2ND-B (201705301286)							**Sampled on 05/24/2017 0650**		
	Sample Type: TSE Houtsoi Dine Biota								
	Facility ID: Near Restroom 2nd Floor								
	EPA 200.8 - ICPMS Metals								
05/31/17	06/02/17 12:31	999234	999824	(EPA 200.8)	Lead Total ICAP/MS	ND	ug/L	0.5	1
RR-A (201705301287)							**Sampled on 05/24/2017 0650**		
	Sample Type: TSE Houtsoi Dine Biota								
	Facility ID: Near Restroom								
	EPA 200.8 - ICPMS Metals								
05/31/17	06/02/17 12:34	999234	999824	(EPA 200.8)	Lead Total ICAP/MS	ND	ug/L	0.5	1
RR-B (201705301288)							**Sampled on 05/24/2017 0650**		
	Sample Type: TSE Houtsoi Dine Biota								
	Facility ID: Near Restroom								
	EPA 200.8 - ICPMS Metals								
05/31/17	06/02/17 12:34	999234	999824	(EPA 200.8)	Lead Total ICAP/MS	ND	ug/L	0.5	1
E-A (201705301289)							**Sampled on 05/24/2017 0650**		
	Sample Type: TSE Houtsoi Dine Biota								
	Facility ID: Near Elevator								
	EPA 200.8 - ICPMS Metals								
05/31/17	06/02/17 12:35	999234	999824	(EPA 200.8)	Lead Total ICAP/MS	ND	ug/L	0.5	1
Near Restroom DF A (201705301291)							**Sampled on 05/24/2017 0655**		
	Sample Type: TSE Houtsoi Dine Biota								
	Facility ID: Near Restroom								

Rounding on totals after summation.
(c) - indicates calculated results

eurofins | Eaton Analytical

Tel: (626) 386-1100
Fax: (626) 386-1101
1 800 566 LABS (1 800 566 5227)

Laboratory Data

Report: 663126
Project: WINDOWROCK-UD
Group: Tse Hootsoi Dine

Arizona Department of Environmental Quality
David Burchard
1110 West Washington Street
Phoenix, AZ 85007

Samples Received on:
05/30/2017 1210

Prepped	Analyzed	Prep Batch	Analytical Batch	Method	Analyte	Result	Units	MRL	Dilution
		EPA 200.8 - ICPMS Metals							
05/31/17	06/02/17 12:36	999234	999824	(EPA 200.8)	Lead Total ICAP/MS	ND	ug/L	0.5	1
Near Restroom DF B (201705301292)							**Sampled on 05/24/2017 0655**		
		Sample Type: TSE Houtsoi Dine Biota							
		Facility ID: Near Restroom							
		EPA 200.8 - ICPMS Metals							
05/31/17	06/02/17 12:37	999234	999824	(EPA 200.8)	Lead Total ICAP/MS	ND	ug/L	0.5	1

Rounding on totals after summation.
(c) - indicates calculated results

eurofins | Eaton Analytical

Tel: (626) 386-1100
Fax: (626) 386-1101
1 800 566 LABS (1 800 566 5227)

Laboratory QC Summary

Report: 663126
Project: WINDOWROCK-UD
Group: Tse Hootsoi Dine

Arizona Department of Environmental Quality

ICPMS Metals

Prep Batch: 999234 Analytical Batch: 999821 **Analysis Date: 06/02/2017**

201705301274	1002 A	Analyzed by: RPD
201705301275	1002 B	Analyzed by: RPD
201705301276	1004 A	Analyzed by: RPD
201705301277	1004 B	Analyzed by: RPD
201705301278	1015 A	Analyzed by: RPD
201705301279	1015 B	Analyzed by: RPD
201705301280	Break Room Sink A	Analyzed by: RPD
201705301281	Break Room Sink B	Analyzed by: RPD
201705301282	Break Room Sink C	Analyzed by: RPD

ICPMS Metals

Prep Batch: 999234 Analytical Batch: 999824 **Analysis Date: 06/02/2017**

201705301283	2nd Floor Break Room Sink A	Analyzed by: RPD
201705301284	2nd Floor Break Room Sink B	Analyzed by: RPD
201705301285	RR2ND-A	Analyzed by: RPD
201705301286	RR2ND-B	Analyzed by: RPD
201705301287	RR-A	Analyzed by: RPD
201705301288	RR-B	Analyzed by: RPD
201705301289	E-A	Analyzed by: RPD
201705301291	Near Restroom DF A	Analyzed by: RPD
201705301292	Near Restroom DF B	Analyzed by: RPD

eurofins | Eaton Analytical

Tel: (626) 386-1100
Fax: (626) 386-1101
1 800 566 LABS (1 800 566 5227)

Laboratory QC

Report: 663126
Project: WINDOWROCK-UD
Group: Tse Hootsoi Dine

Arizona Department of Environmental Quality

QC Type	Analyte	Native	Spiked	Recovered	Units	Yield (%)	Limits (%)	RPDLimit (%)	RPD%
ICPMS Metals by EPA 200.8									
Analytical Batch: 999821							**Analysis Date: 06/02/2017**		
LCS1	Lead Total ICAP/MS		20	19.8	ug/L	99	(85-115)		
LCS2	Lead Total ICAP/MS		20	19.9	ug/L	100	(85-115)	20	0.50
MBLK	Lead Total ICAP/MS			<0.25	ug/L				
MRL_CHK	Lead Total ICAP/MS		0.5	0.524	ug/L	105	(50-150)		
MS_201705301243	Lead Total ICAP/MS	1.4	20	22.8	ug/L	107	(70-130)		
MS2_201705301266	Lead Total ICAP/MS	62	20	83.4	ug/L	107	(70-130)		
MSD_201705301243	Lead Total ICAP/MS	1.4	20	22.7	ug/L	107	(70-130)	20	0.88
MSD2_201705301266	Lead Total ICAP/MS	62	20	83.6	ug/L	108	(70-130)	20	0.24
ICPMS Metals by EPA 200.8									
Analytical Batch: 999824							**Analysis Date: 06/02/2017**		
LCS1	Lead Total ICAP/MS		20	19.7	ug/L	98	(85-115)		
LCS2	Lead Total ICAP/MS		20	19.7	ug/L	99	(85-115)	20	0.0
MBLK	Lead Total ICAP/MS			<0.25	ug/L				
MRL_CHK	Lead Total ICAP/MS		0.5	0.523	ug/L	105	(50-150)		
MS_201705301283	Lead Total ICAP/MS	ND	20	21.8	ug/L	109	(70-130)		
MS2_201705301413	Lead Total ICAP/MS	ND	20	21.9	ug/L	110	(70-130)		
MSD_201705301283	Lead Total ICAP/MS	ND	20	21.6	ug/L	108	(70-130)	20	0.92
MSD2_201705301413	Lead Total ICAP/MS	ND	20	21.4	ug/L	107	(70-130)	20	2.3

Spike recovery is already corrected for native results.
Spikes which exceed Limits and Method Blanks with positive results are highlighted by Underlining.
Criteria for MS and Dup are advisory only, batch control is based on LCS. Criteria for duplicates are advisory only, unless otherwise specified in the method.
RPD not calculated for LCS2 when different a concentration than LCS1 is used.
RPD not calculated for Duplicates when the result is not five times the MRL (Minimum Reporting Level).
(S) - Indicates surrogate compound.
(I) - Indicates internal standard compound.