

# TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

## ANALYTICAL REPORT

TestAmerica Laboratories, Inc.

TestAmerica Phoenix

4625 East Cotton Ctr Blvd

Suite 189

Phoenix, AZ 85040

Tel: (602)437-3340

TestAmerica Job ID: 550-79493-1

TestAmerica SDG: Santa Cruz Valley Union High School

Client Project/Site: Pb in DW/Santa Cruz Valley Union HS Dist

For:

Arizona Dept of Environmental Quality

1110 W. Washington St., MC5415B-1

Phoenix, Arizona 85007

Attn: David A Burchard



Authorized for release by:

3/31/2017 2:23:49 PM

Susan Armijo, Project Manager II

(602)659-7664

[susan.armijo@testamericainc.com](mailto:susan.armijo@testamericainc.com)

### LINKS

Review your project  
results through

TotalAccess

Have a Question?



Visit us at:

[www.testamericainc.com](http://www.testamericainc.com)

*This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.*

*Results relate only to the items tested and the sample(s) as received by the laboratory.*

# Table of Contents

Cover Page . . . . .	1
Table of Contents . . . . .	2
Definitions/Glossary . . . . .	3
Case Narrative . . . . .	4
Sample Summary . . . . .	5
Detection Summary . . . . .	6
Client Sample Results . . . . .	9
QC Sample Results . . . . .	13
QC Association Summary . . . . .	15
Lab Chronicle . . . . .	17
Certification Summary . . . . .	22
Method Summary . . . . .	23
Chain of Custody . . . . .	24
Receipt Checklists . . . . .	48



## Definitions/Glossary

Client: Arizona Dept of Environmental Quality  
Project/Site: Pb in DW/Santa Cruz Valley Union HS Dist

TestAmerica Job ID: 550-79493-1  
SDG: Santa Cruz Valley Union High School

### Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
MDA	Minimum detectable activity
EDL	Estimated Detection Limit
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

## Case Narrative

Client: Arizona Dept of Environmental Quality  
Project/Site: Pb in DW/Santa Cruz Valley Union HS Dist

TestAmerica Job ID: 550-79493-1  
SDG: Santa Cruz Valley Union High School

**Job ID: 550-79493-1**

**Laboratory: TestAmerica Phoenix**

### Narrative

#### Job Narrative 550-79493-1

### Comments

No additional comments.

### Receipt

The samples were received on 3/20/2017 12:15 PM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 25.0° C.

### Receipt Exceptions

The following samples for metals were received unpreserved and were preserved upon receipt to the laboratory: N/A #7 (550-79493-1), N/A #8 (550-79493-2), N/A #6 (550-79493-3), N/A #1 (550-79493-4), N/A #1 (550-79493-5), N/A #1 (550-79493-6), Weight Rm #1 (550-79493-7), N/A #11 (550-79493-8), N/A #1 (550-79493-9), N/A #1 (550-79493-10), N/A #10 (550-79493-11), N/A #9 (550-79493-12), N/A #5 (550-79493-13), N/A #4 (550-79493-14), N/A #4 (550-79493-15), N/A #4 (550-79493-16), N/A #4 (550-79493-17), #4 (550-79493-18), N/A #4 (550-79493-19), N/A #2 (550-79493-20), N/A #3 (550-79493-21), N/A #1 (550-79493-22), N/A #1 (550-79493-23) and N/A #1 (550-79493-24). Regulatory documents require a 24-hour waiting period from the time of the addition of the acid preservative to the time of digestion.

The Chain-of-Custody (COC) was improperly completed. Sample 20 has a sampling date of 7/15/17 on the COC. The following date has been used instead: 3/15/17.

### Metals

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

## Sample Summary

Client: Arizona Dept of Environmental Quality  
Project/Site: Pb in DW/Santa Cruz Valley Union HS Dist

TestAmerica Job ID: 550-79493-1  
SDG: Santa Cruz Valley Union High School

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
550-79493-1	N/A #7	Drinking Water	03/15/17 05:15	03/20/17 12:15
550-79493-2	N/A #8	Drinking Water	03/09/17 06:30	03/20/17 12:15
550-79493-3	N/A #6	Drinking Water	03/15/17 05:20	03/20/17 12:15
550-79493-4	N/A #1	Drinking Water	03/10/17 06:30	03/20/17 12:15
550-79493-5	N/A #1	Drinking Water	03/13/17 06:10	03/20/17 12:15
550-79493-6	N/A #1	Drinking Water	03/13/17 05:40	03/20/17 12:15
550-79493-7	Weight Rm #1	Drinking Water	03/13/17 05:30	03/20/17 12:15
550-79493-8	N/A #11	Drinking Water	03/13/17 06:10	03/20/17 12:15
550-79493-9	N/A #1	Drinking Water	03/13/17 06:05	03/20/17 12:15
550-79493-10	N/A #1	Drinking Water	03/13/17 05:35	03/20/17 12:15
550-79493-11	N/A #10	Drinking Water	03/09/17 06:00	03/20/17 12:15
550-79493-12	N/A #9	Drinking Water	03/09/17 06:15	03/20/17 12:15
550-79493-13	N/A #5	Drinking Water	03/16/17 07:00	03/20/17 12:15
550-79493-14	N/A #4	Drinking Water	03/09/17 07:00	03/20/17 12:15
550-79493-15	N/A #4	Drinking Water	03/14/17 05:00	03/20/17 12:15
550-79493-16	N/A #4	Drinking Water	03/14/17 05:05	03/20/17 12:15
550-79493-17	N/A #4	Drinking Water	03/10/17 06:00	03/20/17 12:15
550-79493-18	#4	Drinking Water	03/10/17 06:05	03/20/17 12:15
550-79493-19	N/A #4	Drinking Water	03/10/17 06:10	03/20/17 12:15
550-79493-20	N/A #2	Drinking Water	03/15/17 07:15	03/20/17 12:15
550-79493-21	N/A #3	Drinking Water	03/15/17 06:00	03/20/17 12:15
550-79493-22	N/A #1	Drinking Water	03/13/17 07:00	03/20/17 12:15
550-79493-23	N/A #1	Drinking Water	03/13/17 07:10	03/20/17 12:15
550-79493-24	N/A #1	Drinking Water	03/15/17 05:30	03/20/17 12:15

## Detection Summary

Client: Arizona Dept of Environmental Quality  
Project/Site: Pb in DW/Santa Cruz Valley Union HS Dist

TestAmerica Job ID: 550-79493-1  
SDG: Santa Cruz Valley Union High School

Client Sample ID: N/A #7

Lab Sample ID: 550-79493-1

No Detections.

Client Sample ID: N/A #8

Lab Sample ID: 550-79493-2

No Detections.

Client Sample ID: N/A #6

Lab Sample ID: 550-79493-3

No Detections.

Client Sample ID: N/A #1

Lab Sample ID: 550-79493-4

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Lead	37		0.50	ppb	1		200.8	Total/NA

Client Sample ID: N/A #1

Lab Sample ID: 550-79493-5

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Lead	0.87		0.50	ppb	1		200.8	Total/NA

Client Sample ID: N/A #1

Lab Sample ID: 550-79493-6

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Lead	1.8		0.50	ppb	1		200.8	Total/NA

Client Sample ID: Weight Rm #1

Lab Sample ID: 550-79493-7

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Lead	0.96		0.50	ppb	1		200.8	Total/NA

Client Sample ID: N/A #11

Lab Sample ID: 550-79493-8

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Lead	69		0.50	ppb	1		200.8	Total/NA

Client Sample ID: N/A #1

Lab Sample ID: 550-79493-9

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Lead	1.9		0.50	ppb	1		200.8	Total/NA

Client Sample ID: N/A #1

Lab Sample ID: 550-79493-10

No Detections.

Client Sample ID: N/A #10

Lab Sample ID: 550-79493-11

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Lead	2.0		0.50	ppb	1		200.8	Total/NA

Client Sample ID: N/A #9

Lab Sample ID: 550-79493-12

This Detection Summary does not include radiochemical test results.

TestAmerica Phoenix

## Detection Summary

Client: Arizona Dept of Environmental Quality  
Project/Site: Pb in DW/Santa Cruz Valley Union HS Dist

TestAmerica Job ID: 550-79493-1  
SDG: Santa Cruz Valley Union High School

### Client Sample ID: N/A #9 (Continued)

Lab Sample ID: 550-79493-12

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Lead	1.6		0.50	ppb	1		200.8	Total/NA

### Client Sample ID: N/A #5

Lab Sample ID: 550-79493-13

No Detections.

### Client Sample ID: N/A #4

Lab Sample ID: 550-79493-14

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Lead	1.3		0.50	ppb	1		200.8	Total/NA

### Client Sample ID: N/A #4

Lab Sample ID: 550-79493-15

No Detections.

### Client Sample ID: N/A #4

Lab Sample ID: 550-79493-16

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Lead	2.8		0.50	ppb	1		200.8	Total/NA

### Client Sample ID: N/A #4

Lab Sample ID: 550-79493-17

No Detections.

### Client Sample ID: #4

Lab Sample ID: 550-79493-18

No Detections.

### Client Sample ID: N/A #4

Lab Sample ID: 550-79493-19

No Detections.

### Client Sample ID: N/A #2

Lab Sample ID: 550-79493-20

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Lead	2.8		0.50	ppb	1		200.8	Total/NA

### Client Sample ID: N/A #3

Lab Sample ID: 550-79493-21

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Lead	0.61		0.50	ppb	1		200.8	Total/NA

### Client Sample ID: N/A #1

Lab Sample ID: 550-79493-22

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Lead	1.4		0.50	ppb	1		200.8	Total/NA

### Client Sample ID: N/A #1

Lab Sample ID: 550-79493-23

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Lead	14		0.50	ppb	1		200.8	Total/NA

This Detection Summary does not include radiochemical test results.

TestAmerica Phoenix

## Detection Summary

Client: Arizona Dept of Environmental Quality  
Project/Site: Pb in DW/Santa Cruz Valley Union HS Dist

TestAmerica Job ID: 550-79493-1  
SDG: Santa Cruz Valley Union High School

**Client Sample ID: N/A #1**

**Lab Sample ID: 550-79493-24**

No Detections.

This Detection Summary does not include radiochemical test results.

TestAmerica Phoenix

1

2

3

4

5

6

7

8

9

10

11

12

13

14



## Client Sample Results

Client: Arizona Dept of Environmental Quality  
Project/Site: Pb in DW/Santa Cruz Valley Union HS Dist

TestAmerica Job ID: 550-79493-1  
SDG: Santa Cruz Valley Union High School

**Client Sample ID: N/A #7**  
**Date Collected: 03/15/17 05:15**  
**Date Received: 03/20/17 12:15**

**Lab Sample ID: 550-79493-1**  
**Matrix: Drinking Water**

**Method: 200.8 - Metals (ICP/MS)**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	ND		0.50	ppb		03/25/17 14:57	03/30/17 20:37	1

**Client Sample ID: N/A #8**  
**Date Collected: 03/09/17 06:30**  
**Date Received: 03/20/17 12:15**

**Lab Sample ID: 550-79493-2**  
**Matrix: Drinking Water**

**Method: 200.8 - Metals (ICP/MS)**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	ND		0.50	ppb		03/25/17 15:09	03/30/17 18:54	1

**Client Sample ID: N/A #6**  
**Date Collected: 03/15/17 05:20**  
**Date Received: 03/20/17 12:15**

**Lab Sample ID: 550-79493-3**  
**Matrix: Drinking Water**

**Method: 200.8 - Metals (ICP/MS)**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	ND		0.50	ppb		03/25/17 14:57	03/30/17 20:39	1

**Client Sample ID: N/A #1**  
**Date Collected: 03/10/17 06:30**  
**Date Received: 03/20/17 12:15**

**Lab Sample ID: 550-79493-4**  
**Matrix: Drinking Water**

**Method: 200.8 - Metals (ICP/MS)**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	37		0.50	ppb		03/25/17 15:09	03/30/17 19:08	1

**Client Sample ID: N/A #1**  
**Date Collected: 03/13/17 06:10**  
**Date Received: 03/20/17 12:15**

**Lab Sample ID: 550-79493-5**  
**Matrix: Drinking Water**

**Method: 200.8 - Metals (ICP/MS)**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	0.87		0.50	ppb		03/25/17 14:57	03/30/17 20:41	1

**Client Sample ID: N/A #1**  
**Date Collected: 03/13/17 05:40**  
**Date Received: 03/20/17 12:15**

**Lab Sample ID: 550-79493-6**  
**Matrix: Drinking Water**

**Method: 200.8 - Metals (ICP/MS)**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	1.8		0.50	ppb		03/25/17 14:57	03/30/17 20:43	1

**Client Sample ID: Weight Rm #1**  
**Date Collected: 03/13/17 05:30**  
**Date Received: 03/20/17 12:15**

**Lab Sample ID: 550-79493-7**  
**Matrix: Drinking Water**

**Method: 200.8 - Metals (ICP/MS)**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	0.96		0.50	ppb		03/25/17 14:57	03/30/17 20:45	1

TestAmerica Phoenix

## Client Sample Results

Client: Arizona Dept of Environmental Quality  
Project/Site: Pb in DW/Santa Cruz Valley Union HS Dist

TestAmerica Job ID: 550-79493-1  
SDG: Santa Cruz Valley Union High School

**Client Sample ID: N/A #11**

**Date Collected: 03/13/17 06:10**

**Date Received: 03/20/17 12:15**

**Lab Sample ID: 550-79493-8**

**Matrix: Drinking Water**

**Method: 200.8 - Metals (ICP/MS)**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	69		0.50	ppb		03/25/17 15:09	03/30/17 18:58	1

**Client Sample ID: N/A #1**

**Date Collected: 03/13/17 06:05**

**Date Received: 03/20/17 12:15**

**Lab Sample ID: 550-79493-9**

**Matrix: Drinking Water**

**Method: 200.8 - Metals (ICP/MS)**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	1.9		0.50	ppb		03/25/17 14:57	03/30/17 20:50	1

**Client Sample ID: N/A #1**

**Date Collected: 03/13/17 05:35**

**Date Received: 03/20/17 12:15**

**Lab Sample ID: 550-79493-10**

**Matrix: Drinking Water**

**Method: 200.8 - Metals (ICP/MS)**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	ND		0.50	ppb		03/25/17 14:57	03/30/17 20:52	1

**Client Sample ID: N/A #10**

**Date Collected: 03/09/17 06:00**

**Date Received: 03/20/17 12:15**

**Lab Sample ID: 550-79493-11**

**Matrix: Drinking Water**

**Method: 200.8 - Metals (ICP/MS)**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	2.0		0.50	ppb		03/25/17 14:57	03/30/17 20:54	1

**Client Sample ID: N/A #9**

**Date Collected: 03/09/17 06:15**

**Date Received: 03/20/17 12:15**

**Lab Sample ID: 550-79493-12**

**Matrix: Drinking Water**

**Method: 200.8 - Metals (ICP/MS)**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	1.6		0.50	ppb		03/25/17 14:57	03/30/17 20:56	1

**Client Sample ID: N/A #5**

**Date Collected: 03/16/17 07:00**

**Date Received: 03/20/17 12:15**

**Lab Sample ID: 550-79493-13**

**Matrix: Drinking Water**

**Method: 200.8 - Metals (ICP/MS)**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	ND		0.50	ppb		03/25/17 14:57	03/30/17 20:58	1

**Client Sample ID: N/A #4**

**Date Collected: 03/09/17 07:00**

**Date Received: 03/20/17 12:15**

**Lab Sample ID: 550-79493-14**

**Matrix: Drinking Water**

**Method: 200.8 - Metals (ICP/MS)**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	1.3		0.50	ppb		03/25/17 14:57	03/30/17 21:00	1

TestAmerica Phoenix

## Client Sample Results

Client: Arizona Dept of Environmental Quality  
Project/Site: Pb in DW/Santa Cruz Valley Union HS Dist

TestAmerica Job ID: 550-79493-1  
SDG: Santa Cruz Valley Union High School

**Client Sample ID: N/A #4**

**Date Collected: 03/14/17 05:00**

**Date Received: 03/20/17 12:15**

**Lab Sample ID: 550-79493-15**

**Matrix: Drinking Water**

**Method: 200.8 - Metals (ICP/MS)**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	ND		0.50	ppb		03/25/17 14:57	03/30/17 21:02	1

**Client Sample ID: N/A #4**

**Date Collected: 03/14/17 05:05**

**Date Received: 03/20/17 12:15**

**Lab Sample ID: 550-79493-16**

**Matrix: Drinking Water**

**Method: 200.8 - Metals (ICP/MS)**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	2.8		0.50	ppb		03/25/17 14:57	03/30/17 21:04	1

**Client Sample ID: N/A #4**

**Date Collected: 03/10/17 06:00**

**Date Received: 03/20/17 12:15**

**Lab Sample ID: 550-79493-17**

**Matrix: Drinking Water**

**Method: 200.8 - Metals (ICP/MS)**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	ND		0.50	ppb		03/25/17 14:57	03/30/17 21:06	1

**Client Sample ID: #4**

**Date Collected: 03/10/17 06:05**

**Date Received: 03/20/17 12:15**

**Lab Sample ID: 550-79493-18**

**Matrix: Drinking Water**

**Method: 200.8 - Metals (ICP/MS)**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	ND		0.50	ppb		03/25/17 14:57	03/30/17 21:08	1

**Client Sample ID: N/A #4**

**Date Collected: 03/10/17 06:10**

**Date Received: 03/20/17 12:15**

**Lab Sample ID: 550-79493-19**

**Matrix: Drinking Water**

**Method: 200.8 - Metals (ICP/MS)**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	ND		0.50	ppb		03/25/17 14:41	03/29/17 17:27	1

**Client Sample ID: N/A #2**

**Date Collected: 03/15/17 07:15**

**Date Received: 03/20/17 12:15**

**Lab Sample ID: 550-79493-20**

**Matrix: Drinking Water**

**Method: 200.8 - Metals (ICP/MS)**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	2.8		0.50	ppb		03/25/17 14:41	03/29/17 17:25	1

**Client Sample ID: N/A #3**

**Date Collected: 03/15/17 06:00**

**Date Received: 03/20/17 12:15**

**Lab Sample ID: 550-79493-21**

**Matrix: Drinking Water**

**Method: 200.8 - Metals (ICP/MS)**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	0.61		0.50	ppb		03/25/17 14:41	03/29/17 17:24	1

TestAmerica Phoenix

## Client Sample Results

Client: Arizona Dept of Environmental Quality  
Project/Site: Pb in DW/Santa Cruz Valley Union HS Dist

TestAmerica Job ID: 550-79493-1  
SDG: Santa Cruz Valley Union High School

**Client Sample ID: N/A #1**

**Date Collected: 03/13/17 07:00**

**Date Received: 03/20/17 12:15**

**Lab Sample ID: 550-79493-22**

**Matrix: Drinking Water**

**Method: 200.8 - Metals (ICP/MS)**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	1.4		0.50	ppb		03/25/17 14:41	03/29/17 17:22	1

**Client Sample ID: N/A #1**

**Date Collected: 03/13/17 07:10**

**Date Received: 03/20/17 12:15**

**Lab Sample ID: 550-79493-23**

**Matrix: Drinking Water**

**Method: 200.8 - Metals (ICP/MS)**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	14		0.50	ppb		03/25/17 15:09	03/30/17 19:10	1

**Client Sample ID: N/A #1**

**Date Collected: 03/15/17 05:30**

**Date Received: 03/20/17 12:15**

**Lab Sample ID: 550-79493-24**

**Matrix: Drinking Water**

**Method: 200.8 - Metals (ICP/MS)**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	ND		0.50	ppb		03/25/17 14:41	03/29/17 17:20	1

# QC Sample Results

Client: Arizona Dept of Environmental Quality  
Project/Site: Pb in DW/Santa Cruz Valley Union HS Dist

TestAmerica Job ID: 550-79493-1  
SDG: Santa Cruz Valley Union High School

## Method: 200.8 - Metals (ICP/MS)

Lab Sample ID: MB 550-113248/1-A  
Matrix: Water  
Analysis Batch: 113604

Client Sample ID: Method Blank  
Prep Type: Total/NA  
Prep Batch: 113248

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	ND		0.50	ppb		03/25/17 14:41	03/29/17 17:03	1

Lab Sample ID: LCS 550-113248/4-A  
Matrix: Water  
Analysis Batch: 113604

Client Sample ID: Lab Control Sample  
Prep Type: Total/NA  
Prep Batch: 113248

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Lead	100	114		ppb		114	85 - 115

Lab Sample ID: LCSD 550-113248/5-A  
Matrix: Water  
Analysis Batch: 113604

Client Sample ID: Lab Control Sample Dup  
Prep Type: Total/NA  
Prep Batch: 113248

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	Limit
Lead	100	112		ppb		112	85 - 115	2	20

Lab Sample ID: 550-79243-A-1-B MS  
Matrix: Water  
Analysis Batch: 113604

Client Sample ID: Matrix Spike  
Prep Type: Total/NA  
Prep Batch: 113248

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Lead	4.1		100	109		ppb		105	70 - 130

Lab Sample ID: 550-79243-A-1-C MSD  
Matrix: Water  
Analysis Batch: 113604

Client Sample ID: Matrix Spike Duplicate  
Prep Type: Total/NA  
Prep Batch: 113248

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	Limit
Lead	4.1		100	117		ppb		113	70 - 130	7	20

Lab Sample ID: MB 550-113249/1-A  
Matrix: Water  
Analysis Batch: 113736

Client Sample ID: Method Blank  
Prep Type: Total/NA  
Prep Batch: 113249

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	ND		0.50	ppb		03/25/17 14:57	03/30/17 20:14	1

Lab Sample ID: LCS 550-113249/4-A  
Matrix: Water  
Analysis Batch: 113736

Client Sample ID: Lab Control Sample  
Prep Type: Total/NA  
Prep Batch: 113249

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Lead	100	97.7		ppb		98	85 - 115

Lab Sample ID: LCSD 550-113249/5-A  
Matrix: Water  
Analysis Batch: 113736

Client Sample ID: Lab Control Sample Dup  
Prep Type: Total/NA  
Prep Batch: 113249

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	Limit
Lead	100	99.9		ppb		100	85 - 115	2	20

TestAmerica Phoenix

## QC Sample Results

Client: Arizona Dept of Environmental Quality  
Project/Site: Pb in DW/Santa Cruz Valley Union HS Dist

TestAmerica Job ID: 550-79493-1  
SDG: Santa Cruz Valley Union High School

**Lab Sample ID: 550-79484-A-1-B MS**

**Matrix: Water**

**Analysis Batch: 113736**

**Client Sample ID: Matrix Spike**

**Prep Type: Total/NA**

**Prep Batch: 113249**

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Lead	ND		100	98.1		ppb		98	70 - 130

**Lab Sample ID: 550-79484-A-1-C MSD**

**Matrix: Water**

**Analysis Batch: 113736**

**Client Sample ID: Matrix Spike Duplicate**

**Prep Type: Total/NA**

**Prep Batch: 113249**

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	Limit
Lead	ND		100	97.6		ppb		98	70 - 130	1	20

**Lab Sample ID: MB 550-113253/1-A**

**Matrix: Water**

**Analysis Batch: 113734**

**Client Sample ID: Method Blank**

**Prep Type: Total/NA**

**Prep Batch: 113253**

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	ND		0.50	ppb		03/25/17 15:09	03/30/17 18:20	1

**Lab Sample ID: LCS 550-113253/4-A**

**Matrix: Water**

**Analysis Batch: 113734**

**Client Sample ID: Lab Control Sample**

**Prep Type: Total/NA**

**Prep Batch: 113253**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Lead	100	98.6		ppb		99	85 - 115

**Lab Sample ID: LCSD 550-113253/5-A**

**Matrix: Water**

**Analysis Batch: 113734**

**Client Sample ID: Lab Control Sample Dup**

**Prep Type: Total/NA**

**Prep Batch: 113253**

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	Limit
Lead	100	97.9		ppb		98	85 - 115	1	20

**Lab Sample ID: 550-79583-A-2-C MS**

**Matrix: Water**

**Analysis Batch: 113734**

**Client Sample ID: Matrix Spike**

**Prep Type: Total/NA**

**Prep Batch: 113253**

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Lead	ND		100	90.5		ppb		91	70 - 130

**Lab Sample ID: 550-79583-A-2-D MSD**

**Matrix: Water**

**Analysis Batch: 113734**

**Client Sample ID: Matrix Spike Duplicate**

**Prep Type: Total/NA**

**Prep Batch: 113253**

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	Limit
Lead	ND		100	89.9		ppb		90	70 - 130	1	20

## QC Association Summary

Client: Arizona Dept of Environmental Quality  
Project/Site: Pb in DW/Santa Cruz Valley Union HS Dist

TestAmerica Job ID: 550-79493-1  
SDG: Santa Cruz Valley Union High School

### Metals

#### Prep Batch: 113248

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
550-79493-19	N/A #4	Total/NA	Drinking Water	200.8	
550-79493-20	N/A #2	Total/NA	Drinking Water	200.8	
550-79493-21	N/A #3	Total/NA	Drinking Water	200.8	
550-79493-22	N/A #1	Total/NA	Drinking Water	200.8	
550-79493-24	N/A #1	Total/NA	Drinking Water	200.8	
MB 550-113248/1-A	Method Blank	Total/NA	Water	200.8	
LCS 550-113248/4-A	Lab Control Sample	Total/NA	Water	200.8	
LCSD 550-113248/5-A	Lab Control Sample Dup	Total/NA	Water	200.8	
550-79243-A-1-B MS	Matrix Spike	Total/NA	Water	200.8	
550-79243-A-1-C MSD	Matrix Spike Duplicate	Total/NA	Water	200.8	

#### Prep Batch: 113249

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
550-79493-1	N/A #7	Total/NA	Drinking Water	200.8	
550-79493-3	N/A #6	Total/NA	Drinking Water	200.8	
550-79493-5	N/A #1	Total/NA	Drinking Water	200.8	
550-79493-6	N/A #1	Total/NA	Drinking Water	200.8	
550-79493-7	Weight Rm #1	Total/NA	Drinking Water	200.8	
550-79493-9	N/A #1	Total/NA	Drinking Water	200.8	
550-79493-10	N/A #1	Total/NA	Drinking Water	200.8	
550-79493-11	N/A #10	Total/NA	Drinking Water	200.8	
550-79493-12	N/A #9	Total/NA	Drinking Water	200.8	
550-79493-13	N/A #5	Total/NA	Drinking Water	200.8	
550-79493-14	N/A #4	Total/NA	Drinking Water	200.8	
550-79493-15	N/A #4	Total/NA	Drinking Water	200.8	
550-79493-16	N/A #4	Total/NA	Drinking Water	200.8	
550-79493-17	N/A #4	Total/NA	Drinking Water	200.8	
550-79493-18	#4	Total/NA	Drinking Water	200.8	
MB 550-113249/1-A	Method Blank	Total/NA	Water	200.8	
LCS 550-113249/4-A	Lab Control Sample	Total/NA	Water	200.8	
LCSD 550-113249/5-A	Lab Control Sample Dup	Total/NA	Water	200.8	
550-79484-A-1-B MS	Matrix Spike	Total/NA	Water	200.8	
550-79484-A-1-C MSD	Matrix Spike Duplicate	Total/NA	Water	200.8	

#### Prep Batch: 113253

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
550-79493-2	N/A #8	Total/NA	Drinking Water	200.8	
550-79493-4	N/A #1	Total/NA	Drinking Water	200.8	
550-79493-8	N/A #11	Total/NA	Drinking Water	200.8	
550-79493-23	N/A #1	Total/NA	Drinking Water	200.8	
MB 550-113253/1-A	Method Blank	Total/NA	Water	200.8	
LCS 550-113253/4-A	Lab Control Sample	Total/NA	Water	200.8	
LCSD 550-113253/5-A	Lab Control Sample Dup	Total/NA	Water	200.8	
550-79583-A-2-C MS	Matrix Spike	Total/NA	Water	200.8	
550-79583-A-2-D MSD	Matrix Spike Duplicate	Total/NA	Water	200.8	

#### Analysis Batch: 113604

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
550-79493-19	N/A #4	Total/NA	Drinking Water	200.8	113248
550-79493-20	N/A #2	Total/NA	Drinking Water	200.8	113248
550-79493-21	N/A #3	Total/NA	Drinking Water	200.8	113248

TestAmerica Phoenix

## QC Association Summary

Client: Arizona Dept of Environmental Quality  
Project/Site: Pb in DW/Santa Cruz Valley Union HS Dist

TestAmerica Job ID: 550-79493-1  
SDG: Santa Cruz Valley Union High School

### Metals (Continued)

#### Analysis Batch: 113604 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
550-79493-22	N/A #1	Total/NA	Drinking Water	200.8	113248
550-79493-24	N/A #1	Total/NA	Drinking Water	200.8	113248
MB 550-113248/1-A	Method Blank	Total/NA	Water	200.8	113248
LCS 550-113248/4-A	Lab Control Sample	Total/NA	Water	200.8	113248
LCSD 550-113248/5-A	Lab Control Sample Dup	Total/NA	Water	200.8	113248
550-79243-A-1-B MS	Matrix Spike	Total/NA	Water	200.8	113248
550-79243-A-1-C MSD	Matrix Spike Duplicate	Total/NA	Water	200.8	113248

#### Analysis Batch: 113734

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
550-79493-2	N/A #8	Total/NA	Drinking Water	200.8	113253
550-79493-4	N/A #1	Total/NA	Drinking Water	200.8	113253
550-79493-8	N/A #11	Total/NA	Drinking Water	200.8	113253
550-79493-23	N/A #1	Total/NA	Drinking Water	200.8	113253
MB 550-113253/1-A	Method Blank	Total/NA	Water	200.8	113253
LCS 550-113253/4-A	Lab Control Sample	Total/NA	Water	200.8	113253
LCSD 550-113253/5-A	Lab Control Sample Dup	Total/NA	Water	200.8	113253
550-79583-A-2-C MS	Matrix Spike	Total/NA	Water	200.8	113253
550-79583-A-2-D MSD	Matrix Spike Duplicate	Total/NA	Water	200.8	113253

#### Analysis Batch: 113736

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
550-79493-1	N/A #7	Total/NA	Drinking Water	200.8	113249
550-79493-3	N/A #6	Total/NA	Drinking Water	200.8	113249
550-79493-5	N/A #1	Total/NA	Drinking Water	200.8	113249
550-79493-6	N/A #1	Total/NA	Drinking Water	200.8	113249
550-79493-7	Weight Rm #1	Total/NA	Drinking Water	200.8	113249
550-79493-9	N/A #1	Total/NA	Drinking Water	200.8	113249
550-79493-10	N/A #1	Total/NA	Drinking Water	200.8	113249
550-79493-11	N/A #10	Total/NA	Drinking Water	200.8	113249
550-79493-12	N/A #9	Total/NA	Drinking Water	200.8	113249
550-79493-13	N/A #5	Total/NA	Drinking Water	200.8	113249
550-79493-14	N/A #4	Total/NA	Drinking Water	200.8	113249
550-79493-15	N/A #4	Total/NA	Drinking Water	200.8	113249
550-79493-16	N/A #4	Total/NA	Drinking Water	200.8	113249
550-79493-17	N/A #4	Total/NA	Drinking Water	200.8	113249
550-79493-18	#4	Total/NA	Drinking Water	200.8	113249
MB 550-113249/1-A	Method Blank	Total/NA	Water	200.8	113249
LCS 550-113249/4-A	Lab Control Sample	Total/NA	Water	200.8	113249
LCSD 550-113249/5-A	Lab Control Sample Dup	Total/NA	Water	200.8	113249
550-79484-A-1-B MS	Matrix Spike	Total/NA	Water	200.8	113249
550-79484-A-1-C MSD	Matrix Spike Duplicate	Total/NA	Water	200.8	113249



## Lab Chronicle

Client: Arizona Dept of Environmental Quality  
Project/Site: Pb in DW/Santa Cruz Valley Union HS Dist

TestAmerica Job ID: 550-79493-1  
SDG: Santa Cruz Valley Union High School

**Client Sample ID: N/A #7**

**Date Collected: 03/15/17 05:15**

**Date Received: 03/20/17 12:15**

**Lab Sample ID: 550-79493-1**

**Matrix: Drinking Water**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	200.8			113249	03/25/17 14:57	SLS	TAL PHX
Total/NA	Analysis	200.8		1	113736	03/30/17 20:37	TEK	TAL PHX

**Client Sample ID: N/A #8**

**Date Collected: 03/09/17 06:30**

**Date Received: 03/20/17 12:15**

**Lab Sample ID: 550-79493-2**

**Matrix: Drinking Water**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	200.8			113253	03/25/17 15:09	EXZ	TAL PHX
Total/NA	Analysis	200.8		1	113734	03/30/17 18:54	TEK	TAL PHX

**Client Sample ID: N/A #6**

**Date Collected: 03/15/17 05:20**

**Date Received: 03/20/17 12:15**

**Lab Sample ID: 550-79493-3**

**Matrix: Drinking Water**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	200.8			113249	03/25/17 14:57	SLS	TAL PHX
Total/NA	Analysis	200.8		1	113736	03/30/17 20:39	TEK	TAL PHX

**Client Sample ID: N/A #1**

**Date Collected: 03/10/17 06:30**

**Date Received: 03/20/17 12:15**

**Lab Sample ID: 550-79493-4**

**Matrix: Drinking Water**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	200.8			113253	03/25/17 15:09	EXZ	TAL PHX
Total/NA	Analysis	200.8		1	113734	03/30/17 19:08	TEK	TAL PHX

**Client Sample ID: N/A #1**

**Date Collected: 03/13/17 06:10**

**Date Received: 03/20/17 12:15**

**Lab Sample ID: 550-79493-5**

**Matrix: Drinking Water**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	200.8			113249	03/25/17 14:57	SLS	TAL PHX
Total/NA	Analysis	200.8		1	113736	03/30/17 20:41	TEK	TAL PHX

**Client Sample ID: N/A #1**

**Date Collected: 03/13/17 05:40**

**Date Received: 03/20/17 12:15**

**Lab Sample ID: 550-79493-6**

**Matrix: Drinking Water**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	200.8			113249	03/25/17 14:57	SLS	TAL PHX
Total/NA	Analysis	200.8		1	113736	03/30/17 20:43	TEK	TAL PHX

TestAmerica Phoenix

# Lab Chronicle

Client: Arizona Dept of Environmental Quality  
Project/Site: Pb in DW/Santa Cruz Valley Union HS Dist

TestAmerica Job ID: 550-79493-1  
SDG: Santa Cruz Valley Union High School

## Client Sample ID: Weight Rm #1

Lab Sample ID: 550-79493-7

Date Collected: 03/13/17 05:30

Matrix: Drinking Water

Date Received: 03/20/17 12:15

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	200.8			113249	03/25/17 14:57	SLS	TAL PHX
Total/NA	Analysis	200.8		1	113736	03/30/17 20:45	TEK	TAL PHX

## Client Sample ID: N/A #11

Lab Sample ID: 550-79493-8

Date Collected: 03/13/17 06:10

Matrix: Drinking Water

Date Received: 03/20/17 12:15

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	200.8			113253	03/25/17 15:09	EXZ	TAL PHX
Total/NA	Analysis	200.8		1	113734	03/30/17 18:58	TEK	TAL PHX

## Client Sample ID: N/A #1

Lab Sample ID: 550-79493-9

Date Collected: 03/13/17 06:05

Matrix: Drinking Water

Date Received: 03/20/17 12:15

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	200.8			113249	03/25/17 14:57	SLS	TAL PHX
Total/NA	Analysis	200.8		1	113736	03/30/17 20:50	TEK	TAL PHX

## Client Sample ID: N/A #1

Lab Sample ID: 550-79493-10

Date Collected: 03/13/17 05:35

Matrix: Drinking Water

Date Received: 03/20/17 12:15

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	200.8			113249	03/25/17 14:57	SLS	TAL PHX
Total/NA	Analysis	200.8		1	113736	03/30/17 20:52	TEK	TAL PHX

## Client Sample ID: N/A #10

Lab Sample ID: 550-79493-11

Date Collected: 03/09/17 06:00

Matrix: Drinking Water

Date Received: 03/20/17 12:15

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	200.8			113249	03/25/17 14:57	SLS	TAL PHX
Total/NA	Analysis	200.8		1	113736	03/30/17 20:54	TEK	TAL PHX

## Client Sample ID: N/A #9

Lab Sample ID: 550-79493-12

Date Collected: 03/09/17 06:15

Matrix: Drinking Water

Date Received: 03/20/17 12:15

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	200.8			113249	03/25/17 14:57	SLS	TAL PHX
Total/NA	Analysis	200.8		1	113736	03/30/17 20:56	TEK	TAL PHX

TestAmerica Phoenix

# Lab Chronicle

Client: Arizona Dept of Environmental Quality  
Project/Site: Pb in DW/Santa Cruz Valley Union HS Dist

TestAmerica Job ID: 550-79493-1  
SDG: Santa Cruz Valley Union High School

**Client Sample ID: N/A #5**

**Lab Sample ID: 550-79493-13**

**Date Collected: 03/16/17 07:00**

**Matrix: Drinking Water**

**Date Received: 03/20/17 12:15**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	200.8			113249	03/25/17 14:57	SLS	TAL PHX
Total/NA	Analysis	200.8		1	113736	03/30/17 20:58	TEK	TAL PHX

**Client Sample ID: N/A #4**

**Lab Sample ID: 550-79493-14**

**Date Collected: 03/09/17 07:00**

**Matrix: Drinking Water**

**Date Received: 03/20/17 12:15**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	200.8			113249	03/25/17 14:57	SLS	TAL PHX
Total/NA	Analysis	200.8		1	113736	03/30/17 21:00	TEK	TAL PHX

**Client Sample ID: N/A #4**

**Lab Sample ID: 550-79493-15**

**Date Collected: 03/14/17 05:00**

**Matrix: Drinking Water**

**Date Received: 03/20/17 12:15**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	200.8			113249	03/25/17 14:57	SLS	TAL PHX
Total/NA	Analysis	200.8		1	113736	03/30/17 21:02	TEK	TAL PHX

**Client Sample ID: N/A #4**

**Lab Sample ID: 550-79493-16**

**Date Collected: 03/14/17 05:05**

**Matrix: Drinking Water**

**Date Received: 03/20/17 12:15**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	200.8			113249	03/25/17 14:57	SLS	TAL PHX
Total/NA	Analysis	200.8		1	113736	03/30/17 21:04	TEK	TAL PHX

**Client Sample ID: N/A #4**

**Lab Sample ID: 550-79493-17**

**Date Collected: 03/10/17 06:00**

**Matrix: Drinking Water**

**Date Received: 03/20/17 12:15**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	200.8			113249	03/25/17 14:57	SLS	TAL PHX
Total/NA	Analysis	200.8		1	113736	03/30/17 21:06	TEK	TAL PHX

**Client Sample ID: #4**

**Lab Sample ID: 550-79493-18**

**Date Collected: 03/10/17 06:05**

**Matrix: Drinking Water**

**Date Received: 03/20/17 12:15**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	200.8			113249	03/25/17 14:57	SLS	TAL PHX
Total/NA	Analysis	200.8		1	113736	03/30/17 21:08	TEK	TAL PHX

TestAmerica Phoenix

# Lab Chronicle

Client: Arizona Dept of Environmental Quality  
Project/Site: Pb in DW/Santa Cruz Valley Union HS Dist

TestAmerica Job ID: 550-79493-1  
SDG: Santa Cruz Valley Union High School

**Client Sample ID: N/A #4**

**Lab Sample ID: 550-79493-19**

**Date Collected: 03/10/17 06:10**

**Matrix: Drinking Water**

**Date Received: 03/20/17 12:15**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	200.8			113248	03/25/17 14:41	SLS	TAL PHX
Total/NA	Analysis	200.8		1	113604	03/29/17 17:27	TEK	TAL PHX

**Client Sample ID: N/A #2**

**Lab Sample ID: 550-79493-20**

**Date Collected: 03/15/17 07:15**

**Matrix: Drinking Water**

**Date Received: 03/20/17 12:15**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	200.8			113248	03/25/17 14:41	SLS	TAL PHX
Total/NA	Analysis	200.8		1	113604	03/29/17 17:25	TEK	TAL PHX

**Client Sample ID: N/A #3**

**Lab Sample ID: 550-79493-21**

**Date Collected: 03/15/17 06:00**

**Matrix: Drinking Water**

**Date Received: 03/20/17 12:15**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	200.8			113248	03/25/17 14:41	SLS	TAL PHX
Total/NA	Analysis	200.8		1	113604	03/29/17 17:24	TEK	TAL PHX

**Client Sample ID: N/A #1**

**Lab Sample ID: 550-79493-22**

**Date Collected: 03/13/17 07:00**

**Matrix: Drinking Water**

**Date Received: 03/20/17 12:15**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	200.8			113248	03/25/17 14:41	SLS	TAL PHX
Total/NA	Analysis	200.8		1	113604	03/29/17 17:22	TEK	TAL PHX

**Client Sample ID: N/A #1**

**Lab Sample ID: 550-79493-23**

**Date Collected: 03/13/17 07:10**

**Matrix: Drinking Water**

**Date Received: 03/20/17 12:15**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	200.8			113253	03/25/17 15:09	EXZ	TAL PHX
Total/NA	Analysis	200.8		1	113734	03/30/17 19:10	TEK	TAL PHX

**Client Sample ID: N/A #1**

**Lab Sample ID: 550-79493-24**

**Date Collected: 03/15/17 05:30**

**Matrix: Drinking Water**

**Date Received: 03/20/17 12:15**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	200.8			113248	03/25/17 14:41	SLS	TAL PHX
Total/NA	Analysis	200.8		1	113604	03/29/17 17:20	TEK	TAL PHX

TestAmerica Phoenix

Lab Chronicle

Client: Arizona Dept of Environmental Quality  
Project/Site: Pb in DW/Santa Cruz Valley Union HS Dist

TestAmerica Job ID: 550-79493-1  
SDG: Santa Cruz Valley Union High School

Laboratory References:

TAL PHX = TestAmerica Phoenix, 4625 East Cotton Ctr Blvd, Suite 189, Phoenix, AZ 85040, TEL (602)437-3340

1
2
3
4
5
6
7
8
9
10
11
12
13
14

## Certification Summary

Client: Arizona Dept of Environmental Quality  
Project/Site: Pb in DW/Santa Cruz Valley Union HS Dist

TestAmerica Job ID: 550-79493-1  
SDG: Santa Cruz Valley Union High School

### Laboratory: TestAmerica Phoenix

Unless otherwise noted, all analytes for this laboratory were covered under each certification below.

Authority	Program	EPA Region	Certification ID	Expiration Date
Arizona	State Program	9	AZ0728	06-09-17
Analysis Method	Prep Method	Matrix	Analyte	

## Method Summary

Client: Arizona Dept of Environmental Quality  
Project/Site: Pb in DW/Santa Cruz Valley Union HS Dist

TestAmerica Job ID: 550-79493-1  
SDG: Santa Cruz Valley Union High School

Method	Method Description	Protocol	Laboratory
200.8	Metals (ICP/MS)	EPA	TAL PHX

### Protocol References:

EPA = US Environmental Protection Agency

### Laboratory References:

TAL PHX = TestAmerica Phoenix, 4625 East Cotton Ctr Blvd, Suite 189, Phoenix, AZ 85040, TEL (602)437-3340


79493

## Collection Log

for experienced sample collectors

Complete copy of this form for each sample collected. Your drinking water sample cannot be tested unless a copy of this form is shipped to the lab with each sample. In addition, the sample cannot be tested unless the Sample Identification Number matches the number on the sample container label.

- ☒ Check this box to confirm that water had not been used at this tap or other taps in the area for 6 hours and no flushing was done prior to sampling

Name of School District	DISTRICT #840
School Name	Santa Cruz Union High
Building (name/number)	10231 CAFETERIA
Type of Fixture (tap, drinking fountain etc.)	TAP
Location of Fixture (example, room number)	N/A #7
Sample Identification Number ( <u>Write this number on the sample container and on this sheet</u> )	
Date of Collection	3-13-2017
Time of Collection	5:15 AM
Printed Name of Sample Collector	HECTOR LONGORIA
Signature Sample Collector	

Notes Sample collector:


550-79493 Chain of Custody



For Lab use only	
Analyze this drinking water sample for lead	
Date and Time Lab received	
Signature	
Notes:	

For relinquishing samples upon delivery to labs only

Relinquished date and signature

FedEx →  3/20/17 12:15 (250<sup>ml</sup>) no ice

①


These samples were collected for lead screening purposes only and cannot be used for compliance.



**Collection Log**  
*for experienced sample collectors*

Complete copy of this form for each sample collected. Your drinking water sample cannot be tested unless a copy of this form is shipped to the lab with each sample. In addition, the sample cannot be tested unless the Sample Identification Number matches the number on the sample container label.

- ☒ Check this box to confirm that water had not been used at this tap or other taps in the area for 6 hours and no flushing was done prior to sampling

Name of School District	DISTRICT # 840
School Name	SANTA CRUZ UNION HSCH
Building (name/number)	1027 LIBRARY
Type of Fixture (tap, drinking fountain etc.)	DRINKING FOUNTAIN
Location of Fixture (example, room number)	N/A # 8
Sample Identification Number ( <u>Write this number on the sample container and on this sheet</u> )	
Date of Collection	3-9-17
Time of Collection	6:30 am
Printed Name of Sample Collector	Hector Lengoria
Signature Sample Collector	

Notes Sample collector:
-------------------------

For Lab use only	
Analyze this drinking water sample for lead	
Date and Time Lab received	
Signature	
Notes:	

For relinquishing samples upon delivery to labs only

Relinquished date and signature \_\_\_\_\_

*These samples were collected for lead screening purposes only and cannot be used for compliance.*


2

## Collection Log

*for experienced sample collectors*

Complete copy of this form for each sample collected. Your drinking water sample cannot be tested unless a copy of this form is shipped to the lab with each sample. In addition, the sample cannot be tested unless the Sample Identification Number matches the number on the sample container label.

- ☒ Check this box to confirm that **water had not been used at this tap or other taps in the area for 6 hours** and **no** flushing was done prior to sampling

Name of School District	DISTRICT # 840
School Name	SANTA CRUZ UNION HIGH
Building (name/number)	1026 / GREEN HOUSE
Type of Fixture (tap, drinking fountain etc.)	TAP
Location of Fixture (example, room number)	N/A #6
Sample Identification Number ( <b><u>Write this number on the sample container and on this sheet</u></b> )	
Date of Collection	3/15/2017
Time of Collection	5:20 A
Printed Name of Sample Collector	Hector Rincora
Signature Sample Collector	

Notes Sample collector:

For Lab use only	
Analyze this drinking water sample for lead	
Date and Time Lab received	
Signature	
Notes:	

For relinquishing samples upon delivery to labs only

Relinquished date and signature \_\_\_\_\_

*These samples were collected for lead screening purposes only and cannot be used for compliance.*


3

## Collection Log

*for experienced sample collectors*

Complete copy of this form for each sample collected. Your drinking water sample cannot be tested unless a copy of this form is shipped to the lab with each sample. In addition, the sample cannot be tested unless the Sample Identification Number matches the number on the sample container label.

- ☒ Check this box to confirm that water had not been used at this tap or other taps in the area for 6 hours and no flushing was done prior to sampling

Name of School District	DISTRICT # 840
School Name	SANTA CRUZ UNION HIGH
Building (name/number)	1024 TICKET BOOTH
Type of Fixture (tap, drinking fountain etc.)	TAP
Location of Fixture (example, room number)	N/A # 1
Sample Identification Number ( <u>Write this number on the sample container and on this sheet</u> )	
Date of Collection	3-10-17
Time of Collection	6:30 A
Printed Name of Sample Collector	HECTOR KONGORIN
Signature Sample Collector	

Notes Sample collector:

For Lab use only	
Analyze this drinking water sample for lead	
Date and Time Lab received	
Signature	
Notes:	

For relinquishing samples upon delivery to labs only

Relinquished date and signature \_\_\_\_\_

*These samples were collected for lead screening purposes only and cannot be used for compliance.*


4

### Collection Log

for experienced sample collectors

Complete copy of this form for each sample collected. Your drinking water sample cannot be tested unless a copy of this form is shipped to the lab with each sample. In addition, the sample cannot be tested unless the Sample Identification Number matches the number on the sample container label.

- ☒ Check this box to confirm that water had not been used at this tap or other taps in the area for 6 hours and no flushing was done prior to sampling

Name of School District	District # 8410
School Name	Santa Cruz Union High
Building (name/number)	1023 SNACK BMR
Type of Fixture (tap, drinking fountain etc.)	TAP
Location of Fixture (example, room number)	N/A #1
Sample Identification Number ( <u>Write this number on the sample container and on this sheet</u> )	
Date of Collection	3-13-2017
Time of Collection	6:10 A
Printed Name of Sample Collector	HECTOR LONGORIA
Signature Sample Collector	

Notes Sample collector:

For Lab use only	
Analyze this drinking water sample for lead	
Date and Time Lab received	
Signature	
Notes:	

For relinquishing samples upon delivery to labs only

Relinquished date and signature \_\_\_\_\_

*These samples were collected for lead screening purposes only and cannot be used for compliance.*

5

**Collection Log**  
*for experienced sample collectors*

Complete copy of this form for each sample collected. Your drinking water sample cannot be tested unless a copy of this form is shipped to the lab with each sample. In addition, the sample cannot be tested unless the Sample Identification Number matches the number on the sample container label.

- ☒ Check this box to confirm that water had not been used at this tap or other taps in the area for 6 hours and no flushing was done prior to sampling

Name of School District	DISTRICT # 840
School Name	SANTA CRUZ UNION HIGH
Building (name/number)	1022 P.E. AREA
Type of Fixture (tap, drinking fountain etc.)	SHOWER ROOM
Location of Fixture (example, room number)	N/A #1
Sample Identification Number ( <u>Write this number on the sample container and on this sheet</u> )	
Date of Collection	3/13/2017
Time of Collection	5:40
Printed Name of Sample Collector	
Signature Sample Collector	

Notes Sample collector:

For Lab use only	
Analyze this drinking water sample for lead	
Date and Time Lab received	
Signature	
Notes:	

For relinquishing samples upon delivery to labs only

Relinquished date and signature \_\_\_\_\_

*These samples were collected for lead screening purposes only and cannot be used for compliance.*

6


### Collection Log

for experienced sample collectors

Complete copy of this form for each sample collected. Your drinking water sample cannot be tested unless a copy of this form is shipped to the lab with each sample. In addition, the sample cannot be tested unless the Sample Identification Number matches the number on the sample container label.

- ☒ Check this box to confirm that water had not been used at this tap or other taps in the area for 6 hours and no flushing was done prior to sampling

Name of School District  
School Name  
Building (name/number)  
Type of Fixture (tap, drinking fountain etc.)  
Location of Fixture (example, room number)  
Sample Identification Number (Write this number on the sample container and on this sheet)  
Date of Collection  
Time of Collection  
Printed Name of Sample Collector  
Signature Sample Collector

DISTRICT #840
SANTA CRUZ UNION HIGH
1020 WEICHT Rm
DRINKING FOUNTAIN
WEICHT Rm #1
3/13/2017
5:30 AM
STEVE RODRIGUEZ


Notes Sample collector:

For Lab use only	
Analyze this drinking water sample for lead	
Date and Time Lab received	
Signature	
Notes:	

For relinquishing samples upon delivery to labs only

Relinquished date and signature \_\_\_\_\_

*These samples were collected for lead screening purposes only and cannot be used for compliance.*




## Collection Log

for experienced sample collectors

Complete copy of this form for each sample collected. Your drinking water sample cannot be tested unless a copy of this form is shipped to the lab with each sample. In addition, the sample cannot be tested unless the Sample Identification Number matches the number on the sample container label.

- ☒ Check this box to confirm that water had not been used at this tap or other taps in the area for 6 hours and no flushing was done prior to sampling

Name of School District	District # 340
School Name	Santa Cruz Union High
Building (name/number)	1021 STORAGE
Type of Fixture (tap, drinking fountain etc.)	TAP
Location of Fixture (example, room number)	N/A # 11
Sample Identification Number ( <u>Write this number on the sample container and on this sheet</u> )	
Date of Collection	3/13/17
Time of Collection	6:10 AM
Printed Name of Sample Collector	HECTOR KUNDAVIA
Signature Sample Collector	

Notes Sample collector:

For Lab use only	
Analyze this drinking water sample for lead	
Date and Time Lab received	
Signature	
Notes:	

For relinquishing samples upon delivery to labs only

Relinquished date and signature \_\_\_\_\_




These samples were collected for lead screening purposes only and cannot be used for compliance.

### Collection Log

for experienced sample collectors

Complete copy of this form for each sample collected. Your drinking water sample cannot be tested unless a copy of this form is shipped to the lab with each sample. In addition, the sample cannot be tested unless the Sample Identification Number matches the number on the sample container label.

- ☒ Check this box to confirm that water had not been used at this tap or other taps in the area for 6 hours and no flushing was done prior to sampling

Name of School District	DISTRICT # 840
School Name	SANTA CRUZ UNION HIGH
Building (name/number)	1019 LOCKER RM
Type of Fixture (tap, drinking fountain etc.)	TAP
Location of Fixture (example, room number)	N/A #1
Sample Identification Number ( <u>Write this number on the sample container and on this sheet</u> )	
Date of Collection	3-13-2017
Time of Collection	6:05 A
Printed Name of Sample Collector	HECTOR LONGORIA
Signature Sample Collector	

Notes Sample collector:
-------------------------

For Lab use only	
Analyze this drinking water sample for lead	
Date and Time Lab received	
Signature	
Notes:	

For relinquishing samples upon delivery to labs only

Relinquished date and signature \_\_\_\_\_

*These samples were collected for lead screening purposes only and cannot be used for compliance.*

9




### Collection Log

for experienced sample collectors

Complete copy of this form for each sample collected. Your drinking water sample cannot be tested unless a copy of this form is shipped to the lab with each sample. In addition, the sample cannot be tested unless the Sample Identification Number matches the number on the sample container label.

- ☒ Check this box to confirm that water had not been used at this tap or other taps in the area for 6 hours and no flushing was done prior to sampling

Name of School District	DISTRICT # 840
School Name	SANTA CRUZ UNION HIGH
Building (name/number)	1018 LOCKER/STORAGE
Type of Fixture (tap, drinking fountain etc.)	TAP
Location of Fixture (example, room number)	N/A #1
Sample Identification Number ( <u>Write this number on the sample container and on this sheet</u> )	
Date of Collection	3/13/2017
Time of Collection	5:38 AM
Printed Name of Sample Collector	HECTOR LAMACIA
Signature Sample Collector	

Notes Sample collector:

For Lab use only	
Analyze this drinking water sample for lead	
Date and Time Lab received	
Signature	
Notes:	

For relinquishing samples upon delivery to labs only

Relinquished date and signature \_\_\_\_\_

*These samples were collected for lead screening purposes only and cannot be used for compliance.*




## Collection Log

*for experienced sample collectors*

Complete copy of this form for each sample collected. Your drinking water sample cannot be tested unless a copy of this form is shipped to the lab with each sample. In addition, the sample cannot be tested unless the Sample Identification Number matches the number on the sample container label.

- ☒ Check this box to confirm that **water had not been used at this tap or other taps in the area for 6 hours** and **no** flushing was done prior to sampling

Name of School District	DISTRICT # 340
School Name	SANTA CRUZ UNION HIGH
Building (name/number)	1017 / INDUSTRIAL ARTS
Type of Fixture (tap, drinking fountain etc.)	TAP / FOUNTAIN
Location of Fixture (example, room number)	N/A # 10
Sample Identification Number ( <b><u>Write this number on the sample container and on this sheet</u></b> )	
Date of Collection	3-9-17
Time of Collection	6:00 A
Printed Name of Sample Collector	Hector Lencina
Signature Sample Collector	

Notes Sample collector:

For Lab use only	
Analyze this drinking water sample for lead	
Date and Time Lab received	
Signature	
Notes:	

For relinquishing samples upon delivery to labs only

Relinquished date and signature \_\_\_\_\_

*These samples were collected for lead screening purposes only and cannot be used for compliance.*


11

## Collection Log

for experienced sample collectors

Complete copy of this form for each sample collected. Your drinking water sample cannot be tested unless a copy of this form is shipped to the lab with each sample. In addition, the sample cannot be tested unless the Sample Identification Number matches the number on the sample container label.

- ☒ Check this box to confirm that **water had not been used at this tap or other taps in the area for 6 hours** and **no** flushing was done prior to sampling

Name of School District	DISTRICT # 8410
School Name	SANTA CRUZ UNION HIGH
Building (name/number)	1016 DISTRICT WAREHOUSE
Type of Fixture (tap, drinking fountain etc.)	TAP KITCHEN SINK
Location of Fixture (example, room number)	N/A #9
Sample Identification Number ( <b>Write this number on the sample container and on this sheet</b> )	
Date of Collection	3-9-2017
Time of Collection	6:15 AM
Printed Name of Sample Collector	HECTOR LENCARIN
Signature Sample Collector	

Notes Sample collector:

For Lab use only	
Analyze this drinking water sample for lead	
Date and Time Lab received	
Signature	
Notes:	

For relinquishing samples upon delivery to labs only

Relinquished date and signature \_\_\_\_\_

These samples were collected for lead screening purposes only and cannot be used for compliance.


12

### Collection Log

for experienced sample collectors

Complete copy of this form for each sample collected. Your drinking water sample cannot be tested unless a copy of this form is shipped to the lab with each sample. In addition, the sample cannot be tested unless the Sample Identification Number matches the number on the sample container label.

- ☒ Check this box to confirm that water had not been used at this tap or other taps in the area for 6 hours and no flushing was done prior to sampling

Name of School District	DISTRICT # 340
School Name	SANTA CRUZ UNION HIGH
Building (name/number)	1012 MEDIA CENTER
Type of Fixture (tap, drinking fountain etc.)	DRINKING FOUNTAIN
Location of Fixture (example, room number)	N/A #5
Sample Identification Number ( <u>Write this number on the sample container and on this sheet</u> )	
Date of Collection	3-16-2017
Time of Collection	7:00 AM
Printed Name of Sample Collector	HECTOR RENCORIA
Signature Sample Collector	

Notes Sample collector:

For Lab use only	
Analyze this drinking water sample for lead	
Date and Time Lab received	
Signature	
Notes:	

For relinquishing samples upon delivery to labs only

Relinquished date and signature \_\_\_\_\_

*These samples were collected for lead screening purposes only and cannot be used for compliance.*


(13)

### Collection Log

for experienced sample collectors

Complete copy of this form for each sample collected. Your drinking water sample cannot be tested unless a copy of this form is shipped to the lab with each sample. In addition, the sample cannot be tested unless the Sample Identification Number matches the number on the sample container label.

- ☒ Check this box to confirm that **water had not been used at this tap or other taps in the area for 6 hours** and **no** flushing was done prior to sampling

Name of School District	DISTRICT 840
School Name	SANTA CRUZ UNION HIGH
Building (name/number)	1001 CLASS ROOM
Type of Fixture (tap, drinking fountain etc.)	TAP / SINK
Location of Fixture (example, room number)	N/A #4
Sample Identification Number ( <b><u>Write this number on the sample container and on this sheet</u></b> )	
Date of Collection	3-9-17
Time of Collection	7:00AM
Printed Name of Sample Collector	HECTOR LONGORIA
Signature Sample Collector	

Notes Sample collector:

For Lab use only	
Analyze this drinking water sample for lead	
Date and Time Lab received	
Signature	
Notes:	

For relinquishing samples upon delivery to labs only

Relinquished date and signature \_\_\_\_\_

*These samples were collected for lead screening purposes only and cannot be used for compliance.*


14

## Collection Log

for experienced sample collectors

Complete copy of this form for each sample collected. Your drinking water sample cannot be tested unless a copy of this form is shipped to the lab with each sample. In addition, the sample cannot be tested unless the Sample Identification Number matches the number on the sample container label.

- ☒ Check this box to confirm that water had not been used at this tap or other taps in the area for 6 hours and no flushing was done prior to sampling


Name of School District	DISTRICT # 340
School Name	SANTA CRUZ UNION HIGH
Building (name/number)	1010 / MUSIC ROOM
Type of Fixture (tap, drinking fountain etc.)	DRINKING FOUNTAIN
Location of Fixture (example, room number)	N/A # 4
Sample Identification Number ( <u>Write this number on the sample container and on this sheet</u> )	
Date of Collection	3/14/2017
Time of Collection	5:00 AM
Printed Name of Sample Collector	HECTOR RODRIGUEZ
Signature Sample Collector	

Notes Sample collector:
-------------------------

For Lab use only	
Analyze this drinking water sample for lead	
Date and Time Lab received	
Signature	
Notes:	

For relinquishing samples upon delivery to labs only

Relinquished date and signature \_\_\_\_\_


 These samples were collected for lead screening purposes only and cannot be used for compliance.

## Collection Log

*for experienced sample collectors*

Complete copy of this form for each sample collected. Your drinking water sample cannot be tested unless a copy of this form is shipped to the lab with each sample. In addition, the sample cannot be tested unless the Sample Identification Number matches the number on the sample container label.

- ☒ Check this box to confirm that water had not been used at this tap or other taps in the area for 6 hours and no flushing was done prior to sampling

Name of School District	DISTRICT # 840
School Name	SANTA CATALINA UNION HIGH
Building (name/number)	1009 / ART CLASS ROOM
Type of Fixture (tap, drinking fountain etc.)	TAP / SINK
Location of Fixture (example, room number)	N/A #4
Sample Identification Number ( <u>Write this number on the sample container and on this sheet</u> )	
Date of Collection	3/14/2017
Time of Collection	5:05 am
Printed Name of Sample Collector	HECTOR HENCONIA
Signature Sample Collector	

Notes Sample collector:

For Lab use only	
Analyze this drinking water sample for lead	
Date and Time Lab received	
Signature	
Notes:	

For relinquishing samples upon delivery to labs only

Relinquished date and signature \_\_\_\_\_

*These samples were collected for lead screening purposes only and cannot be used for compliance.*

16




## Collection Log

*for experienced sample collectors*

Complete copy of this form for each sample collected. Your drinking water sample cannot be tested unless a copy of this form is shipped to the lab with each sample. In addition, the sample cannot be tested unless the Sample Identification Number matches the number on the sample container label.

- ☒ Check this box to confirm that water had not been used at this tap or other taps in the area for 6 hours and no flushing was done prior to sampling

Name of School District	District #840
School Name	Santa Cruz Union High
Building (name/number)	10081 Auditorium
Type of Fixture (tap, drinking fountain etc.)	Tap / Sink
Location of Fixture (example, room number)	RT #4
Sample Identification Number ( <u>Write this number on the sample container and on this sheet</u> )	
Date of Collection	3-10-2017
Time of Collection	6:00 AM
Printed Name of Sample Collector	Hector Encarnacion
Signature Sample Collector	

Notes Sample collector:

For Lab use only	
Analyze this drinking water sample for lead	
Date and Time Lab received	
Signature	
Notes:	

For relinquishing samples upon delivery to labs only

Relinquished date and signature \_\_\_\_\_

*These samples were collected for lead screening purposes only and cannot be used for compliance.*

(17)




## Collection Log

for experienced sample collectors

Complete copy of this form for each sample collected. Your drinking water sample cannot be tested unless a copy of this form is shipped to the lab with each sample. In addition, the sample cannot be tested unless the Sample Identification Number matches the number on the sample container label.

- ☒ Check this box to confirm that water had not been used at this tap or other taps in the area for 6 hours and no flushing was done prior to sampling

Name of School District	DISTRICT #840
School Name	SANTA CRUZ UNION HIGH
Building (name/number)	1007 CLASS ROOM #4
Type of Fixture (tap, drinking fountain etc.)	TAP / SINK
Location of Fixture (example, room number)	
Sample Identification Number ( <u>Write this number on the sample container and on this sheet</u> )	
Date of Collection	3-10-17
Time of Collection	6:05 AM
Printed Name of Sample Collector	HECTOR LONCORN
Signature Sample Collector	

Notes Sample collector:
-------------------------

For Lab use only	
Analyze this drinking water sample for lead	
Date and Time Lab received	
Signature	
Notes:	

For relinquishing samples upon delivery to labs only

Relinquished date and signature \_\_\_\_\_

*These samples were collected for lead screening purposes only and cannot be used for compliance.*

15

## Collection Log


for experienced sample collectors

Complete copy of this form for each sample collected. Your drinking water sample cannot be tested unless a copy of this form is shipped to the lab with each sample. In addition, the sample cannot be tested unless the Sample Identification Number matches the number on the sample container label.

- ☒ Check this box to confirm that water had not been used at this tap or other taps in the area for 6 hours and no flushing was done prior to sampling

Name of School District  
School Name  
Building (name/number)  
Type of Fixture (tap, drinking fountain etc.)  
Location of Fixture (example, room number)  
Sample Identification Number (Write this number on the sample container and on this sheet)

Date of Collection  
Time of Collection  
Printed Name of Sample Collector  
Signature Sample Collector

DISTRICT #840
SANTA CRUZ UNION HIGH
1006
DRINKING FOUNTAIN
NIA #4
3-10-17
6:10 AM
HECTOR RENGORIA


Notes Sample collector:

For Lab use only	
Analyze this drinking water sample for lead	
Date and Time Lab received	
Signature	
Notes:	

For relinquishing samples upon delivery to labs only

Relinquished date and signature \_\_\_\_\_

*These samples were collected for lead screening purposes only and cannot be used for compliance.*


19

## Collection Log

for experienced sample collectors

Complete copy of this form for each sample collected. Your drinking water sample cannot be tested unless a copy of this form is shipped to the lab with each sample. In addition, the sample cannot be tested unless the Sample Identification Number matches the number on the sample container label.

- ☒ Check this box to confirm that water had not been used at this tap or other taps in the area for 6 hours and no flushing was done prior to sampling


Name of School District	DISTRICT # 340
School Name	SANTA CRUZ UNION HIGH
Building (name/number)	1005 / SCHOOL ADMINISTRATION
Type of Fixture (tap, drinking fountain etc.)	TAP / MURSE SINK
Location of Fixture (example, room number)	N/A # 5
Sample Identification Number ( <u>Write this number on the sample container and on this sheet</u> )	
Date of Collection	7/15/2017
Time of Collection	7:15 AM
Printed Name of Sample Collector	HECTOR LANCORIA
Signature Sample Collector	

Notes Sample collector:
-------------------------

For Lab use only	
Analyze this drinking water sample for lead	
Date and Time Lab received	
Signature	
Notes:	

For relinquishing samples upon delivery to labs only

Relinquished date and signature \_\_\_\_\_


 These samples were collected for lead screening purposes only and cannot be used for compliance.

## Collection Log

for experienced sample collectors

Complete copy of this form for each sample collected. Your drinking water sample cannot be tested unless a copy of this form is shipped to the lab with each sample. In addition, the sample cannot be tested unless the Sample Identification Number matches the number on the sample container label.

- ☐ Check this box to confirm that water had not been used at this tap or other taps in the area for 6 hours and no flushing was done prior to sampling

Name of School District	DISTRICT #840
School Name	SANTA CRUZ UNION HIGH
Building (name/number)	1004 / DISTRICT ADMINISTRATION
Type of Fixture (tap, drinking fountain etc.)	TAP 1 KITCHEN SINK
Location of Fixture (example, room number)	N/A #3
Sample Identification Number ( <u>Write this number on the sample container and on this sheet</u> )	
Date of Collection	3-15-2017
Time of Collection	6:00 AM
Printed Name of Sample Collector	HECTOR LONGORIA
Signature Sample Collector	

Notes Sample collector:

For Lab use only	
Analyze this drinking water sample for lead	
Date and Time Lab received	
Signature	
Notes:	

For relinquishing samples upon delivery to labs only

Relinquished date and signature \_\_\_\_\_

*These samples were collected for lead screening purposes only and cannot be used for compliance.*


21

## Collection Log

*for experienced sample collectors*

Complete copy of this form for each sample collected. Your drinking water sample cannot be tested unless a copy of this form is shipped to the lab with each sample. In addition, the sample cannot be tested unless the Sample Identification Number matches the number on the sample container label.

- ☒ Check this box to confirm that water had not been used at this tap or other taps in the area for 6 hours and no flushing was done prior to sampling

Name of School District	DISTRICT #840
School Name	SANTA CAZ UNION HIGH
Building (name/number)	1003 / CAFETERIA
Type of Fixture (tap, drinking fountain etc.)	TAP / SINK
Location of Fixture (example, room number)	N/A #1
Sample Identification Number ( <u>Write this number on the sample container and on this sheet</u> )	
Date of Collection	3/13/2017
Time of Collection	7 AM
Printed Name of Sample Collector	HECTOR LONGORIA
Signature Sample Collector	

Notes Sample collector:

For Lab use only	
Analyze this drinking water sample for lead	
Date and Time Lab received	
Signature	
Notes:	

For relinquishing samples upon delivery to labs only

Relinquished date and signature \_\_\_\_\_

*These samples were collected for lead screening purposes only and cannot be used for compliance.*


22

### Collection Log

for experienced sample collectors

Complete copy of this form for each sample collected. Your drinking water sample cannot be tested unless a copy of this form is shipped to the lab with each sample. In addition, the sample cannot be tested unless the Sample Identification Number matches the number on the sample container label.

- ☒ Check this box to confirm that **water had not been used at this tap or other taps in the area for 6 hours** and **no** flushing was done prior to sampling

Name of School District	DISTRICT #840
School Name	SWAN CREEK UNION HIGHS
Building (name/number)	1002 / WRESTLING
Type of Fixture (tap, drinking fountain etc.)	TAP
Location of Fixture (example, room number)	N/A #1
Sample Identification Number ( <b><u>Write this number on the sample container and on this sheet</u></b> )	
Date of Collection	3/13/2017
Time of Collection	7:10 AM
Printed Name of Sample Collector	HECTOR RENGORIT
Signature Sample Collector	

Notes Sample collector:

For Lab use only	
Analyze this drinking water sample for lead	
Date and Time Lab received	
Signature	
Notes:	

For relinquishing samples upon delivery to labs only

Relinquished date and signature \_\_\_\_\_

*These samples were collected for lead screening purposes only and cannot be used for compliance.*


23

## Collection Log

for experienced sample collectors

Complete copy of this form for each sample collected. Your drinking water sample cannot be tested unless a copy of this form is shipped to the lab with each sample. In addition, the sample cannot be tested unless the Sample Identification Number matches the number on the sample container label.

- ☒ Check this box to confirm that **water had not been used at this tap or other taps in the area for 6 hours** and **no** flushing was done prior to sampling

Name of School District	DISTRICT # 840
School Name	SANTA CRUZ UNION HIGHS
Building (name/number)	1001 GYMNASIUM
Type of Fixture (tap, drinking fountain etc.)	DRINKING FOUNTAIN
Location of Fixture (example, room number)	N/A # 1
Sample Identification Number ( <b>Write this number on the sample container and on this sheet</b> )	
Date of Collection	3/15/17
Time of Collection	5:30 AM
Printed Name of Sample Collector	HECTOR LUNGA
Signature Sample Collector	

Notes Sample collector:

For Lab use only	
Analyze this drinking water sample for lead	
Date and Time Lab received	
Signature	
Notes:	

For relinquishing samples upon delivery to labs only

Relinquished date and signature \_\_\_\_\_

These samples were collected for lead screening purposes only and cannot be used for compliance.

24

## Login Sample Receipt Checklist

Client: Arizona Dept of Environmental Quality

Job Number: 550-79493-1

SDG Number: Santa Cruz Valley Union High School

**Login Number: 79493**

**List Number: 1**

**Creator: Vilaboy, Monica**

**List Source: TestAmerica Phoenix**

Question	Answer	Comment
Radioactivity wasn't checked or is $\leq$ background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	False	Thermal preservation not required.
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is $<6\text{mm}$ (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	Check done at department level as required.