

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.

TestAmerica Phoenix

4625 East Cotton Ctr Blvd

Suite 189

Phoenix, AZ 85040

Tel: (602)437-3340

TestAmerica Job ID: 550-79966-1

TestAmerica SDG: Ehrenberg Elementary School

Client Project/Site: Pb in DW/Quartzsite Elementary District

For:

Arizona Dept of Environmental Quality

1110 W. Washington St., MC5415B-1

Phoenix, Arizona 85007

Attn: David A Burchard



Authorized for release by:

4/10/2017 3:09:16 PM

Jannel Franklin, Project Manager I

(732)593-2551

jannel.franklin@testamericainc.com

Designee for

Susan Armijo, Project Manager II

(602)659-7664

susan.armijo@testamericainc.com

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

LINKS

Review your project
results through

Total Access

Have a Question?



Visit us at:

www.testamericainc.com

1

2

3

4

5

6

7

8

9

10

11

12

13

14



Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Sample Summary	5
Detection Summary	6
Client Sample Results	8
QC Sample Results	10
QC Association Summary	11
Lab Chronicle	12
Certification Summary	15
Method Summary	16
Chain of Custody	17
Receipt Checklists	33

Definitions/Glossary

Client: Arizona Dept of Environmental Quality
Project/Site: Pb in DW/Quartzsite Elementary District

TestAmerica Job ID: 550-79966-1
SDG: Ehrenberg Elementary School

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
MDA	Minimum detectable activity
EDL	Estimated Detection Limit
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Case Narrative

Client: Arizona Dept of Environmental Quality
Project/Site: Pb in DW/Quartzsite Elementary District

TestAmerica Job ID: 550-79966-1
SDG: Ehrenberg Elementary School

Job ID: 550-79966-1

Laboratory: TestAmerica Phoenix

Narrative

Job Narrative 550-79966-1

Comments

No additional comments.

Receipt

The samples were received on 3/29/2017 10:30 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 19.1° C.

Receipt Exceptions

The following samples for metals were received unpreserved and were preserved upon receipt to the laboratory: 1001-AG (550-79966-1), 1001-AO (550-79966-2), 1001-B3 (550-79966-3), 1002-B1 (550-79966-4), 1003-CC (550-79966-5), 1003-SC (550-79966-6), 1004-TD (550-79966-7), 1004-WD (550-79966-8), 1005-ME (550-79966-9), 1005-SE (550-79966-10), 1006-HF (550-79966-11), 1006-HF (550-79966-12), 1007-CG (550-79966-13) and 1008-CH (550-79966-14). Regulatory documents require a 24-hour waiting period from the time of the addition of the acid preservative to the time of digestion.

The following samples were received at the laboratory without a sample collection time documented on the chain of custody: 1001-AG (550-79966-1), 1001-AO (550-79966-2), 1001-B3 (550-79966-3), 1002-B1 (550-79966-4), 1003-CC (550-79966-5), 1003-SC (550-79966-6), 1004-TD (550-79966-7), 1004-WD (550-79966-8), 1005-ME (550-79966-9), 1005-SE (550-79966-10), 1006-HF (550-79966-11), 1006-HF (550-79966-12), 1007-CG (550-79966-13) and 1008-CH (550-79966-14). The sampling dates and times have been taken from the containers.

Metals

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

Sample Summary

Client: Arizona Dept of Environmental Quality
Project/Site: Pb in DW/Quartzsite Elementary District

TestAmerica Job ID: 550-79966-1
SDG: Ehrenberg Elementary School

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
550-79966-1	1001-AG	Drinking Water	03/23/17 05:40	03/29/17 10:30
550-79966-2	1001-AO	Drinking Water	03/23/17 05:27	03/29/17 10:30
550-79966-3	1001-B3	Drinking Water	03/23/17 05:14	03/29/17 10:30
550-79966-4	1002-B1	Drinking Water	03/23/17 06:10	03/29/17 10:30
550-79966-5	1003-CC	Drinking Water	03/23/17 05:16	03/29/17 10:30
550-79966-6	1003-SC	Drinking Water	03/23/17 05:01	03/29/17 10:30
550-79966-7	1004-TD	Drinking Water	03/23/17 06:02	03/29/17 10:30
550-79966-8	1004-WD	Drinking Water	03/23/17 05:32	03/29/17 10:30
550-79966-9	1005-ME	Drinking Water	03/23/17 05:23	03/29/17 10:30
550-79966-10	1005-SE	Drinking Water	03/23/17 05:24	03/29/17 10:30
550-79966-11	1006-HF	Drinking Water	03/23/17 05:05	03/29/17 10:30
550-79966-12	1006-HF	Drinking Water	03/23/17 06:00	03/29/17 10:30
550-79966-13	1007-CG	Drinking Water	03/23/17 05:35	03/29/17 10:30
550-79966-14	1008-CH	Drinking Water	03/23/17 05:50	03/29/17 10:30

Detection Summary

Client: Arizona Dept of Environmental Quality
Project/Site: Pb in DW/Quartzsite Elementary District

TestAmerica Job ID: 550-79966-1
SDG: Ehrenberg Elementary School

Client Sample ID: 1001-AG

Lab Sample ID: 550-79966-1

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Lead	1.2		0.50	ppb	1		200.8	Total/NA

Client Sample ID: 1001-AO

Lab Sample ID: 550-79966-2

No Detections.

Client Sample ID: 1001-B3

Lab Sample ID: 550-79966-3

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Lead	5.8		0.50	ppb	1		200.8	Total/NA

Client Sample ID: 1002-B1

Lab Sample ID: 550-79966-4

No Detections.

Client Sample ID: 1003-CC

Lab Sample ID: 550-79966-5

No Detections.

Client Sample ID: 1003-SC

Lab Sample ID: 550-79966-6

No Detections.

Client Sample ID: 1004-TD

Lab Sample ID: 550-79966-7

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Lead	1.6		0.50	ppb	1		200.8	Total/NA

Client Sample ID: 1004-WD

Lab Sample ID: 550-79966-8

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Lead	0.66		0.50	ppb	1		200.8	Total/NA

Client Sample ID: 1005-ME

Lab Sample ID: 550-79966-9

No Detections.

Client Sample ID: 1005-SE

Lab Sample ID: 550-79966-10

No Detections.

Client Sample ID: 1006-HF

Lab Sample ID: 550-79966-11

No Detections.

Client Sample ID: 1006-HF

Lab Sample ID: 550-79966-12

No Detections.

Client Sample ID: 1007-CG

Lab Sample ID: 550-79966-13

No Detections.

This Detection Summary does not include radiochemical test results.

TestAmerica Phoenix

Detection Summary

Client: Arizona Dept of Environmental Quality
Project/Site: Pb in DW/Quartzsite Elementary District

TestAmerica Job ID: 550-79966-1
SDG: Ehrenberg Elementary School

Client Sample ID: 1008-CH

Lab Sample ID: 550-79966-14

No Detections.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

This Detection Summary does not include radiochemical test results.

TestAmerica Phoenix

Client Sample Results

Client: Arizona Dept of Environmental Quality
 Project/Site: Pb in DW/Quartzsite Elementary District

TestAmerica Job ID: 550-79966-1
 SDG: Ehrenberg Elementary School

Client Sample ID: 1001-AG

Date Collected: 03/23/17 05:40

Date Received: 03/29/17 10:30

Lab Sample ID: 550-79966-1

Matrix: Drinking Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	1.2		0.50	ppb		03/30/17 20:02	04/08/17 15:16	1

Client Sample ID: 1001-AO

Date Collected: 03/23/17 05:27

Date Received: 03/29/17 10:30

Lab Sample ID: 550-79966-2

Matrix: Drinking Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	ND		0.50	ppb		03/30/17 20:02	04/08/17 15:18	1

Client Sample ID: 1001-B3

Date Collected: 03/23/17 05:14

Date Received: 03/29/17 10:30

Lab Sample ID: 550-79966-3

Matrix: Drinking Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	5.8		0.50	ppb		03/30/17 20:02	04/08/17 15:20	1

Client Sample ID: 1002-B1

Date Collected: 03/23/17 06:10

Date Received: 03/29/17 10:30

Lab Sample ID: 550-79966-4

Matrix: Drinking Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	ND		0.50	ppb		03/30/17 20:02	04/08/17 15:22	1

Client Sample ID: 1003-CC

Date Collected: 03/23/17 05:16

Date Received: 03/29/17 10:30

Lab Sample ID: 550-79966-5

Matrix: Drinking Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	ND		0.50	ppb		03/30/17 20:02	04/08/17 15:28	1

Client Sample ID: 1003-SC

Date Collected: 03/23/17 05:01

Date Received: 03/29/17 10:30

Lab Sample ID: 550-79966-6

Matrix: Drinking Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	ND		0.50	ppb		03/30/17 20:02	04/08/17 15:30	1

Client Sample ID: 1004-TD

Date Collected: 03/23/17 06:02

Date Received: 03/29/17 10:30

Lab Sample ID: 550-79966-7

Matrix: Drinking Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	1.6		0.50	ppb		03/30/17 20:02	04/08/17 15:32	1

Client Sample Results

Client: Arizona Dept of Environmental Quality
 Project/Site: Pb in DW/Quartzsite Elementary District

TestAmerica Job ID: 550-79966-1
 SDG: Ehrenberg Elementary School

Client Sample ID: 1004-WD

Date Collected: 03/23/17 05:32

Date Received: 03/29/17 10:30

Lab Sample ID: 550-79966-8

Matrix: Drinking Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	0.66		0.50	ppb		03/30/17 20:02	04/08/17 15:34	1

Client Sample ID: 1005-ME

Date Collected: 03/23/17 05:23

Date Received: 03/29/17 10:30

Lab Sample ID: 550-79966-9

Matrix: Drinking Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	ND		0.50	ppb		03/30/17 20:02	04/08/17 15:36	1

Client Sample ID: 1005-SE

Date Collected: 03/23/17 05:24

Date Received: 03/29/17 10:30

Lab Sample ID: 550-79966-10

Matrix: Drinking Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	ND		0.50	ppb		03/30/17 20:02	04/08/17 15:38	1

Client Sample ID: 1006-HF

Date Collected: 03/23/17 05:05

Date Received: 03/29/17 10:30

Lab Sample ID: 550-79966-11

Matrix: Drinking Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	ND		0.50	ppb		03/30/17 20:02	04/08/17 15:40	1

Client Sample ID: 1006-HF

Date Collected: 03/23/17 06:00

Date Received: 03/29/17 10:30

Lab Sample ID: 550-79966-12

Matrix: Drinking Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	ND		0.50	ppb		03/30/17 20:02	04/08/17 15:42	1

Client Sample ID: 1007-CG

Date Collected: 03/23/17 05:35

Date Received: 03/29/17 10:30

Lab Sample ID: 550-79966-13

Matrix: Drinking Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	ND		0.50	ppb		03/30/17 20:02	04/08/17 15:44	1

Client Sample ID: 1008-CH

Date Collected: 03/23/17 05:50

Date Received: 03/29/17 10:30

Lab Sample ID: 550-79966-14

Matrix: Drinking Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	ND		0.50	ppb		03/30/17 20:02	04/08/17 15:46	1

QC Sample Results

Client: Arizona Dept of Environmental Quality
 Project/Site: Pb in DW/Quartzsite Elementary District

TestAmerica Job ID: 550-79966-1
 SDG: Ehrenberg Elementary School

Method: 200.8 - Metals (ICP/MS)

Lab Sample ID: MB 550-113732/1-A
Matrix: Water
Analysis Batch: 114407

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 113732

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	ND		0.50	ppb		03/30/17 20:02	04/08/17 14:58	1

Lab Sample ID: LCS 550-113732/4-A
Matrix: Water
Analysis Batch: 114407

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 113732

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limits
Lead	100	95.7		ppb		96	85 - 115

Lab Sample ID: LCSD 550-113732/5-A
Matrix: Water
Analysis Batch: 114407

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 113732

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Lead	100	99.3		ppb		99	85 - 115	4	20

Lab Sample ID: 550-79962-A-6-B MS
Matrix: Water
Analysis Batch: 114407

Client Sample ID: Matrix Spike
Prep Type: Total/NA
Prep Batch: 113732

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	Limits
Lead	1.5		100	99.2		ppb		98	70 - 130

Lab Sample ID: 550-79962-A-6-C MSD
Matrix: Water
Analysis Batch: 114407

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA
Prep Batch: 113732

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Lead	1.5		100	99.4		ppb		98	70 - 130	0	20

QC Association Summary

Client: Arizona Dept of Environmental Quality
 Project/Site: Pb in DW/Quartzsite Elementary District

TestAmerica Job ID: 550-79966-1
 SDG: Ehrenberg Elementary School

Metals

Prep Batch: 113732

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
550-79966-1	1001-AG	Total/NA	Drinking Water	200.8	
550-79966-2	1001-AO	Total/NA	Drinking Water	200.8	
550-79966-3	1001-B3	Total/NA	Drinking Water	200.8	
550-79966-4	1002-B1	Total/NA	Drinking Water	200.8	
550-79966-5	1003-CC	Total/NA	Drinking Water	200.8	
550-79966-6	1003-SC	Total/NA	Drinking Water	200.8	
550-79966-7	1004-TD	Total/NA	Drinking Water	200.8	
550-79966-8	1004-WD	Total/NA	Drinking Water	200.8	
550-79966-9	1005-ME	Total/NA	Drinking Water	200.8	
550-79966-10	1005-SE	Total/NA	Drinking Water	200.8	
550-79966-11	1006-HF	Total/NA	Drinking Water	200.8	
550-79966-12	1006-HF	Total/NA	Drinking Water	200.8	
550-79966-13	1007-CG	Total/NA	Drinking Water	200.8	
550-79966-14	1008-CH	Total/NA	Drinking Water	200.8	
MB 550-113732/1-A	Method Blank	Total/NA	Water	200.8	
LCS 550-113732/4-A	Lab Control Sample	Total/NA	Water	200.8	
LCSD 550-113732/5-A	Lab Control Sample Dup	Total/NA	Water	200.8	
550-79962-A-6-B MS	Matrix Spike	Total/NA	Water	200.8	
550-79962-A-6-C MSD	Matrix Spike Duplicate	Total/NA	Water	200.8	

Analysis Batch: 114407

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
550-79966-1	1001-AG	Total/NA	Drinking Water	200.8	113732
550-79966-2	1001-AO	Total/NA	Drinking Water	200.8	113732
550-79966-3	1001-B3	Total/NA	Drinking Water	200.8	113732
550-79966-4	1002-B1	Total/NA	Drinking Water	200.8	113732
550-79966-5	1003-CC	Total/NA	Drinking Water	200.8	113732
550-79966-6	1003-SC	Total/NA	Drinking Water	200.8	113732
550-79966-7	1004-TD	Total/NA	Drinking Water	200.8	113732
550-79966-8	1004-WD	Total/NA	Drinking Water	200.8	113732
550-79966-9	1005-ME	Total/NA	Drinking Water	200.8	113732
550-79966-10	1005-SE	Total/NA	Drinking Water	200.8	113732
550-79966-11	1006-HF	Total/NA	Drinking Water	200.8	113732
550-79966-12	1006-HF	Total/NA	Drinking Water	200.8	113732
550-79966-13	1007-CG	Total/NA	Drinking Water	200.8	113732
550-79966-14	1008-CH	Total/NA	Drinking Water	200.8	113732
MB 550-113732/1-A	Method Blank	Total/NA	Water	200.8	113732
LCS 550-113732/4-A	Lab Control Sample	Total/NA	Water	200.8	113732
LCSD 550-113732/5-A	Lab Control Sample Dup	Total/NA	Water	200.8	113732
550-79962-A-6-B MS	Matrix Spike	Total/NA	Water	200.8	113732
550-79962-A-6-C MSD	Matrix Spike Duplicate	Total/NA	Water	200.8	113732

Lab Chronicle

Client: Arizona Dept of Environmental Quality
Project/Site: Pb in DW/Quartzsite Elementary District

TestAmerica Job ID: 550-79966-1
SDG: Ehrenberg Elementary School

Client Sample ID: 1001-AG

Date Collected: 03/23/17 05:40

Date Received: 03/29/17 10:30

Lab Sample ID: 550-79966-1

Matrix: Drinking Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	200.8			113732	03/30/17 20:02	SLS	TAL PHX
Total/NA	Analysis	200.8		1	114407	04/08/17 15:16	TEK	TAL PHX

Client Sample ID: 1001-AO

Date Collected: 03/23/17 05:27

Date Received: 03/29/17 10:30

Lab Sample ID: 550-79966-2

Matrix: Drinking Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	200.8			113732	03/30/17 20:02	SLS	TAL PHX
Total/NA	Analysis	200.8		1	114407	04/08/17 15:18	TEK	TAL PHX

Client Sample ID: 1001-B3

Date Collected: 03/23/17 05:14

Date Received: 03/29/17 10:30

Lab Sample ID: 550-79966-3

Matrix: Drinking Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	200.8			113732	03/30/17 20:02	SLS	TAL PHX
Total/NA	Analysis	200.8		1	114407	04/08/17 15:20	TEK	TAL PHX

Client Sample ID: 1002-B1

Date Collected: 03/23/17 06:10

Date Received: 03/29/17 10:30

Lab Sample ID: 550-79966-4

Matrix: Drinking Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	200.8			113732	03/30/17 20:02	SLS	TAL PHX
Total/NA	Analysis	200.8		1	114407	04/08/17 15:22	TEK	TAL PHX

Client Sample ID: 1003-CC

Date Collected: 03/23/17 05:16

Date Received: 03/29/17 10:30

Lab Sample ID: 550-79966-5

Matrix: Drinking Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	200.8			113732	03/30/17 20:02	SLS	TAL PHX
Total/NA	Analysis	200.8		1	114407	04/08/17 15:28	TEK	TAL PHX

Client Sample ID: 1003-SC

Date Collected: 03/23/17 05:01

Date Received: 03/29/17 10:30

Lab Sample ID: 550-79966-6

Matrix: Drinking Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	200.8			113732	03/30/17 20:02	SLS	TAL PHX
Total/NA	Analysis	200.8		1	114407	04/08/17 15:30	TEK	TAL PHX

TestAmerica Phoenix

Lab Chronicle

Client: Arizona Dept of Environmental Quality
 Project/Site: Pb in DW/Quartzsite Elementary District

TestAmerica Job ID: 550-79966-1
 SDG: Ehrenberg Elementary School

Client Sample ID: 1004-TD

Date Collected: 03/23/17 06:02

Date Received: 03/29/17 10:30

Lab Sample ID: 550-79966-7

Matrix: Drinking Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	200.8			113732	03/30/17 20:02	SLS	TAL PHX
Total/NA	Analysis	200.8		1	114407	04/08/17 15:32	TEK	TAL PHX

Client Sample ID: 1004-WD

Date Collected: 03/23/17 05:32

Date Received: 03/29/17 10:30

Lab Sample ID: 550-79966-8

Matrix: Drinking Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	200.8			113732	03/30/17 20:02	SLS	TAL PHX
Total/NA	Analysis	200.8		1	114407	04/08/17 15:34	TEK	TAL PHX

Client Sample ID: 1005-ME

Date Collected: 03/23/17 05:23

Date Received: 03/29/17 10:30

Lab Sample ID: 550-79966-9

Matrix: Drinking Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	200.8			113732	03/30/17 20:02	SLS	TAL PHX
Total/NA	Analysis	200.8		1	114407	04/08/17 15:36	TEK	TAL PHX

Client Sample ID: 1005-SE

Date Collected: 03/23/17 05:24

Date Received: 03/29/17 10:30

Lab Sample ID: 550-79966-10

Matrix: Drinking Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	200.8			113732	03/30/17 20:02	SLS	TAL PHX
Total/NA	Analysis	200.8		1	114407	04/08/17 15:38	TEK	TAL PHX

Client Sample ID: 1006-HF

Date Collected: 03/23/17 05:05

Date Received: 03/29/17 10:30

Lab Sample ID: 550-79966-11

Matrix: Drinking Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	200.8			113732	03/30/17 20:02	SLS	TAL PHX
Total/NA	Analysis	200.8		1	114407	04/08/17 15:40	TEK	TAL PHX

Client Sample ID: 1006-HF

Date Collected: 03/23/17 06:00

Date Received: 03/29/17 10:30

Lab Sample ID: 550-79966-12

Matrix: Drinking Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	200.8			113732	03/30/17 20:02	SLS	TAL PHX
Total/NA	Analysis	200.8		1	114407	04/08/17 15:42	TEK	TAL PHX

Lab Chronicle

Client: Arizona Dept of Environmental Quality
Project/Site: Pb in DW/Quartzsite Elementary District

TestAmerica Job ID: 550-79966-1
SDG: Ehrenberg Elementary School

Client Sample ID: 1007-CG

Date Collected: 03/23/17 05:35

Date Received: 03/29/17 10:30

Lab Sample ID: 550-79966-13

Matrix: Drinking Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	200.8			113732	03/30/17 20:02	SLS	TAL PHX
Total/NA	Analysis	200.8		1	114407	04/08/17 15:44	TEK	TAL PHX

Client Sample ID: 1008-CH

Date Collected: 03/23/17 05:50

Date Received: 03/29/17 10:30

Lab Sample ID: 550-79966-14

Matrix: Drinking Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	200.8			113732	03/30/17 20:02	SLS	TAL PHX
Total/NA	Analysis	200.8		1	114407	04/08/17 15:46	TEK	TAL PHX

Laboratory References:

TAL PHX = TestAmerica Phoenix, 4625 East Cotton Ctr Blvd, Suite 189, Phoenix, AZ 85040, TEL (602)437-3340

Accreditation/Certification Summary

Client: Arizona Dept of Environmental Quality
Project/Site: Pb in DW/Quartzsite Elementary District

TestAmerica Job ID: 550-79966-1
SDG: Ehrenberg Elementary School

Laboratory: TestAmerica Phoenix

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	EPA Region	Identification Number	Expiration Date
Arizona	State Program	9	AZ0728	06-09-17

Analysis Method	Prep Method	Matrix	Analyte
-----------------	-------------	--------	---------

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Method Summary

Client: Arizona Dept of Environmental Quality
Project/Site: Pb in DW/Quartzsite Elementary District

TestAmerica Job ID: 550-79966-1
SDG: Ehrenberg Elementary School


Method	Method Description	Protocol	Laboratory
200.8	Metals (ICP/MS)	EPA	TAL PHX

Protocol References:

EPA = US Environmental Protection Agency

Laboratory References:

TAL PHX = TestAmerica Phoenix, 4625 East Cotton Ctr Blvd, Suite 189, Phoenix, AZ 85040, TEL (602)437-3340



79966

Collection Log

for experienced sample collectors

Complete copy of this form for each sample collected. Your drinking water sample cannot be tested unless a copy of this form is shipped to the lab with each sample. In addition, the sample cannot be tested unless the Sample Identification Number matches the number on the sample container label.

Check this box to confirm that water had not been used at this tap or other taps in the area for 6 hours and no flushing was done prior to sampling

Name of School District	Quartzsite School Dist #4
School Name	Ehrenberg Elementary
Building (name/number)	Quartzsite Gym 1001
Type of Fixture (tap, drinking fountain etc.)	Drinking Fountain
Location of Fixture (example, room number)	Gymnasium
Sample Identification Number (<u>Write this number on the sample container and on this sheet</u>)	1001-A6
Date of Collection	
Time of Collection	
Printed Name of Sample Collector	
Signature Sample Collector	



Notes Sample collector:

For Lab use only	
Analyze this drinking water sample for lead	
Date and Time Lab received	3-29-17 1030
Signature	<i>[Signature]</i>
Notes:	19.1°C No ZIB RE Cr

For relinquishing samples upon delivery to labs only

Relinquished date and signature _____

These samples were collected for lead screening purposes only and cannot be used for compliance.



Collection Log

for experienced sample collectors

Complete copy of this form for each sample collected. Your drinking water sample cannot be tested unless a copy of this form is shipped to the lab with each sample. In addition, the sample cannot be tested unless the Sample Identification Number matches the number on the sample container label.

- Check this box to confirm that water had not been used at this tap or other taps in the area for 6 hours and no flushing was done prior to sampling

Name of School District	Quartzsite School District #4
School Name	Ehrenberg Elementary
Building (name/number)	1001 1001 - OFFICE
Type of Fixture (tap, drinking fountain etc.)	TAP
Location of Fixture (example, room number)	1001 School Office
Sample Identification Number (<u>Write this number on the sample container and on this sheet</u>)	1001 - AO
Date of Collection	
Time of Collection	
Printed Name of Sample Collector	
Signature Sample Collector	

Notes Sample collector:

For Lab use only	
Analyze this drinking water sample for lead	
Date and Time Lab received	
Signature	
Notes:	

For relinquishing samples upon delivery to labs only

Relinquished date and signature _____

These samples were collected for lead screening purposes only and cannot be used for compliance.

②

Collection Log

for experienced sample collectors

Complete copy of this form for each sample collected. Your drinking water sample cannot be tested unless a copy of this form is shipped to the lab with each sample. In addition, the sample cannot be tested unless the Sample Identification Number matches the number on the sample container label.

- Check this box to confirm that water had not been used at this tap or other taps in the area for 6 hours and no flushing was done prior to sampling

Name of School District	Quartzsite School District #4
School Name	Ehrenberg Elementary
Building (name/number)	Classroom 1002
Type of Fixture (tap, drinking fountain etc.)	TAP
Location of Fixture (example, room number)	Classroom Room # 3
Sample Identification Number (<u>Write this number on the sample container and on this sheet</u>)	1001- 03 B3
Date of Collection	
Time of Collection	
Printed Name of Sample Collector	
Signature Sample Collector	

Notes Sample collector:

For Lab use only	
Analyze this drinking water sample for lead	
Date and Time Lab received	
Signature	
Notes:	

For relinquishing samples upon delivery to labs only

Relinquished date and signature _____

These samples were collected for lead screening purposes only and cannot be used for compliance.

3



Collection Log

for experienced sample collectors

Complete copy of this form for each sample collected. Your drinking water sample cannot be tested unless a copy of this form is shipped to the lab with each sample. In addition, the sample cannot be tested unless the Sample Identification Number matches the number on the sample container label.

Check this box to confirm that water had not been used at this tap or other taps in the area for 6 hours and no flushing was done prior to sampling

Name of School District	Quartzsite School District #4
School Name	Ehrenberg Elementary
Building (name/number)	Classroom 1002
Type of Fixture (tap, drinking fountain etc.)	Tap
Location of Fixture (example, room number)	Room #1
Sample Identification Number (<u>Write this number on the sample container and on this sheet</u>)	1002-B1
Date of Collection	
Time of Collection	
Printed Name of Sample Collector	
Signature Sample Collector	

Notes Sample collector:

For Lab use only	
Analyze this drinking water sample for lead	
Date and Time Lab received	
Signature	
Notes:	

For relinquishing samples upon delivery to labs only

Relinquished date and signature _____

4

These samples were collected for lead screening purposes only and cannot be used for compliance.



Collection Log

for experienced sample collectors

Complete copy of this form for each sample collection. Your drinking water sample cannot be tested unless a copy of this form is shipped to the lab with each sample. In addition, the sample cannot be tested unless the Sample Identification Number matches the number on the sample container label.

Check this box to confirm that water had not been used at this tap or other taps in the area for 6 hours and no flushing was done prior to sampling

Name of School District	Quartzsite School Dist #4
School Name	Ehrenberg Elementary
Building (name/number)	Classroom - 1003
Type of Fixture (tap, drinking fountain etc.)	Tap
Location of Fixture (example, room number)	Room # 4 - Classroom
Sample Identification Number (<u>Write this number on the sample container and on this sheet</u>)	1003-CC
Date of Collection	
Time of Collection	
Printed Name of Sample Collector	
Signature Sample Collector	

Notes Sample collector:

For Lab use only	
Analyze this drinking water sample for lead	
Date and Time Lab received	
Signature	
Notes:	

For relinquishing samples upon delivery to labs only

Relinquished date and signature _____

(S)

These samples were collected for lead screening purposes only and cannot be used for compliance.



Collection Log

for experienced sample collectors

Complete copy of this form for each sample collected. Your drinking water sample cannot be tested unless a copy of this form is shipped to the lab with each sample. In addition, the sample cannot be tested unless the Sample Identification Number matches the number on the sample container label.

Check this box to confirm that water had not been used at this tap or other taps in the area for 6 hours and no flushing was done prior to sampling

Name of School District	Quartzsite School Dist #4
School Name	Ehrenberg Elementary
Building (name/number)	SHOP - 1003
Type of Fixture (tap, drinking fountain etc.)	TAP
Location of Fixture (example, room number)	Janitor Building - Shop
Sample Identification Number (<u>Write this number on the sample container and on this sheet</u>)	1003-5C
Date of Collection	
Time of Collection	
Printed Name of Sample Collector	
Signature Sample Collector	

Notes Sample collector:

For Lab use only	
Analyze this drinking water sample for lead	
Date and Time Lab received	
Signature	
Notes:	

For relinquishing samples upon delivery to labs only

Relinquished date and signature _____

These samples were collected for lead screening purposes only and cannot be used for compliance.



Collection Log

for experienced sample collectors

Complete copy of this form for each sample collected. Your drinking water sample cannot be tested unless a copy of this form is shipped to the lab with each sample. In addition, the sample cannot be tested unless the Sample Identification Number matches the number on the sample container label.

Check this box to confirm that **water had not been used at this tap or other taps in the area for 6 hours** and no flushing was done prior to sampling

Name of School District	Quartzsite School Dist #4
School Name	Ehrenberg Elementary
Building (name/number)	Workroom - Tech Room
Type of Fixture (tap, drinking fountain etc.)	TAP
Location of Fixture (example, room number)	Room # 8
Sample Identification Number (<u>Write this number on the sample container and on this sheet</u>)	1004-JD
Date of Collection	
Time of Collection	
Printed Name of Sample Collector	
Signature Sample Collector	

Notes Sample collector:

For Lab use only	
Analyze this drinking water sample for lead	
Date and Time Lab received	
Signature	
Notes:	

For relinquishing samples upon delivery to labs only

Relinquished date and signature _____

These samples were collected for lead screening purposes only and cannot be used for compliance.

7



Collection Log

for experienced sample collectors

Complete copy of this form for each sample collected. Your drinking water sample cannot be tested unless a copy of this form is shipped to the lab with each sample. In addition, the sample cannot be tested unless the Sample Identification Number matches the number on the sample container label.

Check this box to confirm that water had not been used at this tap or other taps in the area for 6 hours and no flushing was done prior to sampling

Name of School District	Quartzsite School Dist 4
School Name	Ehrenberg Elementary
Building (name/number)	Lounge/Staff Work room -1004
Type of Fixture (tap, drinking fountain etc.)	TAP
Location of Fixture (example, room number)	Lounge/Staff Work room Rm9
Sample Identification Number (<u>Write this number on the sample container and on this sheet</u>)	1004-WD
Date of Collection	
Time of Collection	
Printed Name of Sample Collector	
Signature Sample Collector	


Notes Sample collector:

For Lab use only	
Analyze this drinking water sample for lead	
Date and Time Lab received	
Signature	
Notes:	

For relinquishing samples upon delivery to labs only

Relinquished date and signature _____

These samples were collected for lead screening purposes only and cannot be used for compliance.

Collection Log

for experienced sample collectors

Complete copy of this form for each sample collected. Your drinking water sample cannot be tested unless a copy of this form is shipped to the lab with each sample. In addition, the sample cannot be tested unless the Sample Identification Number matches the number on the sample container label.

Check this box to confirm that water had not been used at this tap or other taps in the area for 6 hours and no flushing was done prior to sampling

Name of School District	Quartzsite School Dist #4
School Name	Ehrenberg Elementary
Building (name/number)	Room # 6
Type of Fixture (tap, drinking fountain etc.)	Tap
Location of Fixture (example, room number)	Classroom Room # 6
Sample Identification Number (<u>Write this number on the sample container and on this sheet</u>)	1005 - M E
Date of Collection	
Time of Collection	
Printed Name of Sample Collector	
Signature Sample Collector	

Notes Sample collector:

For Lab use only	
Analyze this drinking water sample for lead	
Date and Time Lab received	
Signature	
Notes:	

For relinquishing samples upon delivery to labs only

Relinquished date and signature _____

These samples were collected for lead screening purposes only and cannot be used for compliance.

9

Collection Log

for experienced sample collectors

Complete copy of this form for each sample collected. Your drinking water sample cannot be tested unless a copy of this form is shipped to the lab with each sample. In addition, the sample cannot be tested unless the Sample Identification Number matches the number on the sample container label.

Check this box to confirm that water had not been used at this tap or other taps in the area for 6 hours and no flushing was done prior to sampling

Name of School District	Quartzsite School Dist #
School Name	Ehrenberg Elementary
Building (name/number)	Classroom - Speech
Type of Fixture (tap, drinking fountain etc.)	Tap
Location of Fixture (example, room number)	Room # 5
Sample Identification Number (<u>Write this number on the sample container and on this sheet</u>)	1005-SE 1005-SE
Date of Collection	
Time of Collection	
Printed Name of Sample Collector	
Signature Sample Collector	

Notes Sample collector:

For Lab use only	
Analyze this drinking water sample for lead	
Date and Time Lab received	
Signature	
Notes:	

For relinquishing samples upon delivery to labs only

Relinquished date and signature _____

These samples were collected for lead screening purposes only and cannot be used for compliance.



Collection Log

for experienced sample collectors

Complete copy of this form for each sample collected. Your drinking water sample cannot be tested unless a copy of this form is shipped to the lab with each sample. In addition, the sample cannot be tested unless the Sample Identification Number matches the number on the sample container label.

- Check this box to confirm that **water had not been used at this tap or other taps in the area for 6 hours** and no flushing was done prior to sampling

Name of School District	Quartzsite School Dist #4
School Name	Ehrenberg Elementary
Building (name/number)	Preschool
Type of Fixture (tap, drinking fountain etc.)	Tap
Location of Fixture (example, room number)	Headstart
Sample Identification Number (<u>Write this number on the sample container and on this sheet</u>)	1006 - HF
Date of Collection	
Time of Collection	
Printed Name of Sample Collector	
Signature Sample Collector	

Notes Sample collector:	Sample time 0505
-------------------------	---------------------

For Lab use only	
Analyze this drinking water sample for lead	
Date and Time Lab received	
Signature	
Notes:	

For relinquishing samples upon delivery to labs only

Relinquished date and signature _____

11

These samples were collected for lead screening purposes only and cannot be used for compliance.



Collection Log

for experienced sample collectors

Complete copy of this form for each sample collected. Your drinking water sample cannot be tested unless a copy of this form is shipped to the lab with each sample. In addition, the sample cannot be tested unless the Sample Identification Number matches the number on the sample container label.

- Check this box to confirm that **water had not been used at this tap or other taps in the area for 6 hours** and no flushing was done prior to sampling

Name of School District	Quartzsite School Dist #4
School Name	Ehrenberg Elementary
Building (name/number)	Quartzsite Preschool
Type of Fixture (tap, drinking fountain etc.)	TAP
Location of Fixture (example, room number)	Headstart
Sample Identification Number (<u>Write this number on the sample container and on this sheet</u>)	1006-1F
Date of Collection	
Time of Collection	
Printed Name of Sample Collector	
Signature Sample Collector	

Sample time

0600

Notes Sample collector:

For Lab use only	
Analyze this drinking water sample for lead	
Date and Time Lab received	
Signature	
Notes:	

For relinquishing samples upon delivery to labs only

Relinquished date and signature _____

These samples were collected for lead screening purposes only and cannot be used for compliance.

12



Collection Log

for experienced sample collectors

Complete copy of this form for each sample collected. Your drinking water sample cannot be tested unless a copy of this form is shipped to the lab with each sample. In addition, the sample cannot be tested unless the Sample Identification Number matches the number on the sample container label.

- Check this box to confirm that water had not been used at this tap or other taps in the area for 6 hours and no flushing was done prior to sampling

Name of School District	Quartzsite School Dist #4
School Name	Ehrenberg Elementary
Building (name/number)	Classroom
Type of Fixture (tap, drinking fountain etc.)	Drinking fountain
Location of Fixture (example, room number)	Rm# 13
Sample Identification Number (<u>Write this number on the sample container and on this sheet</u>)	1007-CG
Date of Collection	
Time of Collection	
Printed Name of Sample Collector	
Signature Sample Collector	

Notes Sample collector:

For Lab use only	
Analyze this drinking water sample for lead	
Date and Time Lab received	
Signature	
Notes:	

For relinquishing samples upon delivery to labs only

Relinquished date and signature _____

These samples were collected for lead screening purposes only and cannot be used for compliance.

13

Collection Log

for experienced sample collectors

Complete copy of this form for each sample collected. Your drinking water sample cannot be tested unless a copy of this form is shipped to the lab with each sample. In addition, the sample cannot be tested unless the Sample Identification Number matches the number on the sample container label.

- Check this box to confirm that water had not been used at this tap or other taps in the area for 6 hours and no flushing was done prior to sampling

Name of School District	Quartzsite School Dist #4
School Name	Ehrenberg Elementary
Building (name/number)	Computer Lab
Type of Fixture (tap, drinking fountain etc.)	drinking fountain
Location of Fixture (example, room number)	Computer 1024
Sample Identification Number (<u>Write this number on the sample container and on this sheet</u>)	1008 - C #
Date of Collection	
Time of Collection	
Printed Name of Sample Collector	
Signature Sample Collector	

Notes Sample collector:

For Lab use only	
Analyze this drinking water sample for lead	
Date and Time Lab received	
Signature	
Notes:	

For relinquishing samples upon delivery to labs only

Relinquished date and signature _____

MS 3/29/17 These samples were collected for lead screening purposes only and cannot be used for compliance.

(B) (14)



Order Information

Bottle Order: Lead in Drinking Water
 Bottle Order #: 9727
 Request From Client: 3/7/2017
 Date Order Posted: 3/7/2017 2:16:51PM
 Order Status: Ready To Process
 Prepared By: Amanda Barkley
Deliver By Date: 3/14/2017 11:59:00PM
 Lab Project Number: 55009093

Order Completion Information

Creator: Amanda Barkley
 Filled by: 
 Sent Date:
 Sent Via:
 Tracking #: 03-14-17


Sets	Bottles/Set	Qty	Bottle Type Description	Preservative	Method	Matrix	Sample Type	Comments	Lot #
14	1	14	Plastic 250ml - unpreserved	None	200.8 - Lead	Water	Normal		03139018

Notes to Field Staff:

Health and Safety Notes: Preservative Comment

Relinquished By	Company	Date	Time	Received By	Company	Seal #
Relinquished By	Company	Date	Time	Received By	Company	Seal #

Please notify us immediately if an error is found in shipment



Quartzsite Elementary District	Ehrenberg Elementary School	1001	A	1001-GA 1001-01A Gym/Office/D.O.	1975	P O Box 130	Ehrenberg	85334-	La Paz	2 ✓
Quartzsite Elementary District	Ehrenberg Elementary School	1002	B	1002-B1 1001-G3 Primary Wing/Classrooms	1968	P O Box 130	Ehrenberg	85334-	La Paz	2 ✓
Quartzsite Elementary District	Ehrenberg Elementary School	1003	C	1003-SC 1003-CC Library/Shop/Classrooms	1968	P O Box 130	Ehrenberg	85334-	La Paz	2 ✓
Quartzsite Elementary District	Ehrenberg Elementary School	1004	D	1004-WD 1004-TD Lounge/Staff Workroom	1979	P O Box 130	Ehrenberg	85334-	La Paz	2 ✓
Quartzsite Elementary District	Ehrenberg Elementary School	1005	E	1005-SE 1005-ME Music/Speech	1984	P O Box 130	Ehrenberg	85334-	La Paz	2 ✓
Quartzsite Elementary District	Ehrenberg Elementary School	1006	F	1006-HF Preschool	1970	P O Box 130	Ehrenberg	85334-	La Paz	2 ✓
Quartzsite Elementary District	Ehrenberg Elementary School	1007	G	1007-CG Classrooms	1998	P O Box 130	Ehrenberg	85334-	La Paz	1 ✓
Quartzsite Elementary District	Ehrenberg Elementary School	1008	H	1008-CH Computer Lab / WIC	1994	P O Box 130	Ehrenberg	85334-	La Paz	1 ✓
Total Containers										14

Quartzite Elementary District
ATTN: Rebecca Mendoza
49241 Ehrenberg Poston Highway
Ehrenberg, AZ 85334



Login Sample Receipt Checklist

Client: Arizona Dept of Environmental Quality

Job Number: 550-79966-1
SDG Number: Ehrenberg Elementary School

Login Number: 79966
List Number: 1
Creator: Vilaboy, Monica

List Source: TestAmerica Phoenix

Question	Answer	Comment
Radioactivity wasn't checked or is \leq background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	False	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	False	No date or time on COC, logged in per container labels.
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <math><6\text{mm}</math> (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	Check done at department level as required.

