

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.

TestAmerica Phoenix
4625 East Cotton Ctr Blvd
Suite 189
Phoenix, AZ 85040
Tel: (602)437-3340

TestAmerica Job ID: 550-78735-1

TestAmerica Sample Delivery Group: Williams High School
Client Project/Site: Pb in DW / Williams Unified District

For:

Arizona Dept of Environmental Quality
1110 W. Washington St., MC5415B-1
Phoenix, Arizona 85007

Attn: David A Burchard



Authorized for release by:
3/16/2017 3:35:43 PM

Susan Armijo, Project Manager II
(602)659-7664
susan.armijo@testamericainc.com

LINKS

Review your project
results through
TotalAccess

Have a Question?



Visit us at:
www.testamericainc.com

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14



Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Sample Summary	5
Detection Summary	6
Client Sample Results	7
QC Sample Results	9
QC Association Summary	10
Lab Chronicle	11
Certification Summary	13
Method Summary	14
Chain of Custody	15
Receipt Checklists	23

Definitions/Glossary

Client: Arizona Dept of Environmental Quality
Project/Site: Pb in DW / Williams Unified District

TestAmerica Job ID: 550-78735-1
SDG: Williams High School

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
□	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
MDA	Minimum detectable activity
EDL	Estimated Detection Limit
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Case Narrative

Client: Arizona Dept of Environmental Quality
Project/Site: Pb in DW / Williams Unified District

TestAmerica Job ID: 550-78735-1
SDG: Williams High School

Job ID: 550-78735-1

Laboratory: TestAmerica Phoenix

Narrative

Job Narrative 550-78735-1

Comments

No additional comments.

Receipt

The samples were received on 3/7/2017 10:20 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 17.4° C.

Receipt Exceptions

The following samples for metals were received unpreserved and were preserved upon receipt to the laboratory: 1003 (550-78735-1), 1001 (550-78735-2), (2) 1001 (550-78735-3), 1002 (550-78735-4), 1002 (550-78735-5), 1006 (550-78735-6), 1007 (550-78735-7) and 1008 (550-78735-8). Regulatory documents require a 24-hour waiting period from the time of the addition of the acid preservative to the time of digestion.

Metals

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Sample Summary

Client: Arizona Dept of Environmental Quality
Project/Site: Pb in DW / Williams Unified District

TestAmerica Job ID: 550-78735-1
SDG: Williams High School

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
550-78735-1	1003	Drinking Water	03/03/17 08:55	03/07/17 10:20
550-78735-2	1001	Drinking Water	03/03/17 08:22	03/07/17 10:20
550-78735-3	(2) 1001	Drinking Water	03/03/17 08:24	03/07/17 10:20
550-78735-4	1002	Drinking Water	03/03/17 08:36	03/07/17 10:20
550-78735-5	1002	Drinking Water	03/03/17 08:33	03/07/17 10:20
550-78735-6	1006	Drinking Water	03/03/17 08:28	03/07/17 10:20
550-78735-7	1007	Drinking Water	03/03/17 08:39	03/07/17 10:20
550-78735-8	1008	Drinking Water	03/03/17 08:48	03/07/17 10:20

Detection Summary

Client: Arizona Dept of Environmental Quality
Project/Site: Pb in DW / Williams Unified District

TestAmerica Job ID: 550-78735-1
SDG: Williams High School

Client Sample ID: 1003

Lab Sample ID: 550-78735-1

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Lead	0.81		0.50	ppb	1		200.8	Total/NA

Client Sample ID: 1001

Lab Sample ID: 550-78735-2

No Detections.

Client Sample ID: (2) 1001

Lab Sample ID: 550-78735-3

No Detections.

Client Sample ID: 1002

Lab Sample ID: 550-78735-4

No Detections.

Client Sample ID: 1002

Lab Sample ID: 550-78735-5

No Detections.

Client Sample ID: 1006

Lab Sample ID: 550-78735-6

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Lead	2.0		0.50	ppb	1		200.8	Total/NA

Client Sample ID: 1007

Lab Sample ID: 550-78735-7

No Detections.

Client Sample ID: 1008

Lab Sample ID: 550-78735-8

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Lead	1.1		0.50	ppb	1		200.8	Total/NA

This Detection Summary does not include radiochemical test results.

TestAmerica Phoenix

Client Sample Results

Client: Arizona Dept of Environmental Quality
 Project/Site: Pb in DW / Williams Unified District

TestAmerica Job ID: 550-78735-1
 SDG: Williams High School

Client Sample ID: 1003
 Date Collected: 03/03/17 08:55
 Date Received: 03/07/17 10:20

Lab Sample ID: 550-78735-1
 Matrix: Drinking Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	0.81		0.50	ppb		03/16/17 06:54	03/16/17 12:08	1

Client Sample ID: 1001
 Date Collected: 03/03/17 08:22
 Date Received: 03/07/17 10:20

Lab Sample ID: 550-78735-2
 Matrix: Drinking Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	ND		0.50	ppb		03/16/17 06:54	03/16/17 12:10	1

Client Sample ID: (2) 1001
 Date Collected: 03/03/17 08:24
 Date Received: 03/07/17 10:20

Lab Sample ID: 550-78735-3
 Matrix: Drinking Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	ND		0.50	ppb		03/16/17 06:54	03/16/17 12:16	1

Client Sample ID: 1002
 Date Collected: 03/03/17 08:36
 Date Received: 03/07/17 10:20

Lab Sample ID: 550-78735-4
 Matrix: Drinking Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	ND		0.50	ppb		03/16/17 06:54	03/16/17 12:18	1

Client Sample ID: 1002
 Date Collected: 03/03/17 08:33
 Date Received: 03/07/17 10:20

Lab Sample ID: 550-78735-5
 Matrix: Drinking Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	ND		0.50	ppb		03/16/17 06:54	03/16/17 12:20	1

Client Sample ID: 1006
 Date Collected: 03/03/17 08:28
 Date Received: 03/07/17 10:20

Lab Sample ID: 550-78735-6
 Matrix: Drinking Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	2.0		0.50	ppb		03/16/17 06:54	03/16/17 12:22	1

Client Sample ID: 1007
 Date Collected: 03/03/17 08:39
 Date Received: 03/07/17 10:20

Lab Sample ID: 550-78735-7
 Matrix: Drinking Water

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	ND		0.50	ppb		03/16/17 06:54	03/16/17 12:24	1

Client Sample Results

Client: Arizona Dept of Environmental Quality
Project/Site: Pb in DW / Williams Unified District

TestAmerica Job ID: 550-78735-1
SDG: Williams High School

Client Sample ID: 1008

Lab Sample ID: 550-78735-8

Date Collected: 03/03/17 08:48

Matrix: Drinking Water

Date Received: 03/07/17 10:20

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	1.1		0.50	ppb		03/16/17 06:54	03/16/17 12:26	1

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

QC Sample Results

Client: Arizona Dept of Environmental Quality
 Project/Site: Pb in DW / Williams Unified District

TestAmerica Job ID: 550-78735-1
 SDG: Williams High School

Method: 200.8 - Metals (ICP/MS)

Lab Sample ID: MB 550-112490/1-A
Matrix: Water
Analysis Batch: 112554

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 112490

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	ND		0.50	ppb		03/16/17 06:54	03/16/17 11:39	1

Lab Sample ID: LCS 550-112490/4-A
Matrix: Water
Analysis Batch: 112554

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 112490

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Lead	100	90.3		ppb		90	85 - 115

Lab Sample ID: LCSD 550-112490/5-A
Matrix: Water
Analysis Batch: 112554

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 112490

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Lead	100	89.3		ppb		89	85 - 115	1	20

Lab Sample ID: 550-78733-A-1-B MS
Matrix: Water
Analysis Batch: 112554

Client Sample ID: Matrix Spike
Prep Type: Total/NA
Prep Batch: 112490

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Lead	ND		100	84.9		ppb		85	70 - 130

Lab Sample ID: 550-78733-A-1-C MSD
Matrix: Water
Analysis Batch: 112554

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA
Prep Batch: 112490

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Lead	ND		100	84.2		ppb		84	70 - 130	1	20

QC Association Summary

Client: Arizona Dept of Environmental Quality
 Project/Site: Pb in DW / Williams Unified District

TestAmerica Job ID: 550-78735-1
 SDG: Williams High School

Metals

Prep Batch: 112490

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
550-78735-1	1003	Total/NA	Drinking Water	200.8	
550-78735-2	1001	Total/NA	Drinking Water	200.8	
550-78735-3	(2) 1001	Total/NA	Drinking Water	200.8	
550-78735-4	1002	Total/NA	Drinking Water	200.8	
550-78735-5	1002	Total/NA	Drinking Water	200.8	
550-78735-6	1006	Total/NA	Drinking Water	200.8	
550-78735-7	1007	Total/NA	Drinking Water	200.8	
550-78735-8	1008	Total/NA	Drinking Water	200.8	
MB 550-112490/1-A	Method Blank	Total/NA	Water	200.8	
LCS 550-112490/4-A	Lab Control Sample	Total/NA	Water	200.8	
LCSD 550-112490/5-A	Lab Control Sample Dup	Total/NA	Water	200.8	
550-78733-A-1-B MS	Matrix Spike	Total/NA	Water	200.8	
550-78733-A-1-C MSD	Matrix Spike Duplicate	Total/NA	Water	200.8	

Analysis Batch: 112554

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
550-78735-1	1003	Total/NA	Drinking Water	200.8	112490
550-78735-2	1001	Total/NA	Drinking Water	200.8	112490
550-78735-3	(2) 1001	Total/NA	Drinking Water	200.8	112490
550-78735-4	1002	Total/NA	Drinking Water	200.8	112490
550-78735-5	1002	Total/NA	Drinking Water	200.8	112490
550-78735-6	1006	Total/NA	Drinking Water	200.8	112490
550-78735-7	1007	Total/NA	Drinking Water	200.8	112490
550-78735-8	1008	Total/NA	Drinking Water	200.8	112490
MB 550-112490/1-A	Method Blank	Total/NA	Water	200.8	112490
LCS 550-112490/4-A	Lab Control Sample	Total/NA	Water	200.8	112490
LCSD 550-112490/5-A	Lab Control Sample Dup	Total/NA	Water	200.8	112490
550-78733-A-1-B MS	Matrix Spike	Total/NA	Water	200.8	112490
550-78733-A-1-C MSD	Matrix Spike Duplicate	Total/NA	Water	200.8	112490

Lab Chronicle

Client: Arizona Dept of Environmental Quality
 Project/Site: Pb in DW / Williams Unified District

TestAmerica Job ID: 550-78735-1
 SDG: Williams High School

Client Sample ID: 1003

Date Collected: 03/03/17 08:55

Date Received: 03/07/17 10:20

Lab Sample ID: 550-78735-1

Matrix: Drinking Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	200.8			112490	03/16/17 06:54	SGO	TAL PHX
Total/NA	Analysis	200.8		1	112554	03/16/17 12:08	TEK	TAL PHX

Client Sample ID: 1001

Date Collected: 03/03/17 08:22

Date Received: 03/07/17 10:20

Lab Sample ID: 550-78735-2

Matrix: Drinking Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	200.8			112490	03/16/17 06:54	SGO	TAL PHX
Total/NA	Analysis	200.8		1	112554	03/16/17 12:10	TEK	TAL PHX

Client Sample ID: (2) 1001

Date Collected: 03/03/17 08:24

Date Received: 03/07/17 10:20

Lab Sample ID: 550-78735-3

Matrix: Drinking Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	200.8			112490	03/16/17 06:54	SGO	TAL PHX
Total/NA	Analysis	200.8		1	112554	03/16/17 12:16	TEK	TAL PHX

Client Sample ID: 1002

Date Collected: 03/03/17 08:36

Date Received: 03/07/17 10:20

Lab Sample ID: 550-78735-4

Matrix: Drinking Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	200.8			112490	03/16/17 06:54	SGO	TAL PHX
Total/NA	Analysis	200.8		1	112554	03/16/17 12:18	TEK	TAL PHX

Client Sample ID: 1002

Date Collected: 03/03/17 08:33

Date Received: 03/07/17 10:20

Lab Sample ID: 550-78735-5

Matrix: Drinking Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	200.8			112490	03/16/17 06:54	SGO	TAL PHX
Total/NA	Analysis	200.8		1	112554	03/16/17 12:20	TEK	TAL PHX

Client Sample ID: 1006

Date Collected: 03/03/17 08:28

Date Received: 03/07/17 10:20

Lab Sample ID: 550-78735-6

Matrix: Drinking Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	200.8			112490	03/16/17 06:54	SGO	TAL PHX
Total/NA	Analysis	200.8		1	112554	03/16/17 12:22	TEK	TAL PHX

Lab Chronicle

Client: Arizona Dept of Environmental Quality
Project/Site: Pb in DW / Williams Unified District

TestAmerica Job ID: 550-78735-1
SDG: Williams High School

Client Sample ID: 1007

Date Collected: 03/03/17 08:39

Date Received: 03/07/17 10:20

Lab Sample ID: 550-78735-7

Matrix: Drinking Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	200.8			112490	03/16/17 06:54	SGO	TAL PHX
Total/NA	Analysis	200.8		1	112554	03/16/17 12:24	TEK	TAL PHX

Client Sample ID: 1008

Date Collected: 03/03/17 08:48

Date Received: 03/07/17 10:20

Lab Sample ID: 550-78735-8

Matrix: Drinking Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	200.8			112490	03/16/17 06:54	SGO	TAL PHX
Total/NA	Analysis	200.8		1	112554	03/16/17 12:26	TEK	TAL PHX

Laboratory References:

TAL PHX = TestAmerica Phoenix, 4625 East Cotton Ctr Blvd, Suite 189, Phoenix, AZ 85040, TEL (602)437-3340

Certification Summary

Client: Arizona Dept of Environmental Quality
Project/Site: Pb in DW / Williams Unified District

TestAmerica Job ID: 550-78735-1
SDG: Williams High School

Laboratory: TestAmerica Phoenix

Unless otherwise noted, all analytes for this laboratory were covered under each certification below.

Authority	Program	EPA Region	Certification ID	Expiration Date
Arizona	State Program	9	AZ0728	06-09-17

Analysis Method	Prep Method	Matrix	Analyte
-----------------	-------------	--------	---------

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Method Summary

Client: Arizona Dept of Environmental Quality
Project/Site: Pb in DW / Williams Unified District

TestAmerica Job ID: 550-78735-1
SDG: Williams High School

Method	Method Description	Protocol	Laboratory
200.8	Metals (ICP/MS)	EPA	TAL PHX

Protocol References:

EPA = US Environmental Protection Agency

Laboratory References:

TAL PHX = TestAmerica Phoenix, 4625 East Cotton Ctr Blvd, Suite 189, Phoenix, AZ 85040, TEL (602)437-3340



78735

Collection Log
 for experienced sample collectors

Complete copy of this form for each sample collected. Your drinking water sample cannot be tested unless a copy of this form is shipped to the lab with each sample. In addition, the sample cannot be tested unless the Sample Identification Number matches the number on the sample container label.

- Check this box to confirm that water had not been used at this tap or other taps in the area for 6 hours and no flushing was done prior to sampling

Name of School District	Williams Unified District
School Name	Williams High School
Building (name/number)	Voc. Ed. Bldg.
Type of Fixture (tap, drinking fountain etc.)	SINK
Location of Fixture (example, room number)	1003
Sample Identification Number (<u>Write this number on the sample container and on this sheet</u>)	1003
Date of Collection	3-3-2017
Time of Collection	0855
Printed Name of Sample Collector	YAN JAMES
Signature Sample Collector	Yan James

550-78735 Chain of Custody



Notes Sample collector:

For Lab use only	
Analyze this drinking water sample for lead	
Date and Time Lab received	
Signature	
Notes:	

For relinquishing samples upon delivery to labs only

Relinquished date and signature

FedEx → *[Signature]* (17.4⁰⁰) no ice 10:20 3/7/17

These samples were collected for lead screening purposes only and cannot be used for compliance.



Collection Log
for experienced sample collectors

Complete copy of this form for each sample collected. Your drinking water sample cannot be tested unless a copy of this form is shipped to the lab with each sample. In addition, the sample cannot be tested unless the Sample Identification Number matches the number on the sample container label.

- Check this box to confirm that water had not been used at this tap or other taps in the area for 6 hours and no flushing was done prior to sampling

Name of School District	Williams Unified District
School Name	Williams High School
Building (name/number)	1001
Type of Fixture (tap, drinking fountain etc.)	(1) Fountain
Location of Fixture (example, room number)	Library
Sample Identification Number (Write this number on the sample container and on this sheet)	1001
Date of Collection	3/31/2017
Time of Collection	0822
Printed Name of Sample Collector	VAN JAMES
Signature Sample Collector	<i>Van James</i>

Notes Sample collector:

For Lab use only	
Analyze this drinking water sample for lead	
Date and Time Lab received	
Signature	
Notes:	

For relinquishing samples upon delivery to labs only

Relinquished date and signature _____

These samples were collected for lead screening purposes only and cannot be used for compliance.

(2)



Collection Log
for experienced sample collectors

Complete copy of this form for each sample collected. Your drinking water sample cannot be tested unless a copy of this form is shipped to the lab with each sample. In addition, the sample cannot be tested unless the Sample Identification Number matches the number on the sample container label.

- Check this box to confirm that water had not been used at this tap or other taps in the area for 6 hours and no flushing was done prior to sampling

Name of School District	Williams Unified District
School Name	Williams High School
Building (name/number)	1001
Type of Fixture (tap, drinking fountain etc.)	fountain
Location of Fixture (example, room number)	Handicap
Sample Identification Number (<u>Write this number on the sample container and on this sheet</u>)	(2) 1001
Date of Collection	3-9-2017
Time of Collection	0824
Printed Name of Sample Collector	Van James
Signature Sample Collector	<i>Van James</i>

Notes Sample collector:

For Lab use only	
Analyze this drinking water sample for lead	
Date and Time Lab received	
Signature	
Notes:	

For relinquishing samples upon delivery to labs only

Relinquished date and signature _____

These samples were collected for lead screening purposes only and cannot be used for compliance.

3



Collection Log

for experienced sample collectors

Complete copy of this form for each sample collected. Your drinking water sample cannot be tested unless a copy of this form is shipped to the lab with each sample. In addition, the sample cannot be tested unless the Sample Identification Number matches the number on the sample container label.

- Check this box to confirm that water had not been used at this tap or other taps in the area for 6 hours and no flushing was done prior to sampling

Name of School District	Williams Unified District
School Name	Williams High School
Building (name/number)	102
Type of Fixture (tap, drinking fountain etc.)	(2) Fountain
Location of Fixture (example, room number)	Gym
Sample Identification Number (Write this number on the sample container and on this sheet)	1002
Date of Collection	2-3-2017
Time of Collection	0836
Printed Name of Sample Collector	VAN, JAMES
Signature Sample Collector	<i>Van James</i>

Notes Sample collector:

For Lab use only	
Analyze this drinking water sample for lead	
Date and Time Lab received	
Signature	
Notes:	

For relinquishing samples upon delivery to labs only

Relinquished date and signature _____

These samples were collected for lead screening purposes only and cannot be used for compliance.

(4)



Collection Log

for experienced sample collectors

Complete copy of this form for each sample collected. Your drinking water sample cannot be tested unless a copy of this form is shipped to the lab with each sample. In addition, the sample cannot be tested unless the Sample Identification Number matches the number on the sample container label.

- Check this box to confirm that **water had not been used at this tap or other taps in the area for 6 hours** and **no** flushing was done prior to sampling

Name of School District	Williams Unified District
School Name	Williams High School
Building (name/number)	1002
Type of Fixture (tap, drinking fountain etc.)	(1) Fountain
Location of Fixture (example, room number)	Cafeteria
Sample Identification Number (<u>Write this number on the sample container and on this sheet</u>)	1002
Date of Collection	3-3-2017
Time of Collection	0833
Printed Name of Sample Collector	Van Jones
Signature Sample Collector	<i>Van Jones</i>

Notes Sample collector:

For Lab use only	
Analyze this drinking water sample for lead	
Date and Time Lab received	
Signature	
Notes:	

For relinquishing samples upon delivery to labs only

Relinquished date and signature _____

These samples were collected for lead screening purposes only and cannot be used for compliance.

5



Collection Log
for experienced sample collectors

Complete copy of this form for each sample collected. Your drinking water sample cannot be tested unless a copy of this form is shipped to the lab with each sample. In addition, the sample cannot be tested unless the Sample Identification Number matches the number on the sample container label.

- Check this box to confirm that **water had not been used at this tap or other taps in the area for 6 hours** and **no** flushing was done prior to sampling

Name of School District	Williams Unified District
School Name	Cullinan High School
Building (name/number)	1006
Type of Fixture (tap, drinking fountain etc.)	Sink
Location of Fixture (example, room number)	Cullinan, 1006
Sample Identification Number (<u>Write this number on the sample container and on this sheet</u>)	1006
Date of Collection	3/3/2017
Time of Collection	0828
Printed Name of Sample Collector	Van James
Signature Sample Collector	<i>Van James</i>

Notes Sample collector:


For Lab use only	
Analyze this drinking water sample for lead	
Date and Time Lab received	
Signature	
Notes:	

For relinquishing samples upon delivery to labs only

Relinquished date and signature _____

These samples were collected for lead screening purposes only and cannot be used for compliance.

⑥



Collection Log

for experienced sample collectors

Complete copy of this form for each sample collected. Your drinking water sample cannot be tested unless a copy of this form is shipped to the lab with each sample. In addition, the sample cannot be tested unless the Sample Identification Number matches the number on the sample container label.

- Check this box to confirm that **water had not been used at this tap or other taps in the area for 6 hours** and **no** flushing was done prior to sampling

Name of School District	Williams Unified School District
School Name	Williams High School
Building (name/number)	VOCA ARTS 1007
Type of Fixture (tap, drinking fountain etc.)	Fountain
Location of Fixture (example, room number)	Just outside
Sample Identification Number (Write this number on the sample container and on this sheet)	1007
Date of Collection	3-3-2017
Time of Collection	0839
Printed Name of Sample Collector	Vera Jeanes
Signature Sample Collector	<i>Vera Jeanes</i>

Notes Sample collector:

For Lab use only	
Analyze this drinking water sample for lead	
Date and Time Lab received	
Signature	
Notes:	

For relinquishing samples upon delivery to labs only

Relinquished date and signature _____

These samples were collected for lead screening purposes only and cannot be used for compliance.

7



Collection Log

for experienced sample collectors

Complete copy of this form for each sample collected. Your drinking water sample cannot be tested unless a copy of this form is shipped to the lab with each sample. In addition, the sample cannot be tested unless the Sample Identification Number matches the number on the sample container label.

- Check this box to confirm that water had not been used at this tap or other taps in the area for 6 hours and no flushing was done prior to sampling

Name of School District	Williams Unified District
School Name	Williams High School
Building (name/number)	ANNEX
Type of Fixture (tap, drinking fountain etc.)	Fountain
Location of Fixture (example, room number)	1008
Sample Identification Number (<u>Write this number on the sample container and on this sheet</u>)	1008
Date of Collection	3-3-2017
Time of Collection	0848
Printed Name of Sample Collector	Van James
Signature Sample Collector	<i>[Signature]</i>

Notes Sample collector:

For Lab use only	
Analyze this drinking water sample for lead	
Date and Time Lab received	
Signature	
Notes:	

For relinquishing samples upon delivery to labs only

Relinquished date and signature _____

These samples were collected for lead screening purposes only and cannot be used for compliance.

8



Login Sample Receipt Checklist

Client: Arizona Dept of Environmental Quality

Job Number: 550-78735-1
SDG Number: Williams High School

Login Number: 78735

List Number: 1

Creator: Vilaboy, Monica

List Source: TestAmerica Phoenix

Question	Answer	Comment
Radioactivity wasn't checked or is <=/ background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	False	Thermal preservation not required.
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	Check done at department level as required.

