

# TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

## ANALYTICAL REPORT

TestAmerica Laboratories, Inc.

TestAmerica Phoenix

4625 East Cotton Ctr Blvd

Suite 189

Phoenix, AZ 85040

Tel: (602)437-3340

TestAmerica Job ID: 550-77949-1

TestAmerica Sample Delivery Group: Westview High School

Client Project/Site: Pb in DW/Tolleson Union High School

For:

Arizona Dept of Environmental Quality

1110 W. Washington St., MC5415B-1

Phoenix, Arizona 85007

Attn: David A Burchard



Authorized for release by:

2/28/2017 2:31:58 PM

Ken Baker, Project Manager II

(602)659-7624

[ken.baker@testamericainc.com](mailto:ken.baker@testamericainc.com)

Designee for

Susan Armijo, Project Manager II

(602)659-7664

[susan.armijo@testamericainc.com](mailto:susan.armijo@testamericainc.com)

### LINKS

Review your project  
results through

TotalAccess

Have a Question?



Visit us at:

[www.testamericainc.com](http://www.testamericainc.com)

*This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.*

*Results relate only to the items tested and the sample(s) as received by the laboratory.*

# Table of Contents

Cover Page . . . . .	1
Table of Contents . . . . .	2
Definitions/Glossary . . . . .	3
Case Narrative . . . . .	4
Sample Summary . . . . .	5
Detection Summary . . . . .	6
Client Sample Results . . . . .	7
QC Sample Results . . . . .	9
QC Association Summary . . . . .	10
Lab Chronicle . . . . .	11
Certification Summary . . . . .	13
Method Summary . . . . .	14
Chain of Custody . . . . .	15
Receipt Checklists . . . . .	26



## Definitions/Glossary

Client: Arizona Dept of Environmental Quality  
Project/Site: Pb in DW/Tolleson Union High School

TestAmerica Job ID: 550-77949-1  
SDG: Westview High School

### Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
MDA	Minimum detectable activity
EDL	Estimated Detection Limit
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

## Case Narrative

Client: Arizona Dept of Environmental Quality  
Project/Site: Pb in DW/Tolleson Union High School

TestAmerica Job ID: 550-77949-1  
SDG: Westview High School

**Job ID: 550-77949-1**

**Laboratory: TestAmerica Phoenix**

### Narrative

#### Job Narrative 550-77949-1

### Comments

No additional comments.

### Receipt

The samples were received on 2/21/2017 3:47 PM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 22.4° C.

### Receipt Exceptions

The following samples for metals were received unpreserved and were preserved upon receipt to the laboratory: PAC (550-77949-1), 1000 (550-77949-2), 900 (550-77949-3), 800 (550-77949-4), 700 (550-77949-5), 600 (550-77949-6), 500 (550-77949-7), 400 (550-77949-8), 300 (550-77949-9), 100 (550-77949-10) and 200 (550-77949-11). Regulatory documents require a 24-hour waiting period from the time of the addition of the acid preservative to the time of digestion.

### Metals

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

## Sample Summary

Client: Arizona Dept of Environmental Quality  
Project/Site: Pb in DW/Tolleson Union High School

TestAmerica Job ID: 550-77949-1  
SDG: Westview High School

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
550-77949-1	PAC	Drinking Water	02/13/17 10:45	02/21/17 15:47
550-77949-2	1000	Drinking Water	02/13/17 10:35	02/21/17 15:47
550-77949-3	900	Drinking Water	02/13/17 10:35	02/21/17 15:47
550-77949-4	800	Drinking Water	02/13/17 10:35	02/21/17 15:47
550-77949-5	700	Drinking Water	02/13/17 10:25	02/21/17 15:47
550-77949-6	600	Drinking Water	02/13/17 10:26	02/21/17 15:47
550-77949-7	500	Drinking Water	02/13/17 10:20	02/21/17 15:47
550-77949-8	400	Drinking Water	02/13/17 10:15	02/21/17 15:47
550-77949-9	300	Drinking Water	02/13/17 10:10	02/21/17 15:47
550-77949-10	100	Drinking Water	02/13/17 10:00	02/21/17 15:47
550-77949-11	200	Drinking Water	02/13/17 10:05	02/21/17 15:47

## Detection Summary

Client: Arizona Dept of Environmental Quality  
Project/Site: Pb in DW/Tolleson Union High School

TestAmerica Job ID: 550-77949-1  
SDG: Westview High School

### Client Sample ID: PAC

Lab Sample ID: 550-77949-1

No Detections.

### Client Sample ID: 1000

Lab Sample ID: 550-77949-2

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Lead	0.50		0.50	ppb	1		200.8	Total/NA

### Client Sample ID: 900

Lab Sample ID: 550-77949-3

No Detections.

### Client Sample ID: 800

Lab Sample ID: 550-77949-4

No Detections.

### Client Sample ID: 700

Lab Sample ID: 550-77949-5

No Detections.

### Client Sample ID: 600

Lab Sample ID: 550-77949-6

No Detections.

### Client Sample ID: 500

Lab Sample ID: 550-77949-7

No Detections.

### Client Sample ID: 400

Lab Sample ID: 550-77949-8

No Detections.

### Client Sample ID: 300

Lab Sample ID: 550-77949-9

No Detections.

### Client Sample ID: 100

Lab Sample ID: 550-77949-10

No Detections.

### Client Sample ID: 200

Lab Sample ID: 550-77949-11

No Detections.

This Detection Summary does not include radiochemical test results.

TestAmerica Phoenix

# Client Sample Results

Client: Arizona Dept of Environmental Quality  
Project/Site: Pb in DW/Tolleson Union High School

TestAmerica Job ID: 550-77949-1  
SDG: Westview High School

## Client Sample ID: PAC

Date Collected: 02/13/17 10:45

Date Received: 02/21/17 15:47

## Lab Sample ID: 550-77949-1

Matrix: Drinking Water

### Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	ND		0.50	ppb		02/25/17 08:11	02/27/17 14:42	1

## Client Sample ID: 1000

Date Collected: 02/13/17 10:35

Date Received: 02/21/17 15:47

## Lab Sample ID: 550-77949-2

Matrix: Drinking Water

### Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	0.50		0.50	ppb		02/25/17 08:11	02/27/17 14:44	1

## Client Sample ID: 900

Date Collected: 02/13/17 10:35

Date Received: 02/21/17 15:47

## Lab Sample ID: 550-77949-3

Matrix: Drinking Water

### Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	ND		0.50	ppb		02/25/17 08:11	02/27/17 14:45	1

## Client Sample ID: 800

Date Collected: 02/13/17 10:35

Date Received: 02/21/17 15:47

## Lab Sample ID: 550-77949-4

Matrix: Drinking Water

### Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	ND		0.50	ppb		02/25/17 08:11	02/27/17 14:47	1

## Client Sample ID: 700

Date Collected: 02/13/17 10:25

Date Received: 02/21/17 15:47

## Lab Sample ID: 550-77949-5

Matrix: Drinking Water

### Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	ND		0.50	ppb		02/25/17 08:11	02/27/17 14:49	1

## Client Sample ID: 600

Date Collected: 02/13/17 10:26

Date Received: 02/21/17 15:47

## Lab Sample ID: 550-77949-6

Matrix: Drinking Water

### Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	ND		0.50	ppb		02/25/17 08:11	02/27/17 14:51	1

## Client Sample ID: 500

Date Collected: 02/13/17 10:20

Date Received: 02/21/17 15:47

## Lab Sample ID: 550-77949-7

Matrix: Drinking Water

### Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	ND		0.50	ppb		02/25/17 08:11	02/27/17 14:53	1

TestAmerica Phoenix

## Client Sample Results

Client: Arizona Dept of Environmental Quality  
Project/Site: Pb in DW/Tolleson Union High School

TestAmerica Job ID: 550-77949-1  
SDG: Westview High School

### Client Sample ID: 400

Date Collected: 02/13/17 10:15

Date Received: 02/21/17 15:47

### Lab Sample ID: 550-77949-8

Matrix: Drinking Water

#### Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	ND		0.50	ppb	—	02/25/17 08:11	02/27/17 14:59	1

### Client Sample ID: 300

Date Collected: 02/13/17 10:10

Date Received: 02/21/17 15:47

### Lab Sample ID: 550-77949-9

Matrix: Drinking Water

#### Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	ND		0.50	ppb	—	02/25/17 08:11	02/27/17 15:01	1

### Client Sample ID: 100

Date Collected: 02/13/17 10:00

Date Received: 02/21/17 15:47

### Lab Sample ID: 550-77949-10

Matrix: Drinking Water

#### Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	ND		0.50	ppb	—	02/25/17 08:11	02/27/17 15:03	1

### Client Sample ID: 200

Date Collected: 02/13/17 10:05

Date Received: 02/21/17 15:47

### Lab Sample ID: 550-77949-11

Matrix: Drinking Water

#### Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	ND		0.50	ppb	—	02/25/17 08:11	02/27/17 15:05	1



# QC Sample Results

Client: Arizona Dept of Environmental Quality  
Project/Site: Pb in DW/Tolleson Union High School

TestAmerica Job ID: 550-77949-1  
SDG: Westview High School

## Method: 200.8 - Metals (ICP/MS)

Lab Sample ID: MB 550-111065/1-A

Matrix: Water

Analysis Batch: 111189

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 111065

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	ND		0.50	ppb		02/25/17 08:11	02/27/17 14:22	1

Lab Sample ID: LCS 550-111065/4-A

Matrix: Water

Analysis Batch: 111189

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 111065

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Lead	100	91.9		ppb		92	85 - 115

Lab Sample ID: LCSD 550-111065/5-A

Matrix: Water

Analysis Batch: 111189

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 111065

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	Limit
Lead	100	93.1		ppb		93	85 - 115	1	20

Lab Sample ID: 550-77947-A-21-B MS

Matrix: Water

Analysis Batch: 111189

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 111065

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Lead	10		100	100		ppb		90	70 - 130

Lab Sample ID: 550-77947-A-21-C MSD

Matrix: Water

Analysis Batch: 111189

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 111065

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	Limit
Lead	10		100	98.5		ppb		88	70 - 130	2	20

# QC Association Summary

Client: Arizona Dept of Environmental Quality  
Project/Site: Pb in DW/Tolleson Union High School

TestAmerica Job ID: 550-77949-1  
SDG: Westview High School

## Metals

### Prep Batch: 111065

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
550-77949-1	PAC	Total/NA	Drinking Water	200.8	
550-77949-2	1000	Total/NA	Drinking Water	200.8	
550-77949-3	900	Total/NA	Drinking Water	200.8	
550-77949-4	800	Total/NA	Drinking Water	200.8	
550-77949-5	700	Total/NA	Drinking Water	200.8	
550-77949-6	600	Total/NA	Drinking Water	200.8	
550-77949-7	500	Total/NA	Drinking Water	200.8	
550-77949-8	400	Total/NA	Drinking Water	200.8	
550-77949-9	300	Total/NA	Drinking Water	200.8	
550-77949-10	100	Total/NA	Drinking Water	200.8	
550-77949-11	200	Total/NA	Drinking Water	200.8	
MB 550-111065/1-A	Method Blank	Total/NA	Water	200.8	
LCS 550-111065/4-A	Lab Control Sample	Total/NA	Water	200.8	
LCSD 550-111065/5-A	Lab Control Sample Dup	Total/NA	Water	200.8	
550-77947-A-21-B MS	Matrix Spike	Total/NA	Water	200.8	
550-77947-A-21-C MSD	Matrix Spike Duplicate	Total/NA	Water	200.8	

### Analysis Batch: 111189

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
550-77949-1	PAC	Total/NA	Drinking Water	200.8	111065
550-77949-2	1000	Total/NA	Drinking Water	200.8	111065
550-77949-3	900	Total/NA	Drinking Water	200.8	111065
550-77949-4	800	Total/NA	Drinking Water	200.8	111065
550-77949-5	700	Total/NA	Drinking Water	200.8	111065
550-77949-6	600	Total/NA	Drinking Water	200.8	111065
550-77949-7	500	Total/NA	Drinking Water	200.8	111065
550-77949-8	400	Total/NA	Drinking Water	200.8	111065
550-77949-9	300	Total/NA	Drinking Water	200.8	111065
550-77949-10	100	Total/NA	Drinking Water	200.8	111065
550-77949-11	200	Total/NA	Drinking Water	200.8	111065
MB 550-111065/1-A	Method Blank	Total/NA	Water	200.8	111065
LCS 550-111065/4-A	Lab Control Sample	Total/NA	Water	200.8	111065
LCSD 550-111065/5-A	Lab Control Sample Dup	Total/NA	Water	200.8	111065
550-77947-A-21-B MS	Matrix Spike	Total/NA	Water	200.8	111065
550-77947-A-21-C MSD	Matrix Spike Duplicate	Total/NA	Water	200.8	111065

# Lab Chronicle

Client: Arizona Dept of Environmental Quality  
Project/Site: Pb in DW/Tolleson Union High School

TestAmerica Job ID: 550-77949-1  
SDG: Westview High School

## Client Sample ID: PAC

Date Collected: 02/13/17 10:45

Date Received: 02/21/17 15:47

## Lab Sample ID: 550-77949-1

Matrix: Drinking Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	200.8			111065	02/25/17 08:11	SGO	TAL PHX
Total/NA	Analysis	200.8		1	111189	02/27/17 14:42	TEK	TAL PHX

## Client Sample ID: 1000

Date Collected: 02/13/17 10:35

Date Received: 02/21/17 15:47

## Lab Sample ID: 550-77949-2

Matrix: Drinking Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	200.8			111065	02/25/17 08:11	SGO	TAL PHX
Total/NA	Analysis	200.8		1	111189	02/27/17 14:44	TEK	TAL PHX

## Client Sample ID: 900

Date Collected: 02/13/17 10:35

Date Received: 02/21/17 15:47

## Lab Sample ID: 550-77949-3

Matrix: Drinking Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	200.8			111065	02/25/17 08:11	SGO	TAL PHX
Total/NA	Analysis	200.8		1	111189	02/27/17 14:45	TEK	TAL PHX

## Client Sample ID: 800

Date Collected: 02/13/17 10:35

Date Received: 02/21/17 15:47

## Lab Sample ID: 550-77949-4

Matrix: Drinking Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	200.8			111065	02/25/17 08:11	SGO	TAL PHX
Total/NA	Analysis	200.8		1	111189	02/27/17 14:47	TEK	TAL PHX

## Client Sample ID: 700

Date Collected: 02/13/17 10:25

Date Received: 02/21/17 15:47

## Lab Sample ID: 550-77949-5

Matrix: Drinking Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	200.8			111065	02/25/17 08:11	SGO	TAL PHX
Total/NA	Analysis	200.8		1	111189	02/27/17 14:49	TEK	TAL PHX

## Client Sample ID: 600

Date Collected: 02/13/17 10:26

Date Received: 02/21/17 15:47

## Lab Sample ID: 550-77949-6

Matrix: Drinking Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	200.8			111065	02/25/17 08:11	SGO	TAL PHX
Total/NA	Analysis	200.8		1	111189	02/27/17 14:51	TEK	TAL PHX

TestAmerica Phoenix

# Lab Chronicle

Client: Arizona Dept of Environmental Quality  
Project/Site: Pb in DW/Tolleson Union High School

TestAmerica Job ID: 550-77949-1  
SDG: Westview High School

## Client Sample ID: 500

Date Collected: 02/13/17 10:20

Date Received: 02/21/17 15:47

## Lab Sample ID: 550-77949-7

Matrix: Drinking Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	200.8			111065	02/25/17 08:11	SGO	TAL PHX
Total/NA	Analysis	200.8		1	111189	02/27/17 14:53	TEK	TAL PHX

## Client Sample ID: 400

Date Collected: 02/13/17 10:15

Date Received: 02/21/17 15:47

## Lab Sample ID: 550-77949-8

Matrix: Drinking Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	200.8			111065	02/25/17 08:11	SGO	TAL PHX
Total/NA	Analysis	200.8		1	111189	02/27/17 14:59	TEK	TAL PHX

## Client Sample ID: 300

Date Collected: 02/13/17 10:10

Date Received: 02/21/17 15:47

## Lab Sample ID: 550-77949-9

Matrix: Drinking Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	200.8			111065	02/25/17 08:11	SGO	TAL PHX
Total/NA	Analysis	200.8		1	111189	02/27/17 15:01	TEK	TAL PHX

## Client Sample ID: 100

Date Collected: 02/13/17 10:00

Date Received: 02/21/17 15:47

## Lab Sample ID: 550-77949-10

Matrix: Drinking Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	200.8			111065	02/25/17 08:11	SGO	TAL PHX
Total/NA	Analysis	200.8		1	111189	02/27/17 15:03	TEK	TAL PHX

## Client Sample ID: 200

Date Collected: 02/13/17 10:05

Date Received: 02/21/17 15:47

## Lab Sample ID: 550-77949-11

Matrix: Drinking Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	200.8			111065	02/25/17 08:11	SGO	TAL PHX
Total/NA	Analysis	200.8		1	111189	02/27/17 15:05	TEK	TAL PHX

### Laboratory References:

TAL PHX = TestAmerica Phoenix, 4625 East Cotton Ctr Blvd, Suite 189, Phoenix, AZ 85040, TEL (602)437-3340

## Certification Summary

Client: Arizona Dept of Environmental Quality  
Project/Site: Pb in DW/Tolleson Union High School

TestAmerica Job ID: 550-77949-1  
SDG: Westview High School

### Laboratory: TestAmerica Phoenix

Unless otherwise noted, all analytes for this laboratory were covered under each certification below.

Authority	Program	EPA Region	Certification ID	Expiration Date
Arizona	State Program	9	AZ0728	06-09-17

Analysis Method	Prep Method	Matrix	Analyte
-----------------	-------------	--------	---------

## Method Summary

Client: Arizona Dept of Environmental Quality  
Project/Site: Pb in DW/Tolleson Union High School

TestAmerica Job ID: 550-77949-1  
SDG: Westview High School

Method	Method Description	Protocol	Laboratory
200.8	Metals (ICP/MS)	EPA	TAL PHX

### Protocol References:

EPA = US Environmental Protection Agency

### Laboratory References:

TAL PHX = TestAmerica Phoenix, 4625 East Cotton Ctr Blvd, Suite 189, Phoenix, AZ 85040, TEL (602)437-3340


# Sample Collection Record

To be completed by the sample collector

77949

Complete copy of this form for each sample collected. Your drinking water sample cannot be tested unless a copy of this form is shipped to the lab with each sample. In addition, the sample cannot be tested unless the Sample Identification Number matches the number on the sample container label.

- ☐ Check this box to confirm that water had not been used at this tap or other taps in the area for 6 hours and no flushing was done prior to sampling

Name of School District	Tolleson Union High School
Name of School	Westview High School
Building (name/number)	PAC
Type of Fixture (tap, drinking fountain etc.)	fountain
Location of Fixture (example, room number)	between PA1 & PA2
Sample Identification Number (ensure this number is also on the sample container)	PAC
Date of Collection	2-18-17
Time of Collection	10:45
Name of Sample Collector	Gray Gualdone
Signature Sample Collector	

Notes Sample collector:



550-77949 Chain of Custody



For Lab use only	
Analyze this drinking water sample for lead	
Date and Time Lab received	
Signature	
Notes:	

For relinquishing samples upon delivery to labs only

Relinquished date and signature

 2/21/17 15:47  
 2/21/17 15:47

These samples are collected and are to be analyzed for screening purposes only and cannot be used for compliance.

22.400 No ice


1

# Sample Collection Record

To be completed by the sample collector

Complete copy of this form for each sample collected. Your drinking water sample cannot be tested unless a copy of this form is shipped to the lab with each sample. In addition, the sample cannot be tested unless the Sample Identification Number matches the number on the sample container label.

- ☐ Check this box to confirm that water had not been used at this tap or other taps in the area for 6 hours and no flushing was done prior to sampling


Name of School District	Tolleson Union High School
Name of School	Westview High School
Building (name/number)	1000
Type of Fixture (tap, drinking fountain etc.)	fountain
Location of Fixture (example, room number)	by restrooms
Sample Identification Number (ensure this number is also on the sample container)	1000
Date of Collection	2-13-17
Time of Collection	10:35
Name of Sample Collector	Gray Gualdon
Signature Sample Collector	

Notes Sample collector:

For Lab use only	
Analyze this drinking water sample for lead	
Date and Time Lab received	
Signature	
Notes:	

For relinquishing samples upon delivery to labs only

Relinquished date and signature

 2/21/17 15:47

These samples are collected and are to be analyzed for screening purposes only and cannot be used for compliance.

52




# Sample Collection Record

To be completed by the sample collector

Complete copy of this form for each sample collected. Your drinking water sample cannot be tested unless a copy of this form is shipped to the lab with each sample. In addition, the sample cannot be tested unless the Sample Identification Number matches the number on the sample container label.

- ☐ Check this box to confirm that water had not been used at this tap or other taps in the area for 6 hours and no flushing was done prior to sampling


Name of School District	Tolleson Union High School
Name of School	Westview High School
Building (name/number)	900
Type of Fixture (tap, drinking fountain etc.)	fountain
Location of Fixture (example, room number)	by N.E. doors to gym
Sample Identification Number (ensure this number is also on the sample container)	900
Date of Collection	2-13-17
Time of Collection	10:35
Name of Sample Collector	Mr. Gary Gualdon
Signature Sample Collector	

Notes Sample collector:

For Lab use only	
Analyze this drinking water sample for lead	
Date and Time Lab received	
Signature	
Notes:	

For relinquishing samples upon delivery to labs only

Relinquished date and signature

 2/21/17 15:47

These samples are collected and are to be analyzed for screening purposes only and cannot be used for compliance.


③

# Sample Collection Record

To be completed by the sample collector

Complete copy of this form for each sample collected. Your drinking water sample cannot be tested unless a copy of this form is shipped to the lab with each sample. In addition, the sample cannot be tested unless the Sample Identification Number matches the number on the sample container label.

- ☐ Check this box to confirm that water had not been used at this tap or other taps in the area for 6 hours and no flushing was done prior to sampling

Name of School District	Tolleson Union High School
Name of School	Westview High School
Building (name/number)	800
Type of Fixture (tap, drinking fountain etc.)	fountain - <del>123</del>
Location of Fixture (example, room number)	Lobby by girls R.R.
Sample Identification Number (ensure this number is also on the sample container)	800
Date of Collection	2-13-17
Time of Collection	10:35
Name of Sample Collector	Greg Gualdoni
Signature Sample Collector	

Notes Sample collector:

For Lab use only	
Analyze this drinking water sample for lead	
Date and Time Lab received	
Signature	
Notes:	

For relinquishing samples upon delivery to labs only

Relinquished date and signature \_\_\_\_\_

These samples are collected and are to be analyzed for screening purposes only and cannot be used for compliance.


④

# Sample Collection Record

To be completed by the sample collector

Complete copy of this form for each sample collected. Your drinking water sample cannot be tested unless a copy of this form is shipped to the lab with each sample. In addition, the sample cannot be tested unless the Sample Identification Number matches the number on the sample container label.

- ☐ Check this box to confirm that water had not been used at this tap or other taps in the area for 6 hours and no flushing was done prior to sampling

Name of School District	Tolleson Union High School
Name of School	Westview High School
Building (name/number)	700
Type of Fixture (tap, drinking fountain etc.)	fountain
Location of Fixture (example, room number)	only one
Sample Identification Number (ensure this number is also on the sample container)	700
Date of Collection	2-13-17
Time of Collection	10:25
Name of Sample Collector	Greg Gueldon
Signature Sample Collector	

Notes Sample collector:

For Lab use only	
Analyze this drinking water sample for lead	
Date and Time Lab received	
Signature	
Notes:	

For relinquishing samples upon delivery to labs only

Relinquished date and signature \_\_\_\_\_

These samples are collected and are to be analyzed for screening purposes only and cannot be used for compliance.


5

# Sample Collection Record

To be completed by the sample collector

Complete copy of this form for each sample collected. Your drinking water sample cannot be tested unless a copy of this form is shipped to the lab with each sample. In addition, the sample cannot be tested unless the Sample Identification Number matches the number on the sample container label.

- ☐ Check this box to confirm that water had not been used at this tap or other taps in the area for 6 hours and no flushing was done prior to sampling

Name of School District	Tolleson Union High School
Name of School	Westview High School
Building (name/number)	600
Type of Fixture (tap, drinking fountain etc.)	fountain
Location of Fixture (example, room number)	downstairs / restroom
Sample Identification Number (ensure this number is also on the sample container)	600
Date of Collection	2-13-17
Time of Collection	10:20
Name of Sample Collector	Gary Galdon
Signature Sample Collector	

Notes Sample collector:

For Lab use only	
Analyze this drinking water sample for lead	
Date and Time Lab received	
Signature	
Notes:	

For relinquishing samples upon delivery to labs only

Relinquished date and signature \_\_\_\_\_


These samples are collected and are to be analyzed for screening purposes only and cannot be used for compliance.

# Sample Collection Record

To be completed by the sample collector

Complete copy of this form for each sample collected. Your drinking water sample cannot be tested unless a copy of this form is shipped to the lab with each sample. In addition, the sample cannot be tested unless the Sample Identification Number matches the number on the sample container label.

- ☐ Check this box to confirm that water had not been used at this tap or other taps in the area for 6 hours and no flushing was done prior to sampling

Name of School District	Tolleson Union High School
Name of School	Westview High School
Building (name/number)	500
Type of Fixture (tap, drinking fountain etc.)	Fountain
Location of Fixture (example, room number)	downstairs / restrooms
Sample Identification Number (ensure this number is also on the sample container)	500
Date of Collection	2-13-17
Time of Collection	10:20
Name of Sample Collector	Gray Gualdon
Signature Sample Collector	

Notes Sample collector:

For Lab use only	
Analyze this drinking water sample for lead	
Date and Time Lab received	
Signature	
Notes:	

For relinquishing samples upon delivery to labs only

Relinquished date and signature \_\_\_\_\_

These samples are collected and are to be analyzed for screening purposes only and cannot be used for compliance.


7

# Sample Collection Record

To be completed by the sample collector

Complete copy of this form for each sample collected. Your drinking water sample cannot be tested unless a copy of this form is shipped to the lab with each sample. In addition, the sample cannot be tested unless the Sample Identification Number matches the number on the sample container label.

- ☐ Check this box to confirm that water had not been used at this tap or other taps in the area for 6 hours and no flushing was done prior to sampling

Name of School District	Tolleson Union High School
Name of School	Westview High School
Building (name/number)	400
Type of Fixture (tap, drinking fountain etc.)	Fountain
Location of Fixture (example, room number)	downstairs
Sample Identification Number (ensure this number is also on the sample container)	400
Date of Collection	2-13-17
Time of Collection	10:15
Name of Sample Collector	Gray Gordon
Signature Sample Collector	

Notes Sample collector:

For Lab use only	
Analyze this drinking water sample for lead	
Date and Time Lab received	
Signature	
Notes:	

For relinquishing samples upon delivery to labs only

Relinquished date and signature \_\_\_\_\_

These samples are collected and are to be analyzed for screening purposes only and cannot be used for compliance.


8

# Sample Collection Record

To be completed by the sample collector

Complete copy of this form for each sample collected. Your drinking water sample cannot be tested unless a copy of this form is shipped to the lab with each sample. In addition, the sample cannot be tested unless the Sample Identification Number matches the number on the sample container label.

- ☐ Check this box to confirm that water had not been used at this tap or other taps in the area for 6 hours and no flushing was done prior to sampling

Name of School District	Tolleson Union High School
Name of School	Westview High School
Building (name/number)	300
Type of Fixture (tap, drinking fountain etc.)	drinking fountain
Location of Fixture (example, room number)	down stairs
Sample Identification Number (ensure this number is also on the sample container)	300
Date of Collection	2-13-17
Time of Collection	10:10
Name of Sample Collector	Greg Gueldoni
Signature Sample Collector	

Notes Sample collector:

For Lab use only	
Analyze this drinking water sample for lead	
Date and Time Lab received	
Signature	
Notes:	

For relinquishing samples upon delivery to labs only

Relinquished date and signature \_\_\_\_\_

These samples are collected and are to be analyzed for screening purposes only and cannot be used for compliance.


9

# Sample Collection Record

To be completed by the sample collector

Complete copy of this form for each sample collected. Your drinking water sample cannot be tested unless a copy of this form is shipped to the lab with each sample. In addition, the sample cannot be tested unless the Sample Identification Number matches the number on the sample container label.

- ☐ Check this box to confirm that water had not been used at this tap or other taps in the area for 6 hours and no flushing was done prior to sampling

Name of School District	Tolleson Union High School
Name of School	Westview High School
Building (name/number)	100
Type of Fixture (tap, drinking fountain etc.)	fountain
Location of Fixture (example, room number)	Nurse's office
Sample Identification Number (ensure this number is also on the sample container)	100
Date of Collection	2-13-17
Time of Collection	10:00 pm
Name of Sample Collector	Greg Gualdoni
Signature Sample Collector	

Notes Sample collector:

For Lab use only	
Analyze this drinking water sample for lead	
Date and Time Lab received	
Signature	
Notes:	

For relinquishing samples upon delivery to labs only

Relinquished date and signature \_\_\_\_\_

These samples are collected and are to be analyzed for screening purposes only and cannot be used for compliance.

10




# Sample Collection Record

To be completed by the sample collector

Complete copy of this form for each sample collected. Your drinking water sample cannot be tested unless a copy of this form is shipped to the lab with each sample. In addition, the sample cannot be tested unless the Sample Identification Number matches the number on the sample container label.

- ☐ Check this box to confirm that water had not been used at this tap or other taps in the area for 6 hours and no flushing was done prior to sampling

Name of School District	Tolleson Union High School
Name of School	Westview High School
Building (name/number)	200
Type of Fixture (tap, drinking fountain etc.)	drinking fountain
Location of Fixture (example, room number)	Library
Sample Identification Number (ensure this number is also on the sample container)	200
Date of Collection	2-13-17
Time of Collection	10:05
Name of Sample Collector	Gray Gualdoni
Signature Sample Collector	

Notes Sample collector:

For Lab use only	
Analyze this drinking water sample for lead	
Date and Time Lab received	
Signature	
Notes:	

For relinquishing samples upon delivery to labs only

Relinquished date and signature \_\_\_\_\_

These samples are collected and are to be analyzed for screening purposes only and cannot be used for compliance.

(10)

## Login Sample Receipt Checklist

Client: Arizona Dept of Environmental Quality

Job Number: 550-77949-1  
SDG Number: Westview High School

**Login Number: 77949**

**List Number: 1**

**Creator: Vilaboy, Monica**

**List Source: TestAmerica Phoenix**

Question	Answer	Comment
Radioactivity wasn't checked or is $\leq$ background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	False	Thermal preservation not required.
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is $<6\text{mm}$ (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	Check done at department level as required.