

ATTACHMENT E - CONTINGENCY PLAN

CONTINGENCY PLAN

Heritage Environmental Services, LLC
284 East Storey Road
Coolidge, AZ 85128

AZD 081 705 402

TABLE OF CONTENTS

1. INTRODUCTION4

2. CONTINGENCY PLAN DISTRIBUTION6

3. REVIEW AND AMENDMENT OF CONTINGENCY PLAN.....7

4. EMERGENCY COORDINATOR8

4.1. Identification 8

4.2. Responsibility..... 8

4.3. Authority..... 8

5. IMPLEMENTATION9

6. EMERGENCY ACTIONS11

6.1. Fire/Heat Alarm Notification from Monitoring Company Outside Normal Working Hours..... 11

6.2. Fire 11

6.3. Explosion..... 12

6.4. Transfer Operations Spill 13

6.5. Container Leaks and/or Spills 14

6.6. Toxic Vapors, Gases, or Fumes 15

7. EVACUATION PLAN17

8. EMERGENCY TELEPHONE NUMBERS18

9. EMERGENCY RESPONSE TEAM.....19

9.1. Purpose..... 19

9.2. Levels of Training..... 19

10. ARRANGEMENTS WITH LOCAL AUTHORITIES20

11. EMERGENCY EQUIPMENT.....21

APPENDICES

E-A Figures

Figure E-1 Facility Drawing

Figure E-2 Emergency Evacuation Plan and Equipment Locations

E-B List of Emergency Coordinators

E-C Arrangements with Local Authorities

E-D List of Emergency Equipment

E-E Procedure to Prevent Hazards – Table of Contents

LIST OF TABLES

E-1 Summary of Storage Volumes

E-2 Summary of Permanent Real-Time Monitors

1. INTRODUCTION

Heritage Environmental Services, LLC (“Heritage”) owns and operates a commercial hazardous waste management facility located at 284 East Storey Road (formerly 5122 East Storey Road) in Coolidge, Arizona. A facility drawing is included as Figure E-1 in Appendix E-A. Heritage operates in accordance with a Part B Resource Conservation and Recovery Act (RCRA) permit. Heritage is permitted to store and consolidate RCRA hazardous wastes from a wide variety of off-site sources, including but not limited to manufacturing facilities, remediation sites, other waste treatment and storage facilities, and transporters. In general, hazardous wastes managed at the Heritage Coolidge facility include solids, liquids, and sludges; contaminated soils and debris; organic wastestreams such as inks, paints, solvents, and other hydrocarbons; contaminated waters and leachate; lab packs; and treatment residues from other waste treatment and storage facilities. The specific hazardous wastes that Heritage is permitted to manage are listed in the Coolidge facility's Waste Analysis Plan.

The facility has multiple permitted container storage areas, consolidation areas, and staging areas. The permitted hazardous waste Container Storage Areas are shown in the facility drawing (Figure E-1) and include the following:

- Central Container Storage Area (Central Area),
- East Container Storage Area (East Area),
- Lab Depack Area (Depack Area),
- Hazardous Roll-off Storage Area (Roll-off Area),
- Dock and Van Container Storage Area (Van Area),
- Bulk Loading Area (Tanker and Rail), and
- 800 Area Container Storage (800 Area).

Volumes of the Container Storage Areas are summarized in Table E-1.

Hazardous and nonhazardous wastes are stored in the container storage areas noted above based on compatibility. Waste solids are consolidated into roll-off boxes in the Roll-off Area, the Central Area, or the Van Area. Filter cake solids are blended into roll-offs in the Roll-off Area, typically for off-site metals reclamation. Inert materials (e.g., diatomaceous earth, silica pellets) may be added to meet the specification of the off-site reclamation facility. Liquid and solid wastes are consolidated into railcars at the Bulk Loading Area (Tanker and Rail). Tankers are loaded in the Bulk Loading Area and the Van Loading Area. Liquid wastes are bulked into containers and totes in the Central Area or the Van Area. Lab pack wastes are consolidated in the Depack Area or another permitted container storage area.

**TABLE E-1
 SUMMARY OF PERMITTED STORAGE VOLUMES**

Location	Volume Permitted	Containment Volume
Central Container Storage Area	25,300 gallons	10,552 gallons
East Container Storage Area	6,600 gallons	919 gallons
Lab Depack Area	1,100 gallons	Containment pallets/lab carts
Roll-off Container Storage Area	100 cubic yards	Not required (solids area)
Dock and Van Container Storage Area	10,250 gallons	46,234 gallons
800 Area Container Storage	20,451 gallons	Containment Pallets
Bulk Loading Area (Tanker and Rail)	20,900 gallons	25,847 gallons

This Contingency Plan is intended to minimize hazards to human health and the environment and addresses imminent or actual emergency situations which may lead to a fire, explosion, or any unplanned sudden or non-sudden release of hazardous waste or hazardous waste constituents to the air, soil, or surface water. As discussed in this Plan, the designated Emergency Coordinators for the facility are:

Andrea Chase (cellular telephone no. 520/233-4807) and
Angelica Oliva (cellular telephone no. 708/761-0392).

The Emergency Coordinators are responsible for coordinating all emergency response measures, and they are authorized to commit the necessary resources to implement this Plan.

Heritage also maintains a separate Procedures to Prevent Hazards document at the facility. A copy of the Table of Contents for the Procedures to Prevent Hazards is provided as Appendix E-E for reference. In summary, the Procedures to Prevent Hazards details security measures, equipment, and preventive procedures implemented at the facility to prevent hazards during daily operations.

For security, a chain link fence with three strands of barbed wire surrounds the facility, with the main gate (located on Storey Road) controlled by electronic key access. The typical operating hours of the facility are 6:00 AM to 5:00 PM, seven days per week. In the event of an evacuation, facility personnel control access to the facility.

Emergency equipment present at the facility includes automatic fire detection devices and manual pull-down fire alarms. When engaged, these devices activate internal horns and strobe lights and automatically notify a third-party alarm-monitoring firm. Employees are equipped with two-way radios or have access to air horns to alert key personnel in the event of an emergency.

In addition, the Central Container Storage Area and the 800 Area Container Storage Area are equipped with an automatic fire suppression system that is water-AR-AFFF foam based. There are several water outlets, including fire hydrants, within the facility that may be utilized in an emergency. The facility is also equipped with conventional hand-held A/B/C fire extinguishers, two 125-pound wheeled fire extinguishers rated B/C for flammable liquid and electrical fires (both located in the Central Container Storage Area), and two Class D fire extinguishers (one located in the Lab Depack Area and one located in 800 Area Container Storage by the north door). There are also four 55-gallon containers of AFFF fire suppression foam available for response to a fire (stored outside the southwest corner of the Central Container Storage Area). Heritage personnel have been trained in fire response by the local fire department.

In the event of a power failure, the facility may have to cease operations, but there will be no threat of a release or endangerment to human health or the environment. Emergency lighting is available at the facility. Ingress/egress to/from the facility would be via the man gates or the main gate, which can also be manually opened. The fire pump for the fire suppression system is powered by a diesel engine designed to operate with or without power either in automatic or manual mode.

As examples of preventive procedures, Heritage prohibits certain wastestreams that are considered temperature sensitive from being accepted at the facility during the months of June through September. In addition, water-reactive wastes are only stored in the Lab Depack Area.

Heritage employees have been trained in the Contingency Plan and the Procedures to Prevent Hazards documents established for emergencies at the facility.

2. CONTINGENCY PLAN DISTRIBUTION

A copy of the Plan and all revisions to the Plan are maintained at the facility and submitted to local police departments, fire departments, hospitals, and State and local emergency response teams that may be called upon to provide emergency services. Copies of the Plan are mailed to the following:

- Johnson Controls Security Solutions;
- Coolidge Police Department;
- Pinal County Sheriff's Department;
- Arizona Department of Public Safety;
- Coolidge Fire Department;
- Banner Casa Grande Medical Center;
- Banner Casa Grande Occupational Health;
- Kary Environmental Services, Inc.; and
- Pinal County Local Emergency Planning Committee c/o Pinal County Office of Emergency Management.

The emergency response contacts are provided notice within 30 days describing any significant changes in volumes of wastes handled or significant design changes to the facility.

3. REVIEW AND AMENDMENT OF CONTINGENCY PLAN

The Plan is reviewed and amended, if necessary, when:

- The facility permit is revised;
- The Plan fails in an emergency;
- The facility changes in a way that materially increases the potential for fires, explosions, or releases of hazardous waste or hazardous waste constituents, or changes the response necessary in an emergency;
- The list of emergency coordinators changes; or
- The list of emergency equipment changes.

4. EMERGENCY COORDINATOR

4.1. Identification

Heritage has named the personnel listed in Appendix E-B as Primary and Alternate Emergency Coordinators. Heritage has assigned an Emergency Coordinator Alternate to ensure that at least one Emergency Coordinator (or Alternate) will always be on-site or on-call .

If the primary Emergency Coordinator is on-site, he will be designated the Emergency Coordinator. If the primary Emergency Coordinator is not on-site, but an Emergency Coordinator Alternate is on-site, the on-site Emergency Coordinator Alternate may be designated as the Emergency Coordinator for the imminent or actual emergency situation.

If no Emergency Coordinator or Emergency Coordinator Alternate is on-site, efforts will be made to reach the Emergency Coordinator or the Emergency Coordinator Alternate. For the remainder of this Plan the term "Emergency Coordinator" will refer to the Emergency Coordinator or Emergency Coordinator Alternate or the Emergency Coordinator (or Alternate) "designee" if the Emergency Coordinator (or Alternate) is on-call.

4.2. Responsibility

The Emergency Coordinator is responsible for coordinating all emergency response measures. This Plan describes many emergency response steps that the Emergency Coordinator will take. These actions may be taken by other individuals at the direction of the Emergency Coordinator.

4.3. Authority

The Emergency Coordinator has the authority to commit necessary resources to implement this Plan.

5. IMPLEMENTATION

This section is a description of the steps that will be taken to implement this Plan. Section 6, Emergency Actions, describes specific response procedures for anticipated emergency situations. Whenever an imminent or actual emergency situation develops, the employee discovering the situation should take immediate action to safely prevent or contain the imminent or actual emergency situation and immediately notify the Supervisor on duty. If the Supervisor suspects that an imminent or actual emergency situation exists that could lead to a fire, explosion, or any unplanned sudden or non-sudden release of hazardous waste or hazardous waste constituents to air, soil, or surface water, the Supervisor should immediately notify the Emergency Coordinator (Section 4).

If the Emergency Coordinator determines that an imminent or actual emergency situation exists that could lead to a fire, explosion, or any unplanned sudden or non-sudden release of hazardous waste or hazardous waste constituents to air, soil, or surface water, the Emergency Coordinator will institute specific procedures depending on the type of imminent or actual emergency situation as outlined in Section 6, Emergency Actions. The specific criterion for implementation of this Plan is facility evacuation as described in Section 7, Evacuation Plan.

In the event of a fire, explosion, sudden or non-sudden release that requires implementation of this Plan, the Emergency Coordinator will activate internal facility alarms or communication systems to evacuate personnel (Section 7, Evacuation Plan). The Emergency Coordinator will notify appropriate State or local agencies with designated response roles, if outside help is needed (Section 8, Emergency Telephone Numbers).

The Emergency Coordinator will identify the character, exact source, amount, and a real extent of any released materials by reviewing container labels, tank truck placards, and/or the operating record. Concurrently, the Emergency Coordinator will assess possible hazards to human health and the environment that may result from the imminent or actual emergency situation. This assessment will consider both direct and indirect effects of the release, fire, or explosion.

If the Emergency Coordinator has determined that the facility has had a release, fire, or explosion which could threaten human health or the environment outside of Heritage property, the Emergency Coordinator will notify the Arizona Department of Public Safety Dispatcher, the National Response Center, the Arizona Department of Environmental Quality (ADEQ), and other agencies, as necessary. The report will include:

- Name and telephone number of reporter;
- Name and address of facility;
- Time and type of incident;
- Name and quantity of material(s) involved, to the extent known;
- Extent of injuries, if any; and
- Possible hazards to human health or the environment.

If the Emergency Coordinator's assessment indicates that evacuation of local areas may be advisable, he will immediately notify appropriate local authorities. He will be available to assist appropriate officials in deciding whether local areas should be evacuated (Section 6.6).

During an imminent or actual emergency situation, the Emergency Coordinator will take all reasonable measures necessary to ensure that fires, explosions, and releases do not occur, recur, or spread to other hazardous waste at the facility. These measures include, where applicable, stopping operations, collecting and containing released waste, and removing or isolating containers.

If the facility suspends operations in response to a fire, explosion, or release, the Emergency Coordinator will monitor for leaks, pressure buildup, gas generation, or ruptures in containers, as appropriate. The Emergency Coordinator will provide for treatment, storage, or disposal of recovered waste, contaminated soil, contaminated surface water, or any other material that results from a release, fire, or explosion at the facility.

The Emergency Coordinator will ensure that in the affected area(s) of the facility no waste that is incompatible with the released material is stored until cleanup procedures are completed, and all emergency equipment used in the response and listed in the Contingency Plan is cleaned and fit for its intended use or replaced before operations in the affected area are resumed.

The Emergency Coordinator will notify appropriate authorities that the facility is following the above paragraph of this Plan before operations are resumed in the affected area(s) of the facility.

Heritage will note in the operating record the time, date, and details of any incident that requires implementation of the Contingency Plan. Heritage will submit a written report within 15 days of the incident to the Arizona Department of Environmental Quality (ADEQ). The report will include the following:

- Name, address, and telephone number of the owner or operator;
- Name, address, and telephone number of the facility;
- Date, time, and type of incident (e.g., fire, explosion);
- Name and quantity of material(s) involved;
- The extent of injuries, if any;
- An assessment of actual or potential hazards to human health or the environment, if applicable; and
- Estimated quantity and disposition of recovered material that resulted from the incident.

6. EMERGENCY ACTIONS

The purpose of this section of the Plan is to describe the specific procedures for anticipated imminent or actual emergency situations that could lead to a fire, explosion, or any unplanned sudden or non-sudden release of hazardous waste or hazardous waste constituents to air, soil, or surface water in a clear and concise manner for ease of reference during an emergency. The Supervisor or Emergency Coordinator, with an understanding of the information provided in Section 5, Implementation, will reference the following sections and follow the response steps.

6.1. Fire/Heat Alarm Notification from Monitoring Company Outside Normal Working Hours

- The monitoring company will alert the Fire Department should an alarm or unknown incident occur that engages fire detection devices (see Table E-2, Summary of Permanent Real-Time Monitors)
- The monitoring company will contact the Emergency Coordinator(s) listed
- The first responding Emergency Coordinator is required to respond to the reported incident as soon as practical to assess the situation
- Alarms will be responded to and considered high risk unless visually confirmed otherwise by the Emergency Coordinator and/or the Fire Department
- The Emergency Coordinator and the Fire Department are authorized to utilize any reasonable means and resources necessary to accurately assess and stabilize an incident in accordance with the Contingency Plan

6.2. Fire

The employee discovering the fire will:

- Notify the Supervisor on duty.

A trained employee may:

- Discharge portable or other fire extinguishing equipment; and
- Remove or isolate materials which may contribute to the spread or intensity of the fire, to the extent possible.

The Supervisor will:

- Determine source of fire;
- Determine the type of material(s) involved;
- Notify the Emergency Coordinator immediately; and
- Notify the fire department if the fire cannot be extinguished with portable or other available equipment (Section 8, Emergency Telephone Numbers).

In the event of a fire, the Emergency Coordinator will:

- Assess the situation as described in Section 5 to determine if the Contingency Plan will be implemented.

If the plan is implemented, (as described in Section 5 upon evacuation of the facility) the Emergency Coordinator will:

- Evacuate facility and control access following procedures described in Section 7, Evacuation Plan;
- Notify the fire department if the fire cannot be extinguished with portable or other available equipment (Section 8, Emergency Telephone Numbers);
- Transfer response command to fire responders, as appropriate;
- Determine nature of chemical risks;
- Assess danger of explosion and further ignition;
- Remove or isolate materials which may contribute to the spread or intensity of the fire, to the extent possible;
- Order a controlled and orderly shutdown of affected operations, as appropriate;
- Monitor operations which were shut down in response to the emergency for build-up of pressure, leaks, ruptures, etc.; and
- Take steps to contain or prevent the run-off of any fire-fighting water involved in the incident.

Upon resolution of the fire, the Emergency Coordinator will:

- Initiate actions for the clean-up and decontamination of the site;
- Initiate actions for the clean-up, inspection, and/or replacement of the emergency equipment used to respond to the emergency; and
- Provide for the characterization, treatment, storage, or disposal of the wastes and any contaminated debris, water, and soil generated by the fire.

Operations will not be resumed in affected area(s) of the facility until all facility emergency equipment listed in this Plan is present, in good condition, and ready for its intended use.

6.3. Explosion

An employee discovering a potential or actual explosion will immediately notify the Supervisor on duty. The Supervisor will immediately notify the Emergency Coordinator.

In the event of an explosion, the Emergency Coordinator will:

- Implement the Contingency Plan (as described in Section 5).

Upon evacuation of the facility (following procedures set out in Section 7, Evacuation Plan), the Emergency Coordinator will:

- Notify the fire department, if applicable (Section 8, Emergency Telephone Numbers);
- Assess the area and follow the procedures for fires, spills, or releases of toxic gases, fumes, or vapors;
- Determine nature of chemical risks;
- Assess danger of explosion and further ignition;
- Determine and remove the source of the explosion, to the extent possible;
- Remove sources of ignition, to the extent possible;
- Order a controlled and orderly shutdown of operations affected by the potential or actual explosion, as appropriate;
- Monitor operations which were shut down in response to the emergency for build-up of pressure, leaks, ruptures, etc.; and
- Assess the potential or actual explosion and consequences relative to facility response equipment to determine if outside help is needed.

Upon resolution of the explosion, the Emergency Coordinator will:

- Initiate actions for the clean-up and decontamination of the site;
- Initiate actions for the clean-up, inspection, and/or replacement of the emergency equipment used to respond to the emergency; and
- Provide for the characterization, treatment, storage, or disposal of the wastes and any contaminated debris, water, and soil generated by the explosion.

Operations will not be resumed in affected area(s) of the facility until all facility emergency equipment listed in this Plan is present, in good condition, and ready for use.

6.4. Transfer Operations Spill

Any employee discovering an actual or potential transfer operations spill will:

- Take immediate action to safely prevent or contain the spill; and
- Notify the Supervisor on duty immediately.

The Supervisor will:

- Determine source of spill;
- Determine the type of material(s) spilled;
- Take immediate action to safely prevent or contain the spill;
- Remove sources of ignition;
- Remove incompatible materials from the immediate area, to the extent possible; and
- Notify the Emergency Coordinator, as appropriate.

The Emergency Coordinator will:

- Assess the situation as described in Section 5, Implementation, to determine if the Contingency Plan will be implemented.
- Solicit assistance from a qualified employee, such as a trained Field Chemist, to assist in managing the spill response.

If the Plan is to be implemented, (as described in Section 5 upon evacuation of the facility) the Emergency Coordinator will:

- Evacuate facility following procedures set out in Section 7, Evacuation Plan;
- Assess the area for potential sources of explosion or ignition;
- Determine nature of chemical risks;
- Remove incompatible materials from the immediate area, to the extent possible;
- Order a controlled and orderly shutdown of operations affected by the potential or actual spill, as appropriate;
- Monitor operations which were shut down in response to the emergency for build-up of pressure, leaks, ruptures, etc.;
- Assess the spill and facility response equipment to determine if outside help is needed;
- Ensure all connections between the containers and tank truck have been closed (e.g., valves and pumps);
- Direct the removal of any potentially incompatible materials from the immediate area, to the extent possible;

- Assess the spill and facility response equipment to determine if outside help is needed (Section 8, Emergency Telephone Numbers);
- Attempt to transfer material to a second compatible tank truck, if appropriate;
- Move tank truck as necessary to facilitate spill response efforts; and
- Monitor area of spill to ensure that released materials are not escaping the containment area.

Upon containment of the spill, the Emergency Coordinator will:

- Initiate actions for the clean-up and decontamination of the affected area;
- Initiate actions for the clean-up, inspection, and/or replacement of the emergency equipment used to respond to the emergency; and
- Provide for the characterization, treatment, storage, or disposal of the wastes and any contaminated debris, water, and soil generated by the spill. If there was any accumulated rainwater in the containment area at the time of the spill, the rainwater will be evaluated in accordance with the Guidelines for Storm Water Inspections documented in the facility Storm Water Pollution Prevention Plan.

Operations will not be resumed in the affected area of the facility until all facility emergency equipment listed in this Plan is present, in good condition, and ready for use.

6.5. Container Leaks and/or Spills

Hazardous waste container storage is conducted indoors in the Central Container Storage Area, the East Container Storage Area, and the Lab Depack Area. Containers may be stored outdoors in the Hazardous Roll-off Storage Area, the Dock and Van Container Storage Area, and the Bulk Loading Area (Tanker and Rail). Any wastes that Heritage can treat or store on-site may be present in containers on-site.

Any employee discovering an actual or potential container spill will:

Take immediate action in accordance with the facility Standard Operating Procedure (SOP) for managing container spills to safely prevent or contain the spill (e.g., rotate the container); and

- Notify the Supervisor on duty immediately.

The Supervisor will:

- Determine source of spill;
- Determine the type of material(s) spilled;
- Remove sources of ignition, to the extent possible;
- Remove incompatible materials from the immediate area, to the extent possible;
- Take immediate action to safely prevent or contain the spill; and
- Notify the Emergency Coordinator, as appropriate.

The Emergency Coordinator will:

- Assess the situation as described in Section 5, Implementation, to determine if the Contingency Plan will be implemented.
- Solicit assistance from a qualified employee, such as a trained Field Chemist, to assist in managing the spill response.

If the Plan is to be implemented, (as described in Section 5 upon evacuation of the facility)

the Emergency Coordinator will:

- Evacuate facility following procedures set out in Section 7, Evacuation Plan;
- Assess the area for potential sources of explosion or ignition;
- Determine nature of chemical risks;
- Remove incompatible materials from the immediate area, to the extent possible;
- Order a controlled and orderly shutdown of operations that would be affected by the potential or actual spill, as appropriate;
- Monitor operations which were shut down in response to the emergency situation for build-up of pressure, leaks, ruptures, etc.;
- Direct the removal of any potentially incompatible materials from the immediate area, to the extent possible;
- Assess the spill and facility response equipment to determine if outside help is needed; and
- Monitor area of spill to ensure that released materials are not escaping from the containment area.

Upon containment of the spill, the Emergency Coordinator will:

- Initiate actions for the clean-up and decontamination of the affected area;
- Initiate actions for the clean-up, inspection and/or replacement of the emergency equipment used to respond to the emergency; and
- Provide for the characterization, treatment, storage, or disposal of the wastes and any contaminated debris, water, and soil generated by the spill. If there was any accumulated rainwater in the containment area at the time of the spill, the rainwater will be evaluated in accordance with the Guidelines for Storm Water Inspections documented in the facility Storm Water Pollution Prevention Plan.

Operations will not be resumed in the affected area of the facility until all facility emergency equipment listed in this Plan is present, in good condition, and ready for use.

6.6. Toxic Vapors, Gases, or Fumes

When it is determined, either by visual observation or olfactory sensation, that an incident involving toxic vapors, gases, or fumes may exist, an employee will:

- Notify his Supervisor.

The Supervisor will:

- Conduct a cursory survey of the area;
- Evacuate the affected area, as determined necessary;
- Remove sources of ignition, if applicable;
- Notify the Emergency Coordinator, as appropriate.

The Emergency Coordinator will:

- Assess the situation as described in Section 5, Implementation, to determine if the Contingency Plan will be implemented.

If the Plan is implemented, (as described in Section 5 upon evacuation of the facility) the Emergency Coordinator will:

- Evacuate the facility, following procedures set out in Section 7, Evacuation Plan;
- Determine nature of chemical risks;
- Notify the fire department, if applicable (Section 8 Emergency Telephone Numbers)
- Assess the area for danger of explosion or ignition;
- Order a controlled and orderly shutdown of operations in areas where employees would be affected by the potential or actual toxic vapors, gases, or fumes, as appropriate;
- Conduct real-time air quality monitoring for pertinent chemicals or properties to determine the need to notify or evacuate areas of the surrounding community;
- Monitor operations which were shut down in response to the emergency for build-up of pressure, leaks, ruptures, etc.;
- Take steps to contain the release of toxic vapors, gases, or fumes, such as controlled shut down of operations that are the source of the vapors, gases, or fumes;
- Remove potentially incompatible materials from the immediate area, to the extent possible
- Assess facility response equipment to determine if outside help is needed; and
- Determine if addition of chemicals would control the unwanted reactions releasing vapors, gases, or fumes.

Upon cessation of the release of the toxic vapors, gases, or fumes, the Emergency Coordinator will:

- Initiate actions for the clean-up and decontamination of the affected area;
- Initiate actions for the clean-up, inspection, and/or replacement of the emergency equipment used to respond to the emergency; and
- Provide for the characterization, treatment, storage, or disposal of the wastes and any contaminated debris, water, and soil generated by the release.

Operations will not be resumed in the affected area of the facility until all facility emergency equipment listed in this Plan is present, in good condition, and ready for use.

**TABLE E-2
SUMMARY OF PERMANENT REAL-TIME MONITORS**

Monitor/ Alarm Type	Activation	Alarm Type	Location
Pull Fire Alarm	Employee grabs the handle and slides it straight down in a single, firm motion.	Shrill beeping noise at facility and electronic notification to alarm monitoring firm.	Throughout the facility.
Smoke Fire Sensors	Alarm sounds when smoke is detected.	Shrill beeping noise and white strobe light and notification to alarm monitoring firm.	Throughout the facility.
Heat Detection Devices	Alarm sounds when excessive heat is detected.	Shrill beeping noise and white strobe light and notification to alarm monitoring firm.	Dock and Van Container Storage Area, Tanker Loading Area.

7. EVACUATION PLAN

The Emergency Response Team (ERT) will provide the Emergency Coordinator with assistance in facility evacuation. The ERT is described in Section 9 of this Plan, and the ERT training is outlined in the Personnel Training Plan. If the Emergency Coordinator determines that the facility will be evacuated, the Emergency coordinator will:

- Open all personnel and vehicle gates;
- Determine wind direction. Windsocks are located on facility grounds.
- Alert personnel of evacuation via the paging system and/or air horns. One long blast indicates a plant evacuation. An example announcement follows:

"Attention all personnel, evacuate the building through the [north and south] exit(s), closest to your location. Proceed across street or to rail car guard shack."

The statement directing personnel to specific exit(s) will be dependent upon the possibility of airborne contamination and the wind direction. In the event that the telephone paging system does not work, the facility evacuation alarm will be used.

An evacuation route plan is included in Figure E-2 in Appendix E-A.

Level I ERT members, Office staff, contractors, truck drivers, and visitors will:

- Evacuate the building as directed and close all exterior doors and the fire door between the drum storage area and office area;
- Proceed to rally points designated during the announcement; and
- Leave the designated rally point only with explicit Emergency Coordinator approval.

Level II ERT members will:

- Check all areas to ensure all personnel, contractors, truck drivers, and visitors are aware of the evacuation;
- Conduct rollcall at rally points to account for all plant personnel, office staff, contractors, truck drivers, and visitors;
- Notify Emergency Coordinator if anyone is not accounted for;
- Allow facility access to emergency personnel and vehicles only; and
- Leave the property only with explicit Emergency Coordinator approval.

Level III ERT members will:

- Conduct rollcall to account for all Level III ERT members; and
- Follow Emergency Coordinator's directions to respond to imminent or actual emergency situation.

Upon resolution of the emergency situation, the Emergency Coordinator will:

- Signal that the evacuation is over.

The Facility Environmental Compliance Manager maintains a list that specifies the names of the employees and their ERT levels.

8. EMERGENCY TELEPHONE NUMBERS

Ambulance*	911/520-836-0208
Coolidge Fire Department.....	911/520-723-5311
Pinal County Sheriff's Department	911/520-866-5111
Coolidge Police Department	911/520-723-5311
Pinal County Local Emergency Planning Committee	911/520-868-6684
National Response Center	800-424-8802
Banner Casa Grande Occupational Health.....	520-381-6791
Banner Casa Grande Medical Center	520-381-6300
Johnson Controls Security Solutions	800-289-2647, Press 3 (for Data Monitoring Center)
Arizona Department of Public Safety.....	800-641-5005
Arizona Department of Environmental Quality	602 771-2330 or 800-234-5677
Chemtrec.....	800-424-9300

* Casa Grande Non-Emergency Dispatch: 520/421-8700; Glendale Non-Emergency Dispatch: 602/267-8991

9. EMERGENCY RESPONSE TEAM

9.1. Purpose

The purpose of the Emergency Response Team (ERT) is to perform rescue of injured personnel, control fires and releases, and assist outside agencies. The ERT will respond to emergencies, accept direction of the Emergency Coordinator if the Contingency Plan is implemented, and participate in follow-up activities.

9.2. Levels of Training

Level I ERT members receive the training required by their job description (see Personnel Training Plan). The Level II and Level III responders receive additional training and take on additional responsibilities. The additional training and responsibilities of ERT responders are addressed in the Personnel Training Plan.

10. ARRANGEMENTS WITH LOCAL AUTHORITIES

Appendix E-C includes the most recent letters sent to the local police departments, fire department, hospital, contractor, and State and local emergency response teams. The following institutions may be called upon to provide emergency services:

- Johnson Controls Security Solutions;
- Coolidge Police Department;
- Pinal County Sheriff's Department;
- Arizona Department of Public Safety;
- Coolidge Fire Department;
- Banner Casa Grande Medical Center;
- Banner Casa Grande Occupational Health;
- Kary Environmental Services, Inc.; and
- Pinal County Local Emergency Planning Committee c/o Pinal County Office of Emergency Management.

In addition to providing the Medical Center with a current copy of this Contingency Plan, a meeting to familiarize the Medical Center staff with the properties of hazardous waste handled at the facility and the types of injuries or illnesses which could result from incidents at the facility will be requested on an annual basis.

In the event that a local authority declines the request to be available to provide emergency services, the refusal will be documented in the facility operating record.

A copy of the current inventory list of hazardous wastes is maintained at the main access gate for use by emergency response agencies. The inventory list is updated on a weekly basis. The inventory report is updated within 24 hours of when a bulk rail car is full. The report includes a specific section of the report for the Bulk Loading Area (Tanker and Rail) that provides information concerning the location of the Bulk Loading Area (Tanker and Rail) as well as the specified types of hazardous waste and the volume stored.

11. EMERGENCY EQUIPMENT

Appendix E-D contains a list of emergency equipment on-site available to respond to an imminent or actual emergency situation; equipment locations are shown in Figure E-2 in Appendix E-A. Emergency equipment will be inspected weekly, as well as after use, to ensure that it is cleaned and fit for its intended use. New or updated equipment may be purchased and installed as it becomes available. Equipment may be replaced with functionally equivalent equipment.

APPENDIX E-A

Figure E-1 Facility Drawing

Figure E-2 Emergency Evacuation Plan and Equipment Locations

FIGURE E-1




FIGURE E-1

	<table border="1"> <thead> <tr> <th>Line No.</th> <th>Process Code</th> <th>Container Storage Area</th> <th>Dimensions</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>S01</td> <td>Area 800 Central Container Storage Area</td> <td>(100 ft. x 100 ft.)</td> </tr> <tr> <td>2</td> <td>S01</td> <td>Area 300 Rolloff Container Storage Area</td> <td>(80 ft. x 80 ft.)</td> </tr> <tr> <td>3</td> <td>S01</td> <td>Area 500 East Container Storage Area</td> <td>(55 ft. x 44 ft.)</td> </tr> <tr> <td>4</td> <td>S01</td> <td>Lab Depack Area</td> <td>(27 ft. x 31 ft.)</td> </tr> <tr> <td>5</td> <td>S01</td> <td>Area 100 Dock and Van Container Storage Area</td> <td>(100 ft. x 80 ft.)</td> </tr> <tr> <td>6</td> <td>S01</td> <td>Area 800 800 Area Container Storage</td> <td>(120 ft. x 76 ft.)</td> </tr> <tr> <td>7</td> <td>S01</td> <td>Area 300 Bulk Loading Area (Tanker and Rail)</td> <td>(31 ft. x 113 ft.)</td> </tr> <tr> <td>10</td> <td>T04</td> <td>Area 300 Rolloff Container Storage Area</td> <td>(80 ft. x 80 ft.)</td> </tr> </tbody> </table>	Line No.	Process Code	Container Storage Area	Dimensions	1	S01	Area 800 Central Container Storage Area	(100 ft. x 100 ft.)	2	S01	Area 300 Rolloff Container Storage Area	(80 ft. x 80 ft.)	3	S01	Area 500 East Container Storage Area	(55 ft. x 44 ft.)	4	S01	Lab Depack Area	(27 ft. x 31 ft.)	5	S01	Area 100 Dock and Van Container Storage Area	(100 ft. x 80 ft.)	6	S01	Area 800 800 Area Container Storage	(120 ft. x 76 ft.)	7	S01	Area 300 Bulk Loading Area (Tanker and Rail)	(31 ft. x 113 ft.)	10	T04	Area 300 Rolloff Container Storage Area	(80 ft. x 80 ft.)	<table border="1"> <tr> <td>DRAWN BY: RSC</td> <td>DATE: 5-4-2015</td> <td></td> </tr> <tr> <td>APP. BY: MEW</td> <td>SCALE: 1" = 200'</td> <td>DWG. NO. AZC1301C0070</td> </tr> </table>	DRAWN BY: RSC	DATE: 5-4-2015		APP. BY: MEW	SCALE: 1" = 200'	DWG. NO. AZC1301C0070	<p>HERITAGE ENVIRONMENTAL SERVICES, LLC COOLIDGE, ARIZONA</p>
	Line No.	Process Code	Container Storage Area	Dimensions																																									
1	S01	Area 800 Central Container Storage Area	(100 ft. x 100 ft.)																																										
2	S01	Area 300 Rolloff Container Storage Area	(80 ft. x 80 ft.)																																										
3	S01	Area 500 East Container Storage Area	(55 ft. x 44 ft.)																																										
4	S01	Lab Depack Area	(27 ft. x 31 ft.)																																										
5	S01	Area 100 Dock and Van Container Storage Area	(100 ft. x 80 ft.)																																										
6	S01	Area 800 800 Area Container Storage	(120 ft. x 76 ft.)																																										
7	S01	Area 300 Bulk Loading Area (Tanker and Rail)	(31 ft. x 113 ft.)																																										
10	T04	Area 300 Rolloff Container Storage Area	(80 ft. x 80 ft.)																																										
DRAWN BY: RSC	DATE: 5-4-2015																																												
APP. BY: MEW	SCALE: 1" = 200'	DWG. NO. AZC1301C0070																																											
<p>HERITAGE ENVIRONMENTAL SERVICES, LLC INDIANAPOLIS, INDIANA</p>		<p>FACILITY DRAWING</p>																																											

FIGURE E-2





FIGURE E-2

Line No.	Process Code	Container Storage Area	Dimensions
1	S01	Area 600 Central Container Storage Area	(100 ft. x 100 ft.)
2	S01	Area 300 Rolloff Container Storage Area	(80 ft. x 80 ft.)
3	S01	Area 500 East Container Storage Area	(35 ft. x 44 ft.)
4	S01	Lab Depack Area	(27 ft. x 31 ft.)
5	S01	Area 100 Dock and Van Container Storage Area	(100 ft. x 60 ft.)
6	S01	Area 800 800 Area Container Storage	(120 ft. x 76 ft.)
7,8,9	S01/T04	Bulk Loading Area (Tanker and Rail)	(31 ft. x 113 ft.)
10	T04	Area 300 Rolloff Container Storage Area	(80 ft. x 80 ft.)

DRAWN BY: RSC	DATE: 09-25-2023	PROJ. NO.
APP. BY: MEW	SCALE: AS SHOWN	DWG. NO. AZC1301C0086

HERITAGE ENVIRONMENTAL SERVICES, LLC INDIANAPOLIS, INDIANA		HERITAGE ENVIRONMENTAL SERVICES, LLC COOLIDGE, ARIZONA
EMERGENCY EVACUATION PLAN & EQUIPMENT LOCATIONS		



APPENDIX E-B

LIST OF EMERGENCY COORDINATORS

LIST OF EMERGENCY COORDINATORS

Primary Contact:

Andrea Chase	Plant Manager
Office Phone:	(520) 723-4167
Cell Phone:	(520) 233-4807
Home Address:	622 W. Enchanted Desert Drive Casa Grande, AZ 85122

Alternate Contact:

Angelica Oliva	Plant Compliance Manager
Office Phone:	(520) 723-4167
Cell Phone:	(708) 761-0392
Home Address:	1351 E. Racine Drive Casa Grande, Arizona 85122

Arizona Department of Environmental Quality (ADEQ) Emergency Response Duty Office:

1-800-234-5677

APPENDIX E-C

ARRANGEMENTS WITH LOCAL AUTHORITIES

The following pages include copies of the most recent letters sent to the local police departments, fire department, hospital, contractor, and State and local emergency response teams. These institutions may be called upon to provide emergency response services:

- Johnson Controls Security Solutions (Contact = William Cordray);
- Coolidge Police Department (Communication Department);
- Pinal County Sheriff's Department (Sheriff Mark Lamb);
- Arizona Department of Public Safety;
- Coolidge Fire Department (Fire Chief Mark Dillon);
- Banner Casa Grande Medical Center;
- Banner Casa Grande Occupational Health (Nicole Ramos);
- Kary Environmental Services, Inc. (Jeff Kary); and
- Pinal County Local Emergency Planning Committee c/o Pinal County Office of Emergency Management (Charles Kmet).

7901 West Morris Street



Indianapolis, Indiana 46231

VIA CERTIFIED MAIL - RETURN RECEIPT
ARTICLE NUMBER: 7022 1670 0001 8930 6888

April 26, 2023

Ms. Nicole Ramos, RMA
Case Management Coordinator
Banner Casa Grande Occupational Health
1676 E. McMurray Blvd., Suite 2
Casa Grande, AZ 85122

**Re: Contingency Plan Revision for
Heritage Environmental Services, LLC**

Dear Ms. Ramos:

The purpose of this letter is to provide an updated Contingency Plan for the Heritage Environmental Services, LLC ("Heritage") facility located at 284 East Storey Road in Coolidge, Arizona. The Contingency Plan outlines our emergency response procedures. Heritage is required by federal and state regulations as well as our RCRA Part B permit issued by the Arizona Department of Environmental Quality to provide you with an up-to-date copy of the Contingency Plan.

Heritage recently completed a revision of the Contingency Plan for our facility by updating the contact information for the list of emergency coordinators who may be called upon to provide emergency services. We have enclosed a copy of the most recent version of the Contingency Plan for the facility with the revision date shown at the top of the page. Please discard any earlier versions of the Plan that are in your possession and retain the enclosed document.

Thank you for your cooperation in this matter. Please contact Angelica Oliva, our Facility Compliance Manager, at (520) 723-4167 or me at (317) 407-1003 if you have any questions regarding this letter or the information contained in the Contingency Plan.

Yours truly,

HERITAGE ENVIRONMENTAL SERVICES, LLC

A handwritten signature in blue ink that reads "Michael Wertz".

Michael Wertz
Program Manager, Corporate Compliance

Enclosure

heritage-enviro.com



877-436-8778

7022 1670 0001 8930 6888

**U.S. Postal Service™
 CERTIFIED MAIL® RECEIPT**
 Domestic Mail Only

For delivery information, visit our website at www.usps.com®.

Heritage
OFFICIAL USE

Certified Mail Fee \$ **4.15**

Extra Services & Fees (check box, add amount)

Return Receipt (hardcopy) \$ **3.35**

Return Receipt (electronic) \$ _____

Certified Mail Restricted Delivery \$ _____

Adult Signature Required \$ _____

Adult Signature Restricted Delivery \$ _____

Postage \$ **4.14**

Total Postage \$ **11.64**

Sent To: Ms. Nicole Ramos, RMA
 Case Management Coordinator
 Banner Casa Grande Occupational Health
 Street or PO Box: 1676 E. McMurray Blvd., Suite 2
 City, State, ZIP+4®: Casa Grande, AZ 85122

PS Form 3811, April 2015 PSN 7530-02-000-9053

SENDER: COMPLETE THIS SECTION

- Complete items 1, 2, and 3.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:
 Ms. Nicole Ramos, RMA
 Case Management Coordinator
 Banner Casa Grande Occupational Health
 1676 E. McMurray Blvd., Suite 2
 Casa Grande, AZ 85122

2. Article Number (Transfer from service label)
 7022 1670 0001 8930 6888

COMPLETE THIS SECTION ON DELIVERY

A. Signature: *[Signature]* Agent Addressee

B. Received by (Printed Name): *N. Ramos*

C. Date of Delivery: *5-1-25*

D. Is delivery address different from item 1? Yes No
 If YES, enter delivery address below:

3. Service Type

Adult Signature
 Adult Signature Restricted Delivery
 Certified Mail®
 Certified Mail Restricted Delivery
 Collect on Delivery
 Collect on Delivery Restricted Delivery
 Insured Mail
 Insured Mail Restricted Delivery (over \$500)

Priority Mail Express®
 Registered Mail™
 Registered Mail Restricted Delivery
 Return Receipt for Merchandise
 Signature Confirmation™
 Signature Confirmation Restricted Delivery

Domestic Return Receipt

PS Form 3811, April 2015 PSN 7530-02-000-9053

7901 West Morris Street



Indianapolis, Indiana 46231

VIA CERTIFIED MAIL - RETURN RECEIPT
ARTICLE NUMBER: 7022 1670 0001 8930 6895

April 26, 2023

Banner Casa Grande Medical Center
1800 East Florence Boulevard
Casa Grande, AZ 85122

**Re: Contingency Plan Revision for
Heritage Environmental Services, LLC**

To Whom It May Concern:

The purpose of this letter is to provide an updated Contingency Plan for the Heritage Environmental Services, LLC ("Heritage") facility located at 284 East Storey Road in Coolidge, Arizona. The Contingency Plan outlines our emergency response procedures. Heritage is required by federal and state regulations as well as our RCRA Part B permit issued by the Arizona Department of Environmental Quality to provide you with an up-to-date copy of the Contingency Plan.

Heritage recently completed a revision of the Contingency Plan for our facility by updating the contact information for the list of emergency coordinators who may be called upon to provide emergency services. We have enclosed a copy of the most recent version of the Contingency Plan for the facility with the revision date shown at the top of the page. Please discard any earlier versions of the Plan that are in your possession and retain the enclosed document.

Thank you for your cooperation in this matter. Please contact Angelica Oliva, our Facility Compliance Manager, at (520) 723-4167 or me at (317) 407-1003 if you have any questions regarding this letter or the information contained in the Contingency Plan.

Yours truly,

HERITAGE ENVIRONMENTAL SERVICES, LLC

A handwritten signature in blue ink that reads "Michael Wertz".

Michael Wertz
Program Manager, Corporate Compliance

Enclosure

23MW2018_0

heritage-enviro.com



877-436-8778

U.S. Postal Service™
CERTIFIED MAIL® RECEIPT
 Domestic Mail Only

For delivery information, visit our website at www.usps.com®.

Heritage

Certified Mail Fee \$ 4.15

Extra Services & Fees (check box, add fee to postage)
 Return Receipt (hardcopy) \$ 3.35
 Return Receipt (electronic) \$ _____
 Certified Mail Restricted Delivery \$ _____
 Adult Signature Required \$ _____
 Adult Signature Restricted Delivery \$ _____

Postage \$ 4.14

Total Post \$ 11.64

Sent To **Banner Casa Grande Medical Center**
 1800 East Florence Boulevard
 Casa Grande, AZ 85122

PS Form 3811, April 2015 PSN 7530-02-000-9053

SENDER: COMPLETE THIS SECTION	COMPLETE THIS SECTION ON DELIVERY
<ul style="list-style-type: none"> Complete items 1, 2, and 3. Print your name and address on the reverse so that we can return the card to you. Attach this card to the back of the mailpiece, or on the front if space permits. 	<p>A. Signature <input checked="" type="checkbox"/> Agent <input type="checkbox"/> Addressee</p> <p>B. Received by (Printed Name) <u>Laura, Smith</u> C. Date of Delivery <u>5-1-25</u></p> <p>D. Is delivery address different from item 1? <input type="checkbox"/> Yes If YES, enter delivery address below: <u>NO</u></p>
<p>1. Article Addressed to:</p> <p>Banner Casa Grande Medical Center 1800 East Florence Boulevard Casa Grande, AZ 85122</p>	<p>3. Service Type</p> <p><input type="checkbox"/> Adult Signature <input type="checkbox"/> Priority Mail Express® <input type="checkbox"/> Adult Signature Restricted Delivery <input type="checkbox"/> Registered Mail™ <input checked="" type="checkbox"/> Certified Mail® <input type="checkbox"/> Registered Mail Restricted Delivery <input type="checkbox"/> Certified Mail Restricted Delivery <input checked="" type="checkbox"/> Return Receipt for Merchandise <input type="checkbox"/> Collect on Delivery <input type="checkbox"/> Signature Confirmation™ <input type="checkbox"/> Collect on Delivery Restricted Delivery <input type="checkbox"/> Signature Confirmation Restricted Delivery <input type="checkbox"/> Insured Mail <input type="checkbox"/> Signature Confirmation Restricted Delivery <input type="checkbox"/> Insured Mail Restricted Delivery (over \$500)</p>
<p>2. Article Number (Transfer from service label)</p> <p><u>7022 1670 0001 8930 6895</u></p>	
<p>9590 9401 0025 5168 9860 27</p>	
PS Form 3811, April 2015 PSN 7530-02-000-9053	Domestic Return Receipt

7901 West Morris Street



Indianapolis, Indiana 46231

VIA CERTIFIED MAIL - RETURN RECEIPT
ARTICLE NUMBER: 7022 1670 0001 8930 6901

April 26, 2023

Sheriff Mark Lamb
Pinal County Sheriff's Office
971 Jason Lopez Circle, Building C
Florence, AZ 85132

**Re: Contingency Plan Revision for
Heritage Environmental Services, LLC**

Dear Sheriff Lamb:

The purpose of this letter is to provide an updated Contingency Plan for the Heritage Environmental Services, LLC ("Heritage") facility located at 284 East Storey Road in Coolidge, Arizona. The Contingency Plan outlines our emergency response procedures. Heritage is required by federal and state regulations as well as our RCRA Part B permit issued by the Arizona Department of Environmental Quality to provide you with an up-to-date copy of the Contingency Plan.

Heritage recently completed a revision of the Contingency Plan for our facility by updating the contact information for the list of emergency coordinators who may be called upon to provide emergency services. We have enclosed a copy of the most recent version of the Contingency Plan for the facility with the revision date shown at the top of the page. Please discard any earlier versions of the Plan that are in your possession and retain the enclosed document.

Thank you for your cooperation in this matter. Please contact Angelica Oliva, our Facility Compliance Manager, at (520) 723-4167 or me at (317) 407-1003 if you have any questions regarding this letter or the information contained in the Contingency Plan.

Yours truly,

HERITAGE ENVIRONMENTAL SERVICES, LLC

A handwritten signature in blue ink that reads "Michael Wertz".

Michael Wertz
Program Manager, Corporate Compliance

Enclosure

23MW2018_O

heritage-enviro.com



877-436-8778

**U.S. Postal Service™
 CERTIFIED MAIL® RECEIPT**
 Domestic Mail Only

For delivery information, visit our website at www.usps.com®.

Heritage USE

Certified Mail Fee \$ 4.15

Extra Services & Fees (check box, add fee as appropriate)

Return Receipt (hardcopy) \$ 3.55

Return Receipt (electronic) \$

Certified Mail Restricted Delivery \$

Adult Signature Required \$ 1.64

Adult Signature Restricted Delivery \$

Postage \$ 4.14

Total Post \$ 11.64

Postmark Here AVR 26 2023

Sent To **Sheriff Mark Lamb**
Pinal County Sheriff's Office
 Street and **971 Jason Lopez Circle, Building C**
 City, State **Florence, AZ 85132**

PS Form 3811, April 2015 PSN 7530-02-000-9053

SENDER: COMPLETE THIS SECTION	COMPLETE THIS SECTION ON DELIVERY
<ul style="list-style-type: none"> Complete items 1, 2, and 3. Print your name and address on the reverse so that we can return the card to you. Attach this card to the back of the mailpiece, or on the front if space permits. 	<p>A. Signature <u>[Signature]</u> <input checked="" type="checkbox"/> Agent <input checked="" type="checkbox"/> Addressee</p> <p>B. Received by (Printed Name) <u>J. ALLEN</u> C. Date of Delivery <u>5/1/2023</u></p> <p>D. Is delivery address different from item 1? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If YES, enter delivery address below:</p>
<p>1. Article Addressed to:</p> <p>Sheriff Mark Lamb Pinal County Sheriff's Office 971 Jason Lopez Circle, Building C Florence, AZ 85132</p>	<p>3. Service Type</p> <p><input type="checkbox"/> Adult Signature <input type="checkbox"/> Priority Mail Express®</p> <p><input type="checkbox"/> Adult Signature Restricted Delivery <input type="checkbox"/> Registered Mail™</p> <p><input checked="" type="checkbox"/> Certified Mail® <input type="checkbox"/> Registered Mail Restricted Delivery</p> <p><input type="checkbox"/> Certified Mail Restricted Delivery <input checked="" type="checkbox"/> Return Receipt for Merchandise</p> <p><input type="checkbox"/> Collect on Delivery <input type="checkbox"/> Signature Confirmation™</p> <p><input type="checkbox"/> Insured Mail <input type="checkbox"/> Signature Confirmation Restricted Delivery</p> <p><input type="checkbox"/> Insured Mail Restricted Delivery (over \$500)</p>
<p>2. Article Number (Transfer from service label)</p> <p><u>9590 9401 0025 5168 9860 34</u></p> <p><u>7022 1670 0001 8930 6901</u></p>	<p>PS Form 3811, April 2015 PSN 7530-02-000-9053</p> <p>Domestic Return Receipt</p>

7901 West Morris Street



Indianapolis, Indiana 46231

VIA CERTIFIED MAIL - RETURN RECEIPT
ARTICLE NUMBER: 7022 1670 0001 8930 6918

April 26, 2023

Mr. Jeff Kary
Kary Environmental Services, Inc.
641 S. Drew Street
Mesa, AZ 85210

**Re: Contingency Plan Revision for
Heritage Environmental Services, LLC**

Dear Mr. Kary:

The purpose of this letter is to provide an updated Contingency Plan for the Heritage Environmental Services, LLC ("Heritage") facility located at 284 East Storey Road in Coolidge, Arizona. The Contingency Plan outlines our emergency response procedures. Heritage is required by federal and state regulations as well as our RCRA Part B permit issued by the Arizona Department of Environmental Quality to provide you with an up-to-date copy of the Contingency Plan.

Heritage recently completed a revision of the Contingency Plan for our facility by updating the contact information for the list of emergency coordinators who may be called upon to provide emergency services. We have enclosed a copy of the most recent version of the Contingency Plan for the facility with the revision date shown at the top of the page. Please discard any earlier versions of the Plan that are in your possession and retain the enclosed document.

Thank you for your cooperation in this matter. Please contact Angelica Oliva, our Facility Compliance Manager, at (520) 723-4167 or me at (317) 407-1003 if you have any questions regarding this letter or the information contained in the Contingency Plan.

Yours truly,

HERITAGE ENVIRONMENTAL SERVICES, LLC

A handwritten signature in blue ink that reads "Michael Wertz".

Michael Wertz
Program Manager, Corporate Compliance

Enclosure

23MW2018_O

heritage-enviro.com



877-436-8778

U.S. Postal Service™
CERTIFIED MAIL® RECEIPT
 Domestic Mail Only

For delivery information, visit our website at www.usps.com®

HERITAGE ENVIRONMENTAL SERVICES

Certified Mail Fee \$ 4.15

Extra Services & Fees (check box, add fees to postage)

Return Receipt (hardcopy) \$ 2.55

Return Receipt (electronic) \$ _____

Certified Mail Restricted Delivery \$ _____

Adult Signature Required \$ _____

Adult Signature Restricted Delivery \$ _____

Postage \$ 4.14

Total Postage \$ 11.64

Sent To **Mr. Jeff Kary**
Kary Environmental Services, Inc.
641 S. Drew Street
Mesa, AZ 85210

Postmark Here: **MESA, AZ APR 26 2023**

PS Form 3811, April 2015 PSN 7530-02-000-9053

SENDER: COMPLETE THIS SECTION	COMPLETE THIS SECTION ON DELIVERY
<ul style="list-style-type: none"> Complete items 1, 2, and 3. Print your name and address on the reverse so that we can return the card to you. Attach this card to the back of the mailpiece, or on the front if space permits. 	<p>A. Signature <input checked="" type="checkbox"/> <i>Mr. Jeff Kary</i> <input type="checkbox"/> Agent <input type="checkbox"/> Addressee</p> <p>B. Received by (Printed Name) <i>Deane Baker</i> C. Date of Delivery <i>5/1/23</i></p> <p>D. Is delivery address different from item 1? <input type="checkbox"/> Yes If YES, enter delivery address below: <input type="checkbox"/> No</p>
<p>1. Article Addressed to:</p> <p>Mr. Jeff Kary Kary Environmental Services, Inc. 641 S. Drew Street Mesa, AZ 85210</p>	<p>3. Service Type</p> <p><input type="checkbox"/> Adult Signature <input type="checkbox"/> Priority Mail Express®</p> <p><input type="checkbox"/> Adult Signature Restricted Delivery <input type="checkbox"/> Registered Mail™</p> <p><input checked="" type="checkbox"/> Certified Mail® <input type="checkbox"/> Registered Mail Restricted Delivery</p> <p><input type="checkbox"/> Certified Mail Restricted Delivery <input checked="" type="checkbox"/> Return Receipt for Merchandise</p> <p><input type="checkbox"/> Collect on Delivery <input type="checkbox"/> Signature Confirmation™</p> <p><input type="checkbox"/> Collect on Delivery Restricted Delivery <input type="checkbox"/> Signature Confirmation Restricted Delivery</p> <p><input type="checkbox"/> Insured Mail <input type="checkbox"/> Signature Confirmation Restricted Delivery (over \$500)</p>
<p>2. Article Number (Transfer from service label)</p> <p>7022 1670 0001 8930 6918</p>	<p>Barcode: 9590 9401 0025 5168 9860 41</p>
<p>PS Form 3811, April 2015 PSN 7530-02-000-9053</p>	<p>Domestic Return Receipt</p>

7901 West Morris Street



Indianapolis, Indiana 46231

VIA CERTIFIED MAIL - RETURN RECEIPT
ARTICLE NUMBER: 7022 1670 0001 8930 6925

April 26, 2023

Fire Chief Mark Dillon
City of Coolidge Fire Department
103 W. Pinkley Avenue
Coolidge, AZ 85128

**Re: Contingency Plan Revision for
Heritage Environmental Services, LLC**

Dear Fire Mark Dillon:

The purpose of this letter is to provide an updated Contingency Plan for the Heritage Environmental Services, LLC ("Heritage") facility located at 284 East Storey Road in Coolidge, Arizona. The Contingency Plan outlines our emergency response procedures. Heritage is required by federal and state regulations as well as our RCRA Part B permit issued by the Arizona Department of Environmental Quality to provide you with an up-to-date copy of the Contingency Plan.

Heritage recently completed a revision of the Contingency Plan for our facility by updating the contact information for the list of emergency coordinators who may be called upon to provide emergency services. We have enclosed a copy of the most recent version of the Contingency Plan for the facility with the revision date shown at the top of the page. Please discard any earlier versions of the Plan that are in your possession and retain the enclosed document.

Thank you for your cooperation in this matter. Please contact Angelica Oliva, our Facility Compliance Manager, at (520) 723-4167 or me at (317) 407-1003 if you have any questions regarding this letter or the information contained in the Contingency Plan.

Yours truly,

HERITAGE ENVIRONMENTAL SERVICES, LLC

A handwritten signature in blue ink that reads "Michael Wertz".

Michael Wertz
Program Manager, Corporate Compliance

Enclosure

23MW2018_O

heritage-enviro.com



877-436-8778

7022 1670 0001 8930 6925

**U.S. Postal Service™
 CERTIFIED MAIL® RECEIPT**
 Domestic Mail Only

For delivery information, visit our website at www.usps.com®.

Heritage

Certified Mail Fee \$ 4.14

Extra Services & Fees (check box, add fee to postage)

Return Receipt (hardcopy) \$ 3.55

Return Receipt (electronic) \$

Certified Mail Restricted Delivery \$

Adult Signature Required \$

Adult Signature Restricted Delivery \$

Postage \$ 4.14

Total P# \$ 11.64

Sent To **Fire Chief Mark Dillon**
City of Coolidge Fire Department
 Street # **103 W. Pinkley Avenue**
 City, St **Coolidge, AZ 85128**

Postmark Here **PR 26 2023**

PS Form 3811, April 2015 PSN 7530-02-000-9053

SENDER: COMPLETE THIS SECTION	COMPLETE THIS SECTION ON DELIVERY
<ul style="list-style-type: none"> Complete items 1, 2, and 3. Print your name and address on the reverse so that we can return the card to you. Attach this card to the back of the mailpiece, or on the front if space permits. 	<p>A. Signature <input checked="" type="checkbox"/> <i>Yasmeen Muthi</i> <input type="checkbox"/> Agent <input type="checkbox"/> Addressee</p> <p>B. Received by (Printed Name) Yasmeen Muthi C. Date of Delivery 5/1/23</p> <p>D. Is delivery address different from item 1? <input type="checkbox"/> Yes If YES, enter delivery address below: <input type="checkbox"/> No</p>
<p>1. Article Addressed to:</p> <p>Fire Chief Mark Dillon City of Coolidge Fire Department 103 W. Pinkley Avenue Coolidge, AZ 85128</p>	
<p>2. Article Number (Transfer from service label)</p> <p>7022 1670 0001 8930 6925</p>	
<p>3. Service Type</p> <p><input type="checkbox"/> Adult Signature</p> <p><input type="checkbox"/> Adult Signature Restricted Delivery</p> <p><input checked="" type="checkbox"/> Certified Mail®</p> <p><input type="checkbox"/> Certified Mail Restricted Delivery</p> <p><input type="checkbox"/> Collect on Delivery</p> <p><input type="checkbox"/> Collect on Delivery Restricted Delivery</p> <p><input type="checkbox"/> Insured Mail</p> <p><input type="checkbox"/> Insured Mail Restricted Delivery (over \$500)</p>	<p><input type="checkbox"/> Priority Mail Express®</p> <p><input type="checkbox"/> Registered Mail™</p> <p><input type="checkbox"/> Registered Mail Restricted Delivery</p> <p><input checked="" type="checkbox"/> Return Receipt for Merchandise</p> <p><input type="checkbox"/> Signature Confirmation™</p> <p><input type="checkbox"/> Signature Confirmation Restricted Delivery</p>
<p>9590 9403 0025 5168 9860 58</p>	
<p>PS Form 3811, April 2015 PSN 7530-02-000-9053</p>	<p>Domestic Return Receipt</p>

7901 West Morris Street



Indianapolis, Indiana 46231

VIA CERTIFIED MAIL - RETURN RECEIPT
ARTICLE NUMBER: 7022 1670 0001 8930 6932

April 26, 2023

Communications Department
City of Coolidge Police Department
110 W. Central Avenue
Coolidge, AZ 85128

**Re: Contingency Plan Revision for
Heritage Environmental Services, LLC**

To Whom It May Concern:

The purpose of this letter is to provide an updated Contingency Plan for the Heritage Environmental Services, LLC ("Heritage") facility located at 284 East Storey Road in Coolidge, Arizona. The Contingency Plan outlines our emergency response procedures. Heritage is required by federal and state regulations as well as our RCRA Part B permit issued by the Arizona Department of Environmental Quality to provide you with an up-to-date copy of the Contingency Plan.

Heritage recently completed a revision of the Contingency Plan for our facility by updating the contact information for the list of emergency coordinators who may be called upon to provide emergency services. We have enclosed a copy of the most recent version of the Contingency Plan for the facility with the revision date shown at the top of the page. Please discard any earlier versions of the Plan that are in your possession and retain the enclosed document.

Thank you for your cooperation in this matter. Please contact Angelica Oliva, our Facility Compliance Manager, at (520) 723-4167 or me at (317) 407-1003 if you have any questions regarding this letter or the information contained in the Contingency Plan.

Yours truly,

HERITAGE ENVIRONMENTAL SERVICES, LLC

A handwritten signature in blue ink that reads "Michael Wertz".

Michael Wertz
Program Manager, Corporate Compliance

Enclosure

23MW2018_O

heritage-enviro.com



877-436-8778

7022 1670 0001 8930 6932

**U.S. Postal Service™
 CERTIFIED MAIL® RECEIPT**
 Domestic Mail Only

For delivery information, visit our website at www.usps.com®.

HERITAGE ENVIRONMENTAL SERVICES

Certified Mail Fee \$ 4.15

Extra Services & Fees (check box, add fees as appropriate)

Return Receipt (hardcopy) \$ 3.35

Return Receipt (electronic) \$

Certified Mail Restricted Delivery \$

Adult Signature Required \$

Adult Signature Restricted Delivery \$

Postage \$ 4.14

Total P \$ 11.64

Sent To **Communications Department**

Street **City of Coolidge Police Department**

City, St **110 W. Central Avenue**
Coolidge, AZ 85128

Postmark Here **APR 26 2013**

SENDER: COMPLETE THIS SECTION	COMPLETE THIS SECTION ON DELIVERY
<ul style="list-style-type: none"> Complete items 1, 2, and 3. Print your name and address on the reverse so that we can return the card to you. Attach this card to the back of the mailpiece, or on the front if space permits. 	<p>A. Signature <i>Mariah Cochran</i> <input type="checkbox"/> Agent <input type="checkbox"/> Addressee</p> <p>B. Received by (Printed Name) Mariah Cochran</p> <p>C. Date of Delivery 5-1-23</p> <p>D. Is delivery address different from item 1? <input type="checkbox"/> Yes If YES, enter delivery address below: <input type="checkbox"/> No</p>
<p>1. Article Addressed to:</p> <p>Communications Department City of Coolidge Police Department 110 W. Central Avenue Coolidge, AZ 85128</p>	
<p>2. Article Number (Transfer from service label)</p> <p>7022 1670 0001 8930 6932</p>	
<p>3. Service Type</p> <p><input type="checkbox"/> Adult Signature</p> <p><input type="checkbox"/> Adult Signature Restricted Delivery</p> <p><input checked="" type="checkbox"/> Certified Mail®</p> <p><input type="checkbox"/> Certified Mail Restricted Delivery</p> <p><input type="checkbox"/> Collect on Delivery Restricted Delivery</p> <p><input type="checkbox"/> Insured Mail</p> <p><input type="checkbox"/> Insured Mail Restricted Delivery (over \$500)</p>	<p><input type="checkbox"/> Priority Mail Express®</p> <p><input type="checkbox"/> Registered Mail™</p> <p><input type="checkbox"/> Registered Mail Restricted Delivery</p> <p><input checked="" type="checkbox"/> Return Receipt for Merchandise</p> <p><input type="checkbox"/> Signature Confirmation™</p> <p><input type="checkbox"/> Signature Confirmation Restricted Delivery</p>
<p>PS Form 3811, April 2015 PSN 7530-02-000-9053</p>	<p>Domestic Return Receipt</p>

7901 West Morris Street



Indianapolis, Indiana 46231

VIA CERTIFIED MAIL - RETURN RECEIPT
ARTICLE NUMBER: 7022 1670 0001 8930 6949

April 26, 2023

Mr. Charles Kmet, Emergency Manager
Pinal County Office of Emergency Management
P.O. Box 727
Florence, AZ 85132

**Re: Contingency Plan Revision for
Heritage Environmental Services, LLC**

Dear Mr. Kmet:

The purpose of this letter is to provide an updated Contingency Plan for the Heritage Environmental Services, LLC ("Heritage") facility located at 284 East Storey Road in Coolidge, Arizona. The Contingency Plan outlines our emergency response procedures. Heritage is required by federal and state regulations as well as our RCRA Part B permit issued by the Arizona Department of Environmental Quality to provide you with an up-to-date copy of the Contingency Plan.

Heritage recently completed a revision of the Contingency Plan for our facility by updating the contact information for list of emergency coordinators who may be called upon to provide emergency services. We have enclosed a copy of the most recent version of the Contingency Plan for the facility with the revision date shown at the top of the page. Please discard any earlier versions of the Plan that are in your possession and retain the enclosed document.

Thank you for your cooperation in this matter. Please contact Angelica Oliva, our Facility Compliance Manager, at (520) 723-4167 or me at (317) 407-1003 if you have any questions regarding this letter or the information contained in the Contingency Plan.

Yours truly,

HERITAGE ENVIRONMENTAL SERVICES, LLC

A handwritten signature in blue ink that reads "Michael Wertz".

Michael Wertz
Program Manager, Corporate Compliance

Enclosure

23MW2018_0

heritage-enviro.com



877-436-8778

7022 1670 0001 8930 6949

**U.S. Postal Service™
 CERTIFIED MAIL® RECEIPT**
 Domestic Mail Only

For delivery information, visit our website at www.usps.com.

Heritage USE

Certified Mail Fee \$ 4.15

Extra Services & Fees (check box and fee, if appropriate)

Return Receipt (hardcopy) \$ 3.55

Return Receipt (electronic) \$ _____

Certified Mail Restricted Delivery \$ _____

Adult Signature Required \$ _____

Adult Signature Restricted Delivery \$ _____

Postage \$ 4.14

Total \$ 11.64

Postmark Here
 APR 26 2023
 INDIANAPOLIS IN 46206 BMEU

Mr. Charles Kmet, Emergency Manager
 Pinal County
 Office of Emergency Management
 P.O. Box 727
 Florence, AZ 85132

PS Form 3811, April 2015 PSN 7530-02-000-9053

SENDER: COMPLETE THIS SECTION	COMPLETE THIS SECTION ON DELIVERY
<ul style="list-style-type: none"> Complete items 1, 2, and 3. Print your name and address on the reverse so that we can return the card to you. Attach this card to the back of the mailpiece, or on the front if space permits. <p>1. Article Addressed to:</p> <p>Mr. Charles Kmet, Emergency Manager Pinal County Office of Emergency Management P.O. Box 727 Florence, AZ 85132</p> <p>2. Article Number (Transfer from service label)</p> <p>7022 1670 0001 8930 6949</p>	<p>A. Signature</p> <p><input checked="" type="checkbox"/> <i>Veronika alab</i> <input type="checkbox"/> Agent <input type="checkbox"/> Addressee</p> <p>B. Received by (Printed Name) <i>Veronika alab</i></p> <p>C. Date of Delivery MAY 1 2023</p> <p>D. Is delivery address different from item 1? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If YES, enter delivery address below:</p> <p>3. Service Type</p> <p><input type="checkbox"/> Adult Signature <input type="checkbox"/> Adult Signature Restricted Delivery <input checked="" type="checkbox"/> Certified Mail® <input type="checkbox"/> Certified Mail Restricted Delivery <input type="checkbox"/> Collect on Delivery <input type="checkbox"/> Collect on Delivery Restricted Delivery <input type="checkbox"/> Insured Mail <input type="checkbox"/> Insured Mail Restricted Delivery (over \$500)</p> <p><input type="checkbox"/> Priority Mail Express® <input type="checkbox"/> Registered Mail™ <input type="checkbox"/> Registered Mail Restricted Delivery <input checked="" type="checkbox"/> Return Receipt for Merchandise <input type="checkbox"/> Signature Confirmation™ <input type="checkbox"/> Signature Confirmation Restricted Delivery</p>

PS Form 3811, April 2015 PSN 7530-02-000-9053 Domestic Return Receipt

7901 West Morris Street



Indianapolis, Indiana 46231

**VIA CERTIFIED MAIL - RETURN RECEIPT
ARTICLE NUMBER: 7022 1670 0001 8930 6956**

April 26, 2023

Arizona Department of Public Safety
2102 W. Encanto Boulevard
Phoenix, AZ 85009-2847

**Re: Contingency Plan Revision for
Heritage Environmental Services, LLC**

To Whom It May Concern:

The purpose of this letter is to provide an updated Contingency Plan for the Heritage Environmental Services, LLC ("Heritage") facility located at 284 East Storey Road in Coolidge, Arizona. The Contingency Plan outlines our emergency response procedures. Heritage is required by federal and state regulations as well as our RCRA Part B permit issued by the Arizona Department of Environmental Quality to provide you with an up-to-date copy of the Contingency Plan.

Heritage recently completed a revision of the Contingency Plan for our facility by updating the contact information for the list of emergency coordinators who may be called upon to provide emergency services. We have enclosed a copy of the most recent version of the Contingency Plan for the facility with the revision date shown at the top of the page. Please discard any earlier versions of the Plan that are in your possession and retain the enclosed document.

Thank you for your cooperation in this matter. Please contact Angelica Oliva, our Facility Compliance Manager, at (520) 723-4167 or me at (317) 407-1003 if you have any questions regarding this letter or the information contained in the Contingency Plan.

Yours truly,

HERITAGE ENVIRONMENTAL SERVICES, LLC

A handwritten signature in blue ink that reads "Michael Wertz".

Michael Wertz
Program Manager, Corporate Compliance

Enclosure

23MW2018_O

heritage-enviro.com



877-436-8778

U.S. Postal Service™
CERTIFIED MAIL® RECEIPT
 Domestic Mail Only

For delivery information, visit our website at www.usps.com®.

Heritage

Certified Mail Fee \$ 4.15

Extra Services & Fees (check box, add fees if applicable)

Return Receipt (hardcopy) \$ 3.35

Return Receipt (electronic) \$ _____

Certified Mail Restricted Delivery \$ _____

Adult Signature Required \$ _____

Adult Signature Restricted Delivery \$ _____

Postage \$ 4.14

Total \$ 11.64

Arizona Department of Public Safety
 2102 W. Encanto Boulevard
 Phoenix, AZ 85009-2847

PS Form 3811, April 2015 PSN 7530-02-000-9053

SENDER: COMPLETE THIS SECTION	COMPLETE THIS SECTION ON DELIVERY
<ul style="list-style-type: none"> Complete items 1, 2, and 3. Print your name and address on the reverse so that we can return the card to you. Attach this card to the back of the mailpiece, or on the front if space permits. 	<p>A. Signature <input checked="" type="checkbox"/> <u>SJ Clayton</u> <input checked="" type="checkbox"/> Agent <input type="checkbox"/> Addressee</p> <p>B. Received By (Printed Name) <u>SJ Clayton</u> C. Date of Delivery <u>5-1-23</u></p> <p>D. Is delivery address different from item 1? <input type="checkbox"/> Yes If YES, enter delivery address below: <input type="checkbox"/> No</p>
<p>1. Article Addressed to:</p> <p>Arizona Department of Public Safety 2102 W. Encanto Boulevard Phoenix, AZ 85009-2847</p>	
<p>2. Article Number (Transfer from service label)</p> <p><u>7022 1670 0001 8930 6956</u></p>	<p>3. Service Type</p> <p><input type="checkbox"/> Adult Signature</p> <p><input type="checkbox"/> Adult Signature Restricted Delivery</p> <p><input checked="" type="checkbox"/> Certified Mail®</p> <p><input type="checkbox"/> Certified Mail Restricted Delivery</p> <p><input type="checkbox"/> Collect on Delivery</p> <p><input type="checkbox"/> Collect on Delivery Restricted Delivery</p> <p><input type="checkbox"/> Insured Mail</p> <p><input type="checkbox"/> Insured Mail Restricted Delivery (over \$500)</p> <p><input type="checkbox"/> Priority Mail Express®</p> <p><input type="checkbox"/> Registered Mail™</p> <p><input type="checkbox"/> Registered Mail Restricted Delivery</p> <p><input checked="" type="checkbox"/> Return Receipt for Merchandise</p> <p><input type="checkbox"/> Signature Confirmation™</p> <p><input type="checkbox"/> Signature Confirmation Restricted Delivery</p>
<p>PS Form 3811, April 2015 PSN 7530-02-000-9053</p>	<p>Domestic Return Receipt</p>

7901 West Morris Street



Indianapolis, Indiana 46231

VIA CERTIFIED MAIL - RETURN RECEIPT
ARTICLE NUMBER: 7018 3090 0001 1670 9806

May 31, 2023

Ms. Karen Kingsley
Johnson Controls Security Solutions
2032 West 4th Street
Tempe, AZ 85281

**Re: Contingency Plan Revision for
Heritage Environmental Services, LLC**

Dear Ms. Kingsley:

The purpose of this letter is to provide an updated Contingency Plan for the Heritage Environmental Services, LLC ("Heritage") facility located at 284 East Storey Road in Coolidge, Arizona. The Contingency Plan outlines our emergency response procedures. Heritage is required by federal and state regulations as well as our RCRA Part B permit issued by the Arizona Department of Environmental Quality to provide you with an up-to-date copy of the Contingency Plan.

Heritage recently completed a revision of the Contingency Plan for our facility by updating the contact information for the list of emergency coordinators who may be called upon to provide emergency services. We have enclosed a copy of the most recent version of the Contingency Plan for the facility with the revision date shown at the top of the page. Please discard any earlier versions of the Plan that are in your possession and retain the enclosed document.

Thank you for your cooperation in this matter. Please contact Angelica Oliva, our Facility Compliance Manager, at (520) 723-4167 or me at (317) 407-1003 if you have any questions regarding this letter or the information contained in the Contingency Plan.

Yours truly,

HERITAGE ENVIRONMENTAL SERVICES, LLC

A handwritten signature in blue ink that reads "Michael Wertz".

Michael Wertz
Program Manager, Corporate Compliance

Enclosure

23MW2018_0

heritage-enviro.com



877-436-8778

**U.S. Postal Service™
 CERTIFIED MAIL® RECEIPT**
Domestic Mail Only

For delivery information, visit our website at www.usps.com®

OFFICIAL USE

Certified Mail Fee \$ 4.15

Extra Services & Fees (check box, add fee as appropriate)

Return Receipt (hardcopy) \$

Return Receipt (electronic) \$ 3.55

Certified Mail Restricted Delivery \$

Adult Signature Required \$

Adult Signature Restricted Delivery \$

Postage \$ 4.24

Total \$

Sent

Street

City

PS Form 3811, April 2015 PSN 7530-02-000-9053

Instructions

Postmark Here
 MAY 31 2023
 INDIANAPOLIS IN 46206 BLM/UC

SENDER: COMPLETE THIS SECTION	COMPLETE THIS SECTION ON DELIVERY
<ul style="list-style-type: none"> ■ Complete items 1, 2, and 3. ■ Print your name and address on the reverse so that we can return the card to you. ■ Attach this card to the back of the mailpiece, or on the front if space permits. 	<p>A. Signature <input checked="" type="checkbox"/> Agent <input type="checkbox"/> Addressee</p> <p>B. Received by (Printed Name) C. Date of Delivery</p> <p>D. Is delivery address different from item 1? <input type="checkbox"/> Yes If YES, enter delivery address below: <input type="checkbox"/> No</p>
<p>1. Article Addressed to:</p> <p style="text-align: center;">Ms. Karen Kingsley Johnson Controls security Solutions 2032 West 4th Street Tempe, AZ 85281</p>	<p>3. Service Type</p> <p><input type="checkbox"/> Adult Signature <input type="checkbox"/> Priority Mail Express®</p> <p><input type="checkbox"/> Adult Signature Restricted Delivery <input type="checkbox"/> Registered Mail™</p> <p><input checked="" type="checkbox"/> Certified Mail® <input type="checkbox"/> Registered Mail Restricted Delivery</p> <p><input type="checkbox"/> Certified Mail Restricted Delivery <input checked="" type="checkbox"/> Return Receipt for Merchandise</p> <p><input type="checkbox"/> Collect on Delivery <input type="checkbox"/> Signature Confirmation™</p> <p><input type="checkbox"/> Collect on Delivery Restricted Delivery <input type="checkbox"/> Signature Confirmation Restricted Delivery</p> <p><input type="checkbox"/> Insured Mail <input type="checkbox"/> Signature Confirmation Restricted Delivery (over \$500)</p>
<p>9590 9401 0025 5168 9865 77</p> <p>Article Number (Transfer from service label) 7018 3090 0001 1670 9806</p>	<p>PS Form 3811, April 2015 PSN 7530-02-000-9053</p> <p style="text-align: right;">Domestic Return Receipt</p>

APPENDIX E-D

LIST OF EMERGENCY EQUIPMENT

UNIT	LOCATION	DESCRIPTION
Eye Wash and Safety Shower	Dock and Van Container Storage Area	Flush eye in the event of foreign substance in contact with eye.
Eye Wash and Safety Shower (2)	200 Area	Flush eye in the event of foreign substance in contact with eye.
Eye Wash and Safety Shower	800 Area	Flush eye in the event of foreign substance in contact with eye.
Eye Wash and Safety Shower	East of Central Storage Area	Flush eye in the event of foreign substance in contact with eye.
Eye Wash and Safety Shower, portable (2)	Located at facility as needed	Flush eye in the event of foreign substance in contact with eye.
Class D Fire Extinguisher	800 Area	Extinguish metal fires (D-type extinguishers).
Class D Fire Extinguisher	Depack Area	Extinguish metal fires (D-type extinguishers).
Fire extinguisher	Central Storage Area	Extinguish fires (ABC- and CO ₂ -type extinguishers).
Fire extinguisher	East Storage Area	Extinguish fires (ABC- and CO ₂ -type extinguishers).
Fire extinguisher	Hazardous Roll-off Storage Area	Extinguish fires (ABC- and CO ₂ -type extinguishers).
Fire extinguisher	Dock and Van Container Storage Area	Extinguish fires (ABC- and CO ₂ -type extinguishers).
Spill kit (Cabinet, absorbent, hand tools, chemical resistant gloves and suit)	Central Storage Area	Absorbent to absorb liquid materials; chemical-resistant gloves and suit to protect personnel from contacting various materials; hand tools to open and close containers.
Spill kit (Cabinet, absorbent, hand tools, chemical resistant gloves and suit)	East Storage Area	Same as spill kit above.
Spill kit (Cabinet, absorbent, hand tools, chemical resistant gloves and suit)	Dock and Van Container Storage Area	Same as spill kit above.
Spill kit (Cabinet, absorbent, hand tools, chemical resistant gloves and suit)	Bulk Loading Area (Tanker and Rail)	Same as spill kit above.
Spill kit (overpack drum, hand tools, chemical	Hazardous Roll-off Storage Area	Chemical-resistant gloves and suit to protect personnel

resistant gloves and suit)		from contacting various materials; hand tools to open and close containers.
Overpack Containers	Dock and Maintenance Building	Contain leaking containers.
SCBA	Dock and Maintenance Building	Provide breathing air to personnel responding to emergency.
Direct reading instruments (infrared thermometer, OVA)	Environmental Compliance Manager's Office	Monitor container temperature, volatile organic compounds.
Foam Drums	Outside SW Corner of Central Storage Area	Foam used as fire extinguishing material.
Contingency Plan Pallet	Contingency Pallet located in the Maintenance Building	
Pads, booms, and speedi-dry	Contingency Pallet	Absorb materials (liquids) in the event of a spill.
Chemical Resistant Suits, various sizes	Contingency Pallet	Protect personnel from various materials/chemicals.
Chemical Resistant Gloves	Contingency Pallet	Protect hands from various materials/chemicals.
Disposable boots	Contingency Pallet	Protect feet from various materials/chemicals.
Goggles and safety glasses	Contingency Pallet	Protect eyes from foreign materials.
Hand Tools	Contingency Pallet	Open and close containers; misc. maintenance activities.
Face Shields	Contingency Pallet	Protect face from various materials/chemicals.
Hard Hats	Contingency Pallet	Protect head.
Drum vacuum	Contingency Pallet	Remove material from container / transfer to another container.
Hazard identification tape	Contingency Pallet	Identify hazardous area; secure area from unauthorized personnel
Eye Wash with drench hose, portable	Contingency Pallet	Flush eye in the event of foreign substance in contact with eye.
Flashlights	Contingency Pallet and in each Container Storage Area	Portable light source in the event of power failure.

*Please note that spill equipment in areas that are not in service will not be maintained in the areas until those areas are storing wastes.

APPENDIX E-E

PROCEDURES TO PREVENT HAZARDS – TABLE OF CONTENTS

PROCEDURE TO PREVENT HAZARDS - TABLE OF CONTENTS

1 SECURITY4

2 INSPECTION SCHEDULE5

3 EQUIPMENT REQUIREMENTS6

3.1 COMMUNICATION EQUIPMENT 6

3.2 EMERGENCY EQUIPMENT..... 6

3.3 AISLE SPACE REQUIREMENTS..... 6

3.4 SPRINKLER SUPPRESSION SYSTEM..... 6

 3.4.1 Fire Protection Measures..... 7

4 PREVENTIVE PROCEDURES, STRUCTURES, AND EQUIPMENT8

4.1 UNLOADING AND CONSOLIDATION OPERATIONS 8

4.2 RUN-ON / RUN-OFF..... 8

4.3 POWER FAILURE..... 10

 4.3.1 Fire Suppression Capability 10

4.4 PERSONNEL PROTECTIVE EQUIPMENT..... 10

4.5 MINIMIZE RELEASE TO THE ATMOSPHERE 10

4.6 MANAGEMENT OF TEMPERATURE SENSITIVE MATERIALS 10

5 IGNITABLE, REACTIVE AND INCOMPATIBLE WASTE12

5.1 PREVENTION OF IGNITION OR REACTION 12

5.2 GENERAL HANDLING PRECAUTIONS 12

5.3 SCREENING SOLIDS (FILTER CAKE) PRIOR TO BLENDING 12

5.4 MANAGEMENT IN CONTAINERS..... 12

5.5 FIRE DETECTION DEVICES..... 12

APPENDICES

- Appendix D-A Facility Inspection Information
- Appendix D-B Electronic Security Systems (Confidential Business Information)
- Appendix D-C Fire Suppression System Diagrams