

4. Test your water for lead

Call us at 480-677-6080 to find out how to get your water tested for lead.

5. Get your child's blood tested

Contact the state or local health department or healthcare provider to find out how you can get your child tested for lead, if you are concerned about exposure.

6. Look for alternative sources or treatment of water.

You may want to consider purchasing bottled water or a water filter. Read the package to be sure the filter is approved to reduce lead or contact NSF International at 800-NSF-8010 or www.nsf.org for information on performance standards for water filters. Be sure to maintain and replace a filter device in accordance with the manufacturer's instructions to protect water quality.

**WHAT HAPPENED?
WHAT IS BEING DONE?**

One Lead Sample in September of 2016 tested above the lead action level of 0.015. The parties in the monitoring group were notified by letter of the exceedance. Lead Public Education Letters were also sent to every Beardsley customer. Beardsley will be collecting additional samples in six-month intervals in January through June AND July through December of 2017.


Beardsley will be sending results of Lead monitoring results to each person in the monitoring group each time their Beardsley PWS # is tested, whether or not their home was above or below the exceedance level. This should remind these homeowners of the importance of minimizing their exposure to lead in water, food, pottery, etc. Additional information will be passed on to customers when deemed relevant to understanding exposure to Lead in the environment.

In reviewing historical data from 2003 through 2016 for all of the Beardsley PWS #'s, there has only been one (1) Lead exceedance test result. This would indicate that the water sources in the Beardsley systems have not been concern historically. However, Beardsley will continue to monitor for Lead for the protection of its customers.

FOR MORE INFORMATION

Call us at **480-677-6080**. For more information on reducing lead exposure around your home/building and the health effects of lead, visit EPA's Web site at www.epa.gov/lead, or contact your health care provider.

Lead in Drinking Water



HEALTH EFFECTS OF LEAD

Lead can cause serious health problems if too much enters your body from drinking water or other sources. It can cause damage to the brain and kidneys, and can interfere with the production of red blood cells that carry oxygen to all parts of your body. The greatest risk of lead exposure is to infants, young children, and pregnant women. Scientists have linked the effects of lead on the brain with lowered IQ in children. Adults with kidney problems and high blood pressure can be affected by low levels of lead more than healthy adults. Lead is stored in the bones and it can be released later in life. During pregnancy, the child receives lead from the mother's bones, which may affect brain development.

SOURCES OF LEAD

Lead is a common metal found in the environment. Drinking water is one possible source of lead exposure. The main sources of lead exposure are lead-based paint and lead-contaminated dust or soil, and some plumbing materials. In addition, lead can be found in certain types of pottery, pewter, brass fixtures, food, and cosmetics. Other sources include exposure in the work place and exposure from certain hobbies (lead can be carried on clothing or shoes). Lead is found in some toys, some playground equipment, and some children's metal jewelry.

Brass faucets, fittings, and valves, including those advertised as "lead-free," may contribute lead to drinking water. The law currently allows end-use brass fixtures, such as faucets, with up to 0.25 percent wetted surface lead to be labeled as "lead-free."

Beardsley's water source is groundwater from wells that draw from the West Salt River Sub-Basin within the Phoenix AMA. The source water will be tested in August of 2017 for lead. Beardsley 1's water mains will be tested to determine if any lead pipe was used in construction of the water mains. Homes built

The Arizona Department of Environmental Quality (ADEQ) and **Beardsley Water Company** are concerned about lead in your drinking water. Although most homes have very low levels of lead in their drinking water, some homes in the community have lead levels above the EPA action level of 15 parts per billion (ppb), or 0.015 milligrams of lead per liter of water (mg/L). Under Federal law we are required to have a program in place to minimize lead in your drinking water by **December 31, 2017**.

This program includes:

1. Public education content
2. Corrosion control treatment (treating the water to make it less likely that lead will dissolve into the water)
3. Source water treatment (removing any lead that is in the water at the time it leaves our treatment facility)

This brochure also explains the simple steps you can take to protect yourself by reducing your exposure to lead in drinking water.

Important Information about Lead in Your Drinking Water

Beardsley Water Company found elevated levels of lead in drinking water in some homes/buildings. Lead can cause serious health problems, especially for pregnant women and young children. Please read this information closely to see what you can do to reduce lead in your drinking water.

before 1988 are more likely to have lead pipes or lead solder. When water is in contact with pipes, and plumbing containing lead for several hours, the lead may enter drinking water.

Don't forget about other sources of lead such as lead paint, lead dust, and lead in soil. Wash your children's hands and toys often as they can come into contact with dirt and dust containing lead.

STEPS YOU CAN TAKE TO REDUCE YOUR EXPOSURE TO LEAD IN YOUR WATER

1. Run your water to flush out lead

Run water from the cold water tap for 15-30 seconds to flush lead from interior plumbing or until it becomes cold and reaches a steady temperature before using it for drinking or cooking, if it hasn't been used for several hours.

2. Use cold water for cooking and preparing baby formula

Do not cook with or drink water from the hot water tap. Also, do not boil water from the hot water tap, as hot water can dissolve lead more quickly than cold water. Rather, if you need hot water, draw water from the cold tap and heat it on the stove. Do not use water from the hot water tap to make baby formula.

3. Identify and replace plumbing fixtures containing lead

New brass faucets, fittings, and valves, including those advertised as "lead-free," may contribute lead to drinking water. The law currently allows end-use brass fixtures, such as faucets, with up to 0.25 percent wetted surface lead to be labeled as "lead-free".