



Meeting Agenda/Summary

| | |
|-------------------------|--|
| Meeting | Water Quality Division: Onsite Wastewater Advisory Committee (OWAC) |
| Date | Tuesday, May 6, 2025 |
| Start / End Time | 9:00 am – 11:00 am (MST) |
| Location | Google Meets link in calendar invite meet.google.com/wrz-qshi-tdv |
| Email | OWAC@azdeq.gov |
| Documents | Located in ShareFile - https://azdeq.sharefile.com/ |

MEMBERS

- | | | |
|--|--|--|
| <input checked="" type="checkbox"/> Dave Bartholomew ,BWS Inc, Chair | <input checked="" type="checkbox"/> Crystal McKee, Mohave County | <input type="checkbox"/> Kitt Farrell-Poe, University of Arizona |
| <input checked="" type="checkbox"/> Mike Stidham, EZ Treat, Vice Chair | <input type="checkbox"/> Haiden LaFoy, Greenlee County | <input checked="" type="checkbox"/> Nicholas Noble, Orenco |
| <input type="checkbox"/> Aline Parker-Eaton, Northern Arizona Inspection | <input checked="" type="checkbox"/> Jeremy Griffin, Apollo Drain and Septic Services | |
| <input checked="" type="checkbox"/> Brian Knisley, Maricopa County | <input checked="" type="checkbox"/> Kevin Sherman, SeptiTech | |

ADEQ STAFF

- | | | |
|---|---|---|
| <input type="checkbox"/> Trevor Baggio, Water Quality Division Director | <input type="checkbox"/> Raymond Morgan, Trainer | <input checked="" type="checkbox"/> Dan Borns, Project Manager |
| <input type="checkbox"/> Randall Matas, Water Quality Division Deputy | <input checked="" type="checkbox"/> Linneth Lopez, Environmental Engineering Specialist III | <input checked="" type="checkbox"/> Mannie Rehm Bowler, Liaison |
| <input checked="" type="checkbox"/> Kyle Uptergrove, Unit Manager | <input type="checkbox"/> Ali Baadiyan, Environmental Engineer Specialist III | <input checked="" type="checkbox"/> Laura Carusona, Manager |
| <input checked="" type="checkbox"/> JW Thompson, Environmental Engineering Specialist III | <input checked="" type="checkbox"/> Luke Peterson, Environmental Engineer Specialist III | |
| <input type="checkbox"/> Natalie Kilker, Legal Specialist | <input type="checkbox"/> David Lelsz, Program Manager | |

Meeting Agenda/Summary

| Agenda Topic | Lead | Overview | Documents | Action Requested | NOTES |
|--|----------------------------|--|---|------------------|--|
| 9:00 am Welcome (10 mins) | Dave Bartholomew, Chair | Roll Call / Contact Information Review | owac_procedures.pdf OWAC Members List Spring 2025 Update | | |
| 9:10 am Summary review (10 mins) | Dave Bartholomew, Chair | Review April meeting summary for approval | April 8, 2025 OWAC Meeting Summary - Live Comment.docx - Google Docs | For Decision | Motion: Brian Knisley 2nd: Jeremy Griffin Vote: unanimous approval . |
| 9:20 am ADEQ Updates for OWAC (5 min) | ADEQ, JW Thompson | <ul style="list-style-type: none"> Recruitment Member suggestions | 2025 New OWAC Member Recommendation | For Information | website to be updated, LinkedIn posting, 3 slots open, Joelle Wirth could be a possible good candidate, Ray Morgan another. July would be start date for new members. Please clear nominations by ADEQ and make sure the new members fill vacancy needs. |

Meeting Agenda/Summary

| | | | | | |
|---|------------------------------------|--|---|--------------------------------|---|
| | | | | | |
| <p>9:25 am</p> <p>ADEQ Rulemaking Update</p> <p>(10 min)</p> | <p>David Lelsz, ADEQ</p> | <p>Update on Engagement plan, permit and rule drafts</p> | | <p>For Information</p> | <p>HB 2232 is taking up large share of ADEQ staff time. Question: AWP water be reused for truck stops/General Permits for flushing toilets. answer: Gray water only reuse for irrigation under current rules. ADEQ does not capacity currently to take on this review. Kyle will bring to leadership for consideration. (tabled til early 2026)</p> |
| <p>9:35 am</p> <p>Old Business</p> <p>(45 min)</p> | <p>Dave Bartholomew, Chair</p> | <ul style="list-style-type: none"> Nitrogen Loading Rate @ 15g per person/ day Table 1 Updates to fixture values. Uniform Site Evaluation and Report for Onsite Wastewater Discussion | <p>Links Not Updated</p> <p>OWAC Charge Feb 4, 2025 - Nitrogen Loading / Table 1..pptx</p> <p>OWAC Commentable - Table 1 Revised Organic Loading Version 4.xlsx</p> | <p>For Discussion and Vote</p> | <p>Nitrogen Loading Rate: Recommendation to bring Bob Rubin in for a consultation. Crystal submitted a draft recommendation by email. Tabled to next month Homework: Redline draft recommendation</p> <p>Table 1 Updates: need additional input on the excel spreadsheet. Is it good enough for 1.5? Please fill in whole line with reference. Is there value in creating two tables? One for commercial and one for residential?</p> <p>Homework: Crystal/Mike lead data gathering</p> |



Meeting Agenda/Summary

| | | | | | |
|----------------------------|----------------------------|--|--|--------------|---|
| | | | | | can facilitate invitations and survey to determine best outreach strategy . |
| 11:00 am Adjourn | Dave Bartholomew, Chair | | | For Decision | 10:58 adjourned. |