### **Verde Watershed**

### Watershed Description

This watershed is defined by the Verde River drainage that flows into the Salt River, including Big Chino Wash and its tributaries. This 6,624 square mile watershed has an approximate population of 153,000 people (2000 census), but is growing rapidly. Although this is only 3% of the state population, several communities are located in this watershed: Payson, Sedona, Cottonwood, Verde Valley, Prescott, and the southern outskirts of Flagstaff. Land ownership is 65% federal, 23% private, 10% state, and 2% tribal. Primary land uses are open range grazing, irrigated agriculture, recreation, forestry, and some mining.

Elevations range from more than 12,000 feet (above sea level) in the San Francisco Mountains to about 1,600 feet as the Verde River flows into the Salt River. The watershed is split between warmwater communities below 5,000 feet and coldwater communities above 5,000 feet where perennial waters exist.

### Water Resources

The Verde Watershed receives slightly more precipitation than most watersheds in this state, with some areas receiving about 20 inches of rain and 3 inches of snow. Therefore, the Verde River and many of its tributaries are perennial waters.

An estimate of surface water resources in the Verde Watershed is provided in the following table. Waters on Tribal lands are not assessed by ADEQ; therefore, those statistics are shown separately.

	Estimated Sun		vater nesources	in the ve		
	Perennial		Intermittent		Ephemeral	
Stream miles	4	50		2,115		5,990
	Perennial		Non-perennial			
Lake acres	4,6	603		3,636		

### Estimated Surface Water Resources in the Verde Watershed

### Additional Surface Water Resources located on Tribal Land – Not Assessed

	Perennial	Intermittent	Ephemeral
Stream miles	15	5	230
	Perennial	Non-perennial	
Lake acres	6	0	


Ambient monitoring focuses on perennial waters; however, special investigations may identify water quality problems on intermittent and even ephemeral waters. Estimated miles and acres are based on USGS digitized hydrology at 1:100,000 and have been rounded to the nearest 5 miles or 5 acres.

### Assessments

The Verde Watershed can be separated into the following drainage areas (subwatersheds):

15060201	Big Chino Wash Drainage Area
15060202	Upper Verde River Drainage Area
15060203	Lower Verde River Drainage Area

These drainage areas and the surface waters assessed as "attaining" or "impaired" are illustrated on the following watershed map. Methods used to complete these assessments are described in the "Surface Water Assessment Methods and Technical Support" document.



Category 1 Attaining all uses



### **Exceedances**

Parameter	Applicable Standard	Date	Result	Designated use support comments
Dissolved oxygen	6.0 mg/L	7/20/2010	3.3 mg/L	AWW is attaining. Low dissolved oxygen due to ponding/evaporation of stream.

# onitoring Summary

Sampling period: 7/20/2010 - 5/23/2011

Site Name	e(s)	Site ID #	DEQ #	Sampling Agency	Purpose
NEAR SUNFLOW	ER	VRALD007.86	107002	ADEQ	Ambient Monitoring

Metal Samples	Nutrients & Related Samples	Other Samples
	(4) Ammonia, nitrite/nitrate, nitrogen, phosphorus, total Kjeldahl nitrogen	(4) Dissolved oxygen, <i>E. coli</i> , pH, total dissolved solids


### **Data Gaps and Monitoring Needs**

Exceedances Needing More Samples to Assess	None
Missing Core Parameters	None
Missing Seasonal Distribution	None
Lab Detection Limits Not Low Enough	Mercury (dissolved)

Priority	Monitoring Recommendations
	Good core parameter coverage.
Low	



FC - Inconclusive • FBC - Inconclusive • AGI - Inconclusive



Sampling period: 3/30/2011 - 11/15/2011

Site Name(s)	Site ID #	DEQ #	Sampling Agency	Purpose
ONE QUARTER MILE BELOW WWTP	VRAMG003.62	108582	ADEQ	TMDL Monitoring

Metal Samples	Nutrients & Related Samples	Other Samples
(1) Arsenic, boron, manganese, selenium	(1) Ammonia, nitrite/nitrate, nitrogen, phosphorus, total Kjeldahl nitrogen	(1) Dissolved oxygen, <i>E. coli</i> , pH, total dissolved solids

### **Data Gaps and Monitoring Needs**

Exceedances Needing More Samples to Assess	None
Missing Core Parameters	Zinc (dis (dissolve mercury
Missing Seasonal Distribution	Zinc (dis (dissolve mercury
Lab Detection Limits Not Low Enough	None

Priority	M
Low	Collect core parameters to represent at



# AGL - Inconclusive • AWW - Inconclusive

### **No Exceedances**

ssolved), dissolved oxygen, pH, nitrogen, phosphorus, cadmium ed), copper (dissolved), E. coli, boron, manganese, copper, lead, ssolved), dissolved oxygen, pH, nitrogen, phosphorus, cadmium ed), copper (dissolved), E. coli, boron, manganese, copper, lead,

### Monitoring Recommendations

at least 3 seasons during an assessment period.



**Category 3** Inconclusive



### **Exceedances**

[	Parameter	Applicable Standard	Date	Result	Designated use support comments
	E. coli	576 cfu/100 mL	3/29/2011	4611 ctu/100 ml	PBC is inconclusive with 1 exceedance outside the assessment window.

# onitoring Summary

Sampling period: 3/29/2011 - 11/27/2012

Site Name(s)	Site ID #	DEQ #	Sampling Agency	Purpose
ABOVE FOREST SERVICE ROAD # 67	VRAMG000.76	108723	ADEQ	TMDL Monitoring

Metal Samples	Nutrients & Related Samples	Other Samples
	(1) Ammonia, nitrite/nitrate, nitrogen, phosphorus, total Kjeldahl nitrogen	(3) Dissolved oxygen, <i>E. coli</i> , pH, total dissolved solids

### **Data Gaps and Monitoring Needs**

Exceedances Needing More Samples to Assess	E. coli		
Missing Core Parameters	Zinc (dissolved), nitrogen, phosphorus, cadmium (dissolved), copper (dissolved)		
Missing Seasonal Distribution	Zinc (dissolved), dissolved oxygen, pH, nitrogen, phosphorus, cadmium (dissolved), copper (dissolved), <i>E. coli</i>		
Lab Detection Limits Not Low Enough	None		

Priority	Monitoring Recommendations
Medium	Collect more <i>E. coli</i> samples due to the exceedance. Collect core parameters to represent at least 3 seasons during an assessment period.



## **Exceedances**

Parameter	Applicable Standard	Date	Result	Designated use support comments
		10/5/2010	3629.4 cfu/100 mL	FBC is not attaining. All exceedances were storm-related (6 exceedances in 9 samples). See Impairment discus- sion below.
		7/31/2013	1299.7 cfu/100 mL	
E. coli		8/30/2013	3629.4 cfu/100 mL	
E. COII	235 cfu/100 mL	9/10/2013	1454 cfu/100 mL	
		11/23/2013	241 cfu/100 mL	
		8/13/2014	2755 cfu/100 mL	

### onitoring Summary

Sampling period: 10/5/2010 - 4/23/2015

Site Name(s)	Site ID #	DEQ #	Sampling Agency	Purpose
ABOVE PARK AVENUE	VRASP000.37	107545	ADEQ	TMDL Monitoring
COPPER BASIN ROAD AT FS BOUNDARY	VRASP005.07	106183	ADEQ	Ambient Monitoring
AT MIDDLEBROOK ROAD	VRASP000.93	108622	ADEQ	TMDL Monitoring
AT RANCHO VISTA ROAD	VRASP002.70	108604	ADEQ	TMDL Monitoring
OFF MCCORMICK STREET	VRASP000.03	108623	ADEQ	TMDL Monitoring

Metal Samples	Nutrients & Related Samples	Other Samples
(1-2) Antimony, arsenic, beryllium, boron, cadmi- um, chromium, copper, lead, manganese, mer- cury, selenium, zinc		(1-11) Dissolved oxygen, <i>E. coli</i> , pH, SSC, total dissolved solids





# FC - Inconclusive • FBC - Not Attaining • AWC - Inconclusive

# Verde

### **Data Gaps and Monitoring Needs**

Exceedances Needing More Samples to Assess	None
Missing Core Parameters	Zinc (dissolved), cadmium (dissolved), copper (dissolved), mercury (or mercury in fish tissue)
Missing Seasonal Distribution	Zinc (dissolved), cadmium (dissolved), copper (dissolved), mercury
Lab Detection Limits Not Low Enough	Cadmium (dissolved), copper (dissolved), mercury (dissolved)

Priority	Priority Monitoring Recommendations	
	Continue effectiveness monitoring for E. coli.	
Medium		

Not attaining for E. coli. Although the reach does not meet a minimum sample requirement for storm-related E. coli impairment (a minimum of 10 samples in the assessment period), the reach is listed based on a weight-of-evidence approach: - The reach is a tributary to Granite Creek, which is already impaired for E. coli, and - Intensive monitoring for Granite Creek and its tributaries identified E. coli to be a watershed-wide water quality problem.

The reach is included in the Upper Granite Creek Watershed E. coli TMDL (completed in 2015).



Parameter	Applicable Standard	Date	Result	Designated use support comments
Dissolved oxygen	7.0 mg/L	10/5/2010	5.23 mg/L	AWC is inconclusive with 1 exceedance in 1 sample.
		10/5/2010	3629.4 cfu/100 mL	FBC is not attaining with 3 exceed-
E. coli	235 cfu/100 mL	11/23/2013	ances in 3 samples. All exceedances	ances in 3 samples. All exceedances were storm-related. See Impairment
		8/13/2014	395 cfu/100 mL	discussion below.

# Sampling period: 10/5/2010 - 8/13/2014

Site Name(s)	Site ID #	DEQ #	Sampling Agency	Purpose
ABOVE GRANITE CREEK AND ROAD CROSSING	VRBAN000.06	106186	ADEQ	TMDL Monitoring
ABOVE GOLDWATER LAKE	VRBAN003.70	107549	ADEQ	TMDL Monitoring

Metal Samples	Nutrients & Related Samples	Other Samples
		(3-4) Dissolved oxygen, <i>E. coli</i> , pH, total dissolved solids

### **Data Gaps and Monitoring Needs**

Exceedances Needing More Samples to Assess	Dissolved oxygen
Missing Core Parameters	Zinc (dissolved), nitrogen, phosphorus, cadmium (dissolved), copper (dissolved), mercury (or mercury in fish tissue)
Missing Seasonal Distribution	Zinc (dissolved), nitrogen, phosphorus, cadmium (dissolved), copper (dissolved), <i>E. coli</i> , mercury
Lab Detection Limits Not Low Enough	None





# FC - Inconclusive • FBC - Not Attaining • AWC - Inconclusive

Priority

Medium

Monitoring Recommendations

Continue effectiveness monitoring for E. coli.

### Impairment Discussion

Not attaining for E. coli. Although the reach does not meet a minimum sample requirement for storm-related E. coli impairment (a minimum of 10 samples in the assessment period), the reach is listed based on a weight-of-evidence approach: - The reach is a tributary to Granite Creek, which is already impaired for E. coli, and - Intensive monitoring for Granite Creek and its tributaries identified E. coli to be a watershed-wide water quality problem.

The reach is included in the Upper Granite Creek Watershed E. coli TMDL (completed in 2015).



DWS - Inconclusive • FC - Impaired • FBC - Inconclusive AGI - Inconclusive • AGL - Inconclusive • AWW - Inconclusive

Parameter	Applicable Standard	Date	Result	Designated use support comments
Mercury in fish tissue 0.3 mg/kg	9/24/2014	0.35 mg/kg (mean - 1SD) flathead catfish	FC is inconclusive.	
	4/8/2015	0.53 mg/kg (mean - 1SD) largemouth bass		
	4/8/2015	0.39 mg/kg (mean - 1SD) channel catfish		



Site Name(s)	Site ID #	DEQ #	Sampling Agency	Purpose
AZGF 09-174211 SITE	VRBAR-AZGF	110425	AGF	Data Sharing Partnership
AT DAM	VRBAR-A	100009	ADEQ	Ambient Monitoring

Metal Samples	Nutrients & Related Samples	Other Samples
	(1) Ammonia, nitrite/nitrate, nitrogen, phosphorus, total Kjeldahl nitrogen	(1-24) pH, total dissolved solids, fish tissue mercury





# $\__{\bigodot}$ Data Gaps and Monitoring Needs

Exceedances Needing More Samples to Assess	None
Missing Core Parameters	Zinc (dissolved), dissolved oxygen, pH, nitrogen, phosphorus, cadmium (dissolved), copper (dissolved), <i>E. coli</i> , nitrite/nitrate, fluoride, arsenic, chromium, lead, boron, manganese, copper
Missing Seasonal Distribution	Zinc (dissolved), dissolved oxygen, pH, nitrogen, phosphorus, cadmium (dissolved), copper (dissolved), <i>E. coli</i> , nitrite/nitrate, fluoride, arsenic, chromium, lead, boron, manganese, copper
Lab Detection Limits Not Low Enough	None

Priority	Monitoring Recommendations
	Collect more fish tissue samples due to the exceedances. Fish consumption advisory issued in 2015 for largemouth bass, channel catfish and flathead catfish.


### **Impairment Discussion**

Fish consumption advisory issued in 2015 for largemouth bass, channel catfish and flathead catfish. EPA overfiled for mercury in fish tissue in 2016.



FC - Inconclusive • FBC - Inconclusive • AGL - Inconclusive

### **No Exceedances**



Sampling period: 2/3/2011 - 2/3/2011

Site Name(s)	Site ID #	DEQ #	Sampling Agency	Purpose
BELOW EUREKA DITCH RETURN	VRBEV000.96	102168	USGS	Data Sharing Partnership

Metal Samples	Nutrients & Related Samples	Other Samples
(0) None	(0) None	(1) Dissolved oxygen, pH

### **Data Gaps and Monitoring Needs**

Exceedances Needing More Samples to Assess	None
Missing Core Parameters	Zinc (dis (dissolve in fish tis
Missing Seasonal Distribution	Zinc (dis (dissolve
Lab Detection Limits Not Low Enough	None

Priority	M
Low	Collect core parameters to represent at



# AWW - Inconclusive

ssolved), dissolved oxygen, pH, nitrogen, phosphorus, cadmium red), copper (dissolved), E. coli, copper, lead, mercury (or mercury issue)

ssolved), dissolved oxygen, pH, nitrogen, phosphorus, cadmium red), copper (dissolved), E. coli, copper, lead, mercury

### Monitoring Recommendations

at least 3 seasons during an assessment period.



**Category 3** Inconclusive



### **No Exceedances**

# onitoring Summary

Sampling period: 5/8/2012 - 5/8/2012

Site Name(s)	Site ID #	DEQ #	Sampling Agency	Purpose
UPSTREAM FROM CON- TROL ROAD JUST WEST OF HOLBERT ROAD JUST	VRBRA001.82	107222	ADEQ	TMDL Monitoring

Metal Samples	Nutrients & Related Samples	Other Samples
(1) Arsenic, boron, selenium	(0) None	(1) Dissolved oxygen, <i>E. coli</i> , pH, total dissolved solids

### **Data Gaps and Monitoring Needs**

Exceedances Needing More Samples to Assess	None
Missing Core Parameters	Zinc (dissolved), dissolved oxygen, pH, nitrogen, phosphorus, cadmium (dissolved), copper (dissolved), <i>E. coli</i> , copper, lead, mercury (or mercury in fish tissue)
Missing Seasonal Distribution	Zinc (dissolved), dissolved oxygen, pH, nitrogen, phosphorus, cadmium (dissolved), copper (dissolved), <i>E. coli</i> , copper, lead, mercury
Lab Detection Limits Not Low Enough	None

Priority	Monitoring Recommendations
Low	Collect core parameters to represent at least 3 seasons during an assessment period.

Headwaters - Miller Creek 6.27 Miles

Parameter	Applicable Standard	Date	Result	Designated use support comments
Dissolved oxygen	7.0 mg/L	4/23/2015	4.3 mg/L	AWC is attaining. The exceedance due to low flow conditions.
	10/5/2010	3629.4 cfu/100 mL	FBC remains impaired with 3 exceed-	
		10/20/2010	307.6 cfu/100 mL	ances in the last 3 years of monitoring.
	225 of u /100 ml	12/16/2010	1046.2 cfu/100 mL	
E. coli	235 cfu/100 mL	8/29/2013	1986.3 cfu/100 mL	
		11/22/2013	959 cfu/100 mL	
		8/13/2014	1017 cfu/100 mL	

## onitoring Summary

Sampling period: 10/5/2010 - 4/23/2015

Site Name(s)	Site ID #	DEQ #	Sampling Agency	Purpose
AT HEAD WATERS	VRBTT005.70	106189	ADEQ	Ambient Monitoring
ABOVE MILLER CREEK	VRBTT000.06	107550	ADEQ	TMDL Monitoring
AT STRICKLIN PARK	VRBTT001.82	108625	ADEQ	TMDL Monitoring

Metal Samples	Nutrients & Related Samples	Other Samples
		(2-10) Dissolved oxygen, <i>E. coli</i> , pH, SSC, total dissolved solids





# FC - Inconclusive • FBC - Not Attaining • AWC - Inconclusive




de de	Data Gaps and Monitoring Needs			
	Exceedances Needing More Samples to Assess	None		
Ver	Missing Core Parameters	Zinc (dissolved), cadmium (dissolved), copper (dissolved), mercury (or mercury in fish tissue)		
_	Missing Seasonal Distribution	Zinc (dissolved), dissolved oxygen, pH, cadmium (dissolved), copper (dissolved), mercury		
	Lab Detection Limits Not Low Enough	Cadmium (dissolved), copper (dissolved), mercury (dissolved)		


Priority	Monitoring Recommendations
	Continue effectiveness monitoring for E. coli.
Medium	

### Impairment Discussion

Not-attaining for E. coli. The reach is included in the Upper Granite Creek Watershed E. coli TMDL (completed in 2015).







Sampling period: 3/30/2011 - 3/14/2013

Site Name(s)	Site ID #	DEQ #	Sampling Agency	Purpose
ABOVE FOREST SERVICE ROAD # 406	VRCIT000.37	108726	ADEQ	TMDL Monitoring

Metal Samples	Nutrients & Related Samples	Other Samples
(1-3) Arsenic, boron, manganese, selenium		(1-3) Dissolved oxygen, <i>E. coli</i> , pH, total dissolved solids

### **Data Gaps and Monitoring Needs**

Exceedances Needing More Samples to Assess	None
Missing Core Parameters	Zinc (dissolved), nitrogen, phosphorus, cadmium (dissolved), copper (dissolved), <i>E. coli</i> , copper, lead, mercury (or mercury in fish tissue)
Missing Seasonal Distribution	Zinc (dissolved), dissolved oxygen, pH, nitrogen, phosphorus, cadmium (dissolved), copper (dissolved), <i>E. coli</i> , copper, lead, mercury
Lab Detection Limits Not Low Enough	Selenium

Priority	M
Low	Collect core parameters to represent at



## FC - Inconclusive • FBC - Inconclusive • AGL - Inconclusive AWW - Inconclusive

### **No Exceedances**

### Monitoring Recommendations

at least 3 seasons during an assessment period.



**Category 3** Inconclusive



### **No Exceedances**

## onitoring Summary

Sampling period: 3/29/2011 - 11/15/2011

Site Name(s)	Site ID #	DEQ #	Sampling Agency	Purpose
JUST ABOVE CONFLU- ENCE WITH EAST VERDE RIVER	VRWES000.03	108743	ADEQ	TMDL - East Verde Project

Metal Samples	Nutrients & Related Samples	Other Samples
(2) Arsenic, boron, manganese, selenium	(0) None	(1-2) Dissolved oxygen, pH, total dissolved solids

### **Data Gaps and Monitoring Needs**

Exceedances Needing More Samples to Assess	None
Missing Core Parameters	pH, E. coli, copper, lead
Missing Seasonal Distribution	pH, <i>E. coli</i> , copper, lead
Lab Detection Limits Not Low Enough	None

Priority Monitoring Recommendations	
Low	Collect core parameters to represent at least 3 seasons during an assessment period.



Parameter	Applicable Standard	Date	Result	Designated use support comments
		7/27/2010	17.7 ug/L	DWS and FBC are attaining. All exceed-
		8/31/2010	12.9 ug/L	ances due to upwelling of groundwater, which has high levels of arsenic naturally.
		9/28/2010	58.415 ug/L	, , ,
Arsenic	10 ug/L (DWS) 30 ug/L (FBC)	10/26/2010	42.12 ug/L	
		11/30/2010	37.705 ug/L	]
		12/28/2010	20.7 ug/L	
		3/31/2011	23.2 ug/L	
Dissolved oxygen	6.0 mg/L	6/30/2011	5.29 mg/L	AWW is attaining. Low dissolved oxygen due to groundwater upwelling.
SSC	80 mg/L	9/11/2012	95 mg/L	AWW is attaining. This exceedance oc- curred during a storm event and was excluded from assessment.
Zinc	2100 ug/L (DWS) 5106 ug/L (FBC)	8/31/2010	6281 ug/L	DWS and FBC are attaining with 1 exceedance in 11 sample (binomial).



Sampling period:	//2//2010 - //20/201	.3

Site Name(s)	Site ID #	DEQ #	Sampling Agency	Purpose
NEAR CHILDS, AZ USGS 09507980	VREVR002.62	100739	ADEQ	TMDL Monitoring
BELOW CONFLUENCE WITH AMERICAN GULCH	VREVR023.23	108724	ADEQ	TMDL Monitoring
BELOW BABY DOLL RANCH, NEAR PAYSON, AZ	VREVR016.28	100473	ADEQ	TMDL Monitoring
BELOW CRACKER JACK	VREVR023.59	105441	ADEQ	Ambient Monitoring
ABOVE FS ROAD 502	VREVR023.39	109482	ADEQ	TMDL Monitoring



## DWS - Not Attaining • FC - Attaining • FBC - Attaining AGI - Attaining • AGL - Attaining • AWW - Attaining



Metal Samples	Nutrients & Related Samples	Other Samples
cadmium, chromium, copper, lead, manganese,		(1-27) Dissolved oxygen, <i>E. coli</i> , pH, SSC, total dissolved solids, biocriteria, bottom deposits

### **Data Gaps and Monitoring Needs**

Exceedances Needing More Samples to Assess	None
Missing Core Parameters	None
Missing Seasonal Distribution	None
Lab Detection Limits Not Low Enough	Selenium, mercury (dissolved)

Priority		Monitoring Recommendations
	Low	Delist arsenic from the 303(d) list. A review of the available ground and surface water data indicated that all exceedances observed in the reach were caused by naturally occurring arsenic in the geologic formation (N subcategory).



Parameter	Applicable Standard	Date	Result	Designated use support comments
E. coli	235 cfu/100 ml	6/29/2011	3/1/1 X ctu/1(100 m)	FBC is inconclusive with 1 exceedance outside the assessment window.

## onitoring Summary

Sampling period: 3/29/2011 - 7/26/2013

Site Name(s)	Site ID #	DEQ #	Sampling Agency	Purpose
ABOVE CONFLUENCE WITH AMERICAN GULCH	VREVR027.67	108722	ADEQ	TMDL Monitoring
BELOW HIGHWAY 87 BRIDGE, NEAR PUSGS	VREVR034.80	100474	ADEQ	TMDL Monitoring
BELOW ELLISON CREEK	VREVR044.96	100548	ADEQ	TMDL Monitoring
AT FOREST SERVICE ROAD 199 BRIDGE	VREVR043.98	108562	ADEQ	TMDL Monitoring

Metal Samples	Nutrients & Related Samples	Other Samples
(4-17) Antimony, arsenic, beryllium, boron, cadmium, chromium, copper, lead, manganese, mercury, selenium, zinc		(15-17) Dissolved oxygen, <i>E. coli</i> , pH, total dissolved solids

### **Data Gaps and Monitoring Needs**

Exceedances Needing More Samples to Assess	E. coli
Missing Core Parameters	None
Missing Seasonal Distribution	Zinc (dis solved),
Lab Detection Limits Not Low Enough	Copper (



## DWS - Inconclusive • FC - Inconclusive • FBC - Inconclusive AGI - Attaining • AGL - Inconclusive • AWW - Inconclusive

### **Exceedances**

ssolved), nitrogen, phosphorus, cadmium (dissolved), copper (disnitrite/nitrate, chromium, lead, copper, mercury (dissolved)

Priority	Monitoring Recommendations	
Medium	Collect more <i>E. coli</i> samples due to the exceedance. Collect core parameters to represent at least 3 seasons during an assessment period. Delist selenium (2004) from the 303(d) list. The last known exceedance occurred in January 2001. All 8 selenium samples collected in this assessment period were below the chronic criterion.	Headwaters - Ellison Creek 15060203-022A 8.1 Miles

Parameter	Applicable Standard	Date	Result	Designated use support comments
Biocriteria	IBI ≥ 52 attaining IBI 46 - 51 inconclusive IBI ≤ 45 violating	4/17/2014	IBI 32	AWC is inconclusive with 1 violation. One previous sample was inconclusive in 2008. Impairment decisions cannot be made until the Impaired Waters Identifi- cation Rule is updated.

## onitoring Summary

Sampling period: 6/29/2011 - 4/17/2014

Site Name(s)	Site ID #	DEQ #	Sampling Agency	Purpose
ABOVE WILLOW SPRING CANYON	VREVR046.18	108842	ADEQ	TMDL Monitoring
BELOW WASHINGTON PARK	VREVR051.15	100546	ADEQ	Ambient Monitoring

Metal Samples	Nutrients & Related Samples	Other Samples
(6-13) Antimony, arsenic, beryllium, boron, cadmium, chromium, copper, lead, manganese, mercury, selenium, zinc		(1-13) Dissolved oxygen, <i>E. coli</i> , pH, SSC, total dissolved solids, biocriteria, bottom deposits

### **Data Gaps and Monitoring Needs**

Exceedances Needing More Samples to Assess	Biocriter
Missing Core Parameters	None
Missing Seasonal Distribution	None
Lab Detection Limits Not Low Enough	Cadmiu

Priority	Mo
Medium	There were one biocriteria violation and sions cannot be made until the Impaire limit for dissolved cadmium.



## DWS - Attaining • FC - Attaining • FBC - Attaining AGI - Attaining • AGL - Attaining • AWC - Inconclusive

### **Exceedances**

ria

Im (dissolved), copper (dissolved), selenium, mercury (dissolved)

### Ionitoring Recommendations

nd one inconclusive IBI score in this reach, but impairment decired Waters Identification Rule is updated. Use a lower reporting



Category 2 Attaining some uses

### FC - Attaining • FBC - Attaining • AGL - Attaining AWC - Inconclusive

### **Exceedances**

Parameter	Applicable Standard	Date	Result	Designated use support comments
E. coli	235 cfu/100 mL	6/15/2011	$1/1/2 \le CTU/1/100$ pol	FBC is attaining with no exceedances in the last 3 years of the assessment period.
Biocriteria	IBI ≥ 52 attaining IBI 46 - 51 inconclusive IBI ≤ 45 violating	6/15/2011	IBI 39	AWC is inconclusive with 1 violation.

## onitoring Summary

Sampling period: 8/12/2010 - 1/30/2013

Site Name(s)	Site ID #	DEQ #	Sampling Agency	Purpose
AT HEADWATERS	VRELL009.02	100542	ADEQ	Ambient Monitoring
ABOVE EAST VERDE RIVER	VRELL000.18	100543	ADEQ	TMDL Monitoring

Metal Samples	Nutrients & Related Samples	Other Samples
(5-8) Antimony, arsenic, beryllium, boron, cadmi- um, chromium, copper, lead, manganese, mer- cury, selenium, zinc		(1-8) Dissolved oxygen, <i>E. coli</i> , pH, total dissolved solids, biocriteria, bottom deposits

### **Data Gaps and Monitoring Needs**

Exceedances Needing More Samples to Assess	Biocriteria
Missing Core Parameters	None
Missing Seasonal Distribution	None
Lab Detection Limits Not Low Enough	Cadmium (dissolved), copper (dissolved), mercury (dissolved)

Priority	Monitoring Recommendations
Medium	Collect another macroinvertebrate sample to confirm the biocriteria violation.

### Headwaters - Verde River 15060203-024 19.937 Miles **Outstanding Arizona Water**

## onitoring Summary

Sampling period: 7/21/2010 - 5/1/2013

Site Name(s)	Site ID #	DEQ #	Sampling Agency	Purpose
EAST OF MUD SEEP	VRF0S011.88	105624	ADEQ	Ambient Monitoring

Metal Samples	Nutrients & Related Samples	Other Samples	
(8) Antimony, arsenic, beryllium, boron, cadmium, chromium, copper, lead, manganese, mercury, selenium, zinc		(4-8) Dissolved oxygen, <i>E. coli</i> , pH, SSC, total dissolved solids	

### **Data Gaps and Monitoring Needs**

Exceedances Needing More Samples to Assess	None
Missing Core Parameters	None
Missing Seasonal Distribution	None
Lab Detection Limits Not Low Enough	Seleniur

Priority		Μ
Low	Good core parameter coverage.	



## FC - Attaining • FBC - Attaining AGL - Attaining • AWW - Attaining

### **No Exceedances**

m, mercury (dissolved)

### Monitoring Recommendations



## **OLDWATER LAKE (UPPER)**

15060202-0575 21 Acres

Category 3 Inconclusive

## DWS - Inconclusive • FC - Inconclusive • FBC - Inconclusive **AWC - Inconclusive**

### **No Exceedances**

# onitoring Summary

Sampling period: 9/8/2010 - 6/17/2015

Site Name(s)	Site ID #	DEQ #	Sampling Agency	Purpose
DAM SITE	VRGWU-A	108862	ADEQ	Ambient Monitoring

Metal Samples	Nutrients & Related Samples	Other Samples
(3-4) Arsenic, beryllium, boron, cadmium, chromi- um, copper, lead, manganese, mercury, selenium, zinc		(1-4) Dissolved oxygen, <i>E. coli</i> , pH, total dissolved solids

### **Data Gaps and Monitoring Needs**

Exceedances Needing More Samples to Assess	None	
Missing Core Parameters	Zinc (dissolved), E. coli	
Missing Seasonal Distribution	Zinc (dissolved), cadmium (dissolved), E. coli, fluoride, mercury	
Lab Detection Limits Not Low Enough	Cadmium (dissolved), selenium	

Priority	Monitoring Recommendations		
	Collect core parameters to represent at least 3 seasons during an assessment period.		
Low			



Parameter	Applicable Standard	Date	Result	Designated use support comments
		8/29/2013	3629.4 cfu/100 mL	FBC is not attaining with 3 exceed- ances in 3 samples. All exceedances
E. coli		11/22/2013	1046 cfu/100 mL	were storm-related. See Impairment discussion below.
		8/13/2014	886 cfu/100 mL	

## onitoring Summary

Sampling period: 8/29/2013 - 8/13/2014

Site Name(s)	Site ID #	DEQ #	Sampling Agency	Purpose
VETERANS HOSPITAL	VRG0C000.60	107563	ADEQ	TMDL Monitoring
BELOW EAST PINE RIDGE DRIVE	VRG0C003.03	107562	ADEQ	TMDL Monitoring

Metal Samples	Nutrients & Related Samples	Other Samples
		(2-4) Dissolved oxygen, <i>E. coli,</i> pH, total dissolved solids

### **Data Gaps and Monitoring Needs**

Exceedances Needing More Samples to Assess	None
Missing Core Parameters	Zinc (dis (dissolve
Missing Seasonal Distribution	Zinc (dis (dissolve
Lab Detection Limits Not Low Enough	None







# FC - Inconclusive • FBC - Not Attaining • AWC - Inconclusive

### **Exceedances**

ssolved), dissolved oxygen, pH, nitrogen, phosphorus, cadmium ed), copper (dissolved), mercury (or mercury in fish tissue) ssolved), dissolved oxygen, pH, nitrogen, phosphorus, cadmium ed), copper (dissolved), E. coli, mercury

Priority

Medium

Monitoring Recommendations

Continue effectiveness monitoring for E. coli.

### Impairment Discussion

Not attaining for E. coli. Although the reach does not meet a minimum sample requirement for storm-related E. coli impairment (a minimum of 10 samples in the assessment period), the reach is listed based on a weight-of-evidence approach: - The reach is a tributary to Granite Creek, which is already impaired for E. coli, and - Intensive monitoring for Granite Creek and its tributaries identified *E. coli* to be a watershed-wide water quality problem.

The reach is included in the Upper Granite Creek Watershed E. coli TMDL (completed in 2015).



FC - Inconclusive • FBC - Not Attaining • AGI - Inconclusive AGL - Inconclusive • AWC - Impaired

Parameter	Applicable Standard	Date	Result	Designated use support comments
		7/31/2010	4.52 mg/L*	AWC remains impaired - not enough representative samples to assess. All but one of these exceedances (marked with asterisks) occurred during sum-
		10/20/2010	5.27 mg/L*	
Dissolved	70 mg/l	4/13/2011	6.68 mg/L	
oxygen	7.0 mg/L	5/29/2013	3.4 mg/L*	mer/fall convective storms under ephemeral conditions. There was only
		7/31/2013	6 mg/L*	one exceedance in two representative
		8/20/2013	4.14 mg/L*	samples.
		7/31/2010	3629.4 cfu/100 mL	FBC remains not attaining with 10
		10/5/2010	3629.4 cfu/100 mL	exceedances in 12 samples.
		10/20/2010	3629.4 cfu/100 mL	
		12/16/2010	2419.6 cfu/100 mL	
E. coli	225 of 1/100 ml	3/22/2012	767 cfu/100 mL	
E. COII	235 cfu/100 ml	8/20/2013	727 cfu/100 mL	
		8/29/2013	3629.4 cfu/100 mL	
		9/10/2013	2599.4 cfu/100 mL	
		11/22/2013	4106 cfu/100 mL	
		8/13/2014	933 cfu/100 mL	
SSC	25 mg/L	12/16/2010	71.4 mg/L	AWC is inconclusive with 2 single sar
		11/22/2013	40 mg/L	ple exceedances. Insufficient number of samples to calculate a median.





## onitoring Summary

Verde

Sampling period: 7/31/2010 - 8/13/2014

Site Name(s)	Site ID #	DEQ #	Sampling Agency	Purpose
AT GRANITE PARK	VRGRA029.97	106184	ADEQ	TMDL Monitoring
AT PRESCOTT, AZ USGS 09502960	VRGRA029.64	101580	USGS	Data Sharing Partnership
AT LEROUX STREET	VRGRA031.19	107504	ADEQ	TMDL Monitoring
ABOVE BANNING (BAN- NON) CREEK	VRGRA032.67	104926	ADEQ	TMDL Monitoring
ABOVE PONDEROSA ROAD	VRGRA034.39	107502	ADEQ	TMDL Monitoring
AT GRANITE RD.	VRGRA030.36	111035	ADEQ	TMDL Monitoring
BELOW GURLEY STREET BRIDGE	VRGRA030.48	108624	ADEQ	TMDL Monitoring

Metal Samples	Nutrients & Related Samples	Other Samples
mium, copper, lead, nickel, zinc		(2-21) Dissolved oxygen, <i>E. coli</i> , pH, SSC, total dissolved solids

### **Data Gaps and Monitoring Needs**

Exceedances Needing More Samples to Assess	SSC, dissolved oxygen
Missing Core Parameters	Zinc (dissolved), cadmium (dissolved), copper (dissolved), boron, manga- nese, copper, lead, mercury (or mercury in fish tissue)
Missing Seasonal Distribution	Zinc (dissolved), cadmium (dissolved), copper (dissolved), boron, manga- nese, copper, lead, mercury
Lab Detection Limits Not Low Enough	Cadmium (dissolved), copper (dissolved), lead (dissolved), mercury (dissolved)

Priority	Monitoring Recommendations
Medium	Collect more suspended sediment and dissolved oxygen samples due to the exceedances.

### Impairment Discussion

ADEQ initially delisted dissolved oxygen, but after a closer inspection of the data, ADEQ determined that there was not enough information to delist dissolved oxygen and asked EPA to overfile. Reach remains impaired for dissolved oxygen and not attaining for E. coli. The Upper Granite Creek Watershed E. coli TMDL completed in 2015.



FC - Inconclusive • FBC - Not Attaining • AGI - Inconclusive AGL - Inconclusive • AWC - Inconclusive

Parameter	Applicable Standard	Date	Result	Designated use support comments
Dissolved 7.		8/1/2011	3.84 mg/L	AWC is inconclusive with 1 exceed- ance in 5 samples. The exceedance on 8/1/11 is due to low flow conditions.
	7.0 mg/L	7.0 mg/L 8/13/2014	5.43 mg/L	
		10/5/2010	3629.4 cfu/100 mL	FBC remains not attaining with 4
		7/8/2011	631.1 cfu/100 mL	exceedances in the last 3 years of monitoring.
	9/14/2011	1413.6 cfu/100 mL		
E. coli	<i>E. coli</i> 235 cfu/100 mL	8/29/2013	3629.4 cfu/100 mL	
		9/10/2013	402.8 cfu/100 mL	
		11/22/2013	3873 cfu/100 mL	
		8/13/2014	1274 cfu/100 mL	
Lead	15 ug/L	10/5/2010	15.1 ug/L	FBC is inconclusive with 1 exceedance in 2 samples.



Sampling period: 10/5/2010 - 8/13/2014

Site Name(s)	Site ID #	DEQ #	Sampling Agency	Purpose
MID WATSON WOODS	VRGRA027.35	107522	ADEQ	TMDL Monitoring

Metal Samples	Nutrients & Related Samples	Other Samples
(1-3) Arsenic, beryllium, cadmium, chromium, copper, lead, manganese, zinc		(2-5) Dissolved oxygen, <i>E. coli</i> , pH, total dissolved solids

Verde River Watershed Assessments - 28



# P.E. coli (2010) ENT



lerde	Data Gaps and Monitoring N	leeds
LC LC	Exceedances Needing More Samples to Assess	Lead
Ve	Missing Core Parameters	Zinc (dissolved), dissolved oxygen, cadmium (dissolved), copper (dissolved), boron, copper, lead, mercury (or mercury in fish tissue)
	Missing Seasonal Distribution	Zinc (dissolved), dissolved oxygen, cadmium (dissolved), copper (dissolved), <i>E. coli</i> , boron, copper, lead, mercury
	Lab Detection Limits Not Low Enough	Cadmium (dissolved), copper (dissolved), lead (dissolved)

Priority	Monitoring Recommendations
	Collect more lead samples due to the exceedance.
Medium	

### Impairment Discussion

Not attaining for E. coli. The Upper Granite Creek Watershed E. coli TMDL completed in 2015.



FC - Inconclusive • FBC - Inconclusive • AGI - Inconclusive

Parameter	Applicable Standard	Date	Result	Designated use support comments
Dissolved	Dissolved	7/31/2013		AWW is inconclusive with 2 exceedances
oxygen	6.0 mg/L	8/20/2013	5.51 mg/L	in 2 samples (binomial).

## onitoring Summary

Sampling period: 7/31/2013 - 8/20/2013

Site Name(s)	Site ID #	DEQ #	Sampling Agency	Purpose
AT USGS GAGE 09503300	VRGRA023.85	104925	ADEQ	TMDL Monitoring

Metal Samples	Nutrients & Related Samples	Other Samples	
(1) Antimony, arsenic, beryllium, boron, cadmium, chromium, copper, lead, manganese, mercury, selenium, zinc		(2) Dissolved oxygen, <i>E. coli</i> , pH, total dissolved solids	

### **Data Gaps and Monitoring Needs**

Exceedances Needing More Samples to Assess	Dissolve
Missing Core Parameters	Zinc (dis (dissolve mercury
Missing Seasonal Distribution	Zinc (dis (dissolve mercury
Lab Detection Limits Not Low Enough	None

Priority	М
Low	Collect more dissolved oxygen samples least 3 seasons during an assessment



# AGL - Inconclusive • AWW - Inconclusive

### **Exceedances**

ed oxygen issolved), dissolved oxygen, pH, nitrogen, phosphorus, cadmium ved), copper (dissolved), E. coli, boron, manganese, copper, lead, ry (or mercury in fish tissue) ssolved), dissolved oxygen, pH, nitrogen, phosphorus, cadmium red), copper (dissolved), E. coli, boron, manganese, copper, lead,

### Monitoring Recommendations

es due to the exceedances. Collect core parameters to represent at period.



**Category 3** Inconclusive



### **Exceedances**

Parameter	Applicable Standard	Date	Result	Designated use support comments
Dissolved oxygen	7.0 mg/L	5/8/2012	6.47 mg/L	AWC is inconclusive with 1 exceedance in 1 sample (binomial).

## onitoring Summary

Sampling period: 5/8/2012 - 5/8/2012

Site Name(s)	Site ID #	DEQ #	Sampling Agency	Purpose
UPSTREAM FROM WASHINGTON PARK	VRMAI000.78	107223	ADEQ	TMDL Monitoring

Metal Samples	Nutrients & Related Samples	Other Samples	
(1) Arsenic, boron, selenium		(1) Dissolved oxygen, <i>E. coli</i> , pH, total dissolved solids	

### **Data Gaps and Monitoring Needs**

Exceedances Needing More Samples to Assess	Dissolved oxygen
Missing Core Parameters	Zinc (dissolved), dissolved oxygen, pH, nitrogen, phosphorus, cadmium (dissolved), copper (dissolved), <i>E. coli</i> , mercury (or mercury in fish tissue)
Missing Seasonal Distribution	Zinc (dissolved), dissolved oxygen, pH, nitrogen, phosphorus, cadmium (dissolved), copper (dissolved), <i>E. coli</i> , mercury
Lab Detection Limits Not Low Enough	None

Priority	Monitoring Recommendations
Low	Collect more dissolved oxygen samples due to the exceedance. Collect core parameters to represent at least 3 seasons during an assessment period.



Parameter	Applicable Standard	Date	Result	Designated use support comments
		10/5/2010	2419.6 cfu/100 mL	FBC remains impaired with 3 exceed- ances in the last 3 years of monitoring.
		10/20/2010	275.5 cfu/100 mL	
		12/16/2010	3629.4 cfu/100 mL	
E. coli	235 cfu/100 mL	8/30/2013	2419.6 cfu/100 mL	
		9/10/2013	436 cfu/100 mL	
	8	8/13/2014	933 cfu/100 mL	

### onitoring Summary

Sampling period: 10/5/2010 - 8/13/2014

Site Name(s)	Site ID #	DEQ #	Sampling Agency	Purpose
ABOVE GRANITE CREEK	VRMAN000.01	107548	ADEQ	TMDL Monitoring
ABOVE COUNTRY CLUB PARK	VRMAN001.03	108642	ADEQ	TMDL Monitoring
ABOVE TIMBER RIDGE ROAD	VRMAN002.15	107547	ADEQ	TMDL Monitoring

Metal Samples	Nutrients & Related Samples	Other Samples
manganese, zinc		(1-9) Dissolved oxygen, <i>E. coli</i> , pH, total dissolved solids






# FC - Inconclusive • FBC - Not Attaining • AWC - Inconclusive



de	Data Gaps and Monitoring Needs				
	Exceedances Needing More Samples to Assess	None			
Ve	Missing Core Parameters	Zinc (dissolved), cadmium (dissolved), copper (dissolved), mercury (or mercury in fish tissue)			
	Missing Seasonal Distribution	Zinc (dissolved), cadmium (dissolved), copper (dissolved), mercury			
	Lab Detection Limits Not Low Enough	None			

Priority	Monitoring Recommendations		
	Continue effectiveness monitoring for E. coli.		
Medium			

Impairment Discussion	
Not attaining for <i>E. coli</i> . The reach is included in the Upper Granite Creek Watershed <i>E. coli</i> TMDL (completed in 2015).	



## **Exceedances**

Parameter	Applicable Standard	Date	Result	Designated use support comments
		10/5/2010	5.29 mg/L	AWC is inconclusive with 2 exceed- ances in 6 samples (binomial). Exceed ances on 11/6/14 and 4/23/15 due to low flow conditions.
Dissolved		11/6/2014	6.05 mg/L	
oxygen	7.0 mg/L	11/25/2014	6.15 mg/L	
		4/23/2015	6.6 mg/L	
		10/5/2010	3629.4 cfu/100 mL	FBC remains impaired with 7 exceed-
	235 cfu/100 mL	12/16/2010	3629.4 cfu/100 mL	ances in the last 3 years of monitoring
		8/29/2013	3629.4 cfu/100 mL	
		9/10/2013	449.4 cfu/100 mL	
E. coli		11/22/2013	2613 cfu/100 mL	
		8/14/2014	2187 cfu/100 mL	
		2/23/2015	244.6 cfu/100 mL	
		3/2/2015	1632 cfu/100 mL	
		4/30/2015	436 cfu/100 mL	
022	25 mg/l	3/2/2015 191 mg/L	191 mg/L	AWC is inconclusive. Insufficient num-
SSC	25 mg/L	4/30/2015	49.8 mg/L	ber of samples to calculate a median

# Sampling period: 10/5/2010 - 4/30/2015

Site Name(s)	Site ID #	DEQ #	Sampling Agency	Purpose
ON THUMB BUTTE ROAD ABOVE DEARING ROAD CROSSING	VRMIL006.07	106188	ADEQ	Ambient Monitoring
AT THUMB BUTTE PARK	VRMIL003.64	107523	ADEQ	Ambient Monitoring
ABOVE BUTTE CREEK AND GRANITE PARK	VRMIL000.32	107525	ADEQ	TMDL Monitoring





### FC - Inconclusive • FBC - Not Attaining • AWC - Inconclusive U)



Site Name(s)	Site ID #	DEQ #	Sampling Agency	Purpose
BELOW RODEO GROUNDS OFF MILLER VALLEY RD	VRMIL000.77	110502	ADEQ	TMDL Monitoring
AT DOUGHTY AND FAIR, ABOVE RODEO GROUNDS	VRMIL001.28	110503	ADEQ	TMDL Monitoring
PULLOUT BELOW MAYO ST ON OREGON AVE	VRMIL001.78	110523	ADEQ	TMDL Monitoring
AT DOWNER TRAIL	VRMIL002.14	108626	ADEQ	TMDL Monitoring
BELOW CORRALS	VRMIL002.40	110504	ADEQ	TMDL Monitoring
AT CROSSING WITH IDYL- WILD WAY (UPSTREAM OF HORSES)	VRMIL002.51	110524	ADEQ	TMDL Monitoring
AT CROSSING WITH LOWER PINE DRIVE	VRMIL002.66	108627	ADEQ	TMDL Monitoring
AT CROSSING WITH UP- PER PINE DR	VRMIL002.98	110505	ADEQ	TMDL Monitoring
AT PARR DR	VRMIL001.61	110522	ADEQ	TMDL Monitoring

Metal Samples	Nutrients & Related Samples	Other Samples
(2) Antimony, arsenic, beryllium, boron, cadmium, chromium, copper, lead, manganese, mercury, selenium, zinc		(10-52) Dissolved oxygen, <i>E. coli</i> , pH, SSC, total dissolved solids


### **Data Gaps and Monitoring Needs**

Exceedances Needing More Samples to Assess	Dissolved oxygen, SSC
Missing Core Parameters	Zinc (dissolved), cadmium (dissolved), copper (dissolved), mercury (or mercury in fish tissue)
Missing Seasonal Distribution	Zinc (dissolved), cadmium (dissolved), copper (dissolved), mercury
Lab Detection Limits Not Low Enough	Cadmium (dissolved), copper (dissolved), mercury (dissolved)

Priority	Monitoring Recommendations		
Medium	Continue effectiveness monitoring for <i>E. coli</i> . Collect more dissolved oxygen and SSC samples due to exceedances.		

### Impairment Discussion

Not-attaining for E. coli. The reach is included in the Upper Granite Creek Watershed E. coli TMDL (completed in 2015).



Parameter	Applicable Standard	Date	Result	Designated use support comments
E. coli	235 cfu/100 ml	2/23/2015	688.2 cfu/100 mL	FBC is not attaining with 2 exceed- ances in 5 samples. All exceedances
		3/2/2015	3972.6 cfu/100 mL	were storm-related. See Impairment discussion below.
SSC	25 mg/L	3/2/2015	154 mg/L	AWC is attaining. No median exceed- ances.

# Sampling period: 2/20/2015 - 4/30/2015

Site Name(s)	Site ID #	DEQ #	Sampling Agency	Purpose
MIDDLE SITE AT GAIL GARDNER AND PEACE LN	VRNMI000.28	110526	ADEQ	TMDL Monitoring
UPPER SITE OFF IRON SPRINGS BEHIND GOOD- WILL	VRNMI000.87	110527	ADEQ	TMDL Monitoring
LOWER SITE OFF SUN- SET RD	VRNMI000.04	110525	ADEQ	TMDL Monitoring

Metal Samples	Nutrients & Related Samples	Other Samples
(0) None	(6) Ammonia, nitrite/nitrate, nitrogen, phosphorus, total Kjeldahl nitrogen	(1-9) <i>E. coli</i> , pH, SSC





# FC - Inconclusive • FBC - Not Attaining • AWC - Inconclusive



de	Data Gaps and Monitoring Needs			
-	Exceedances Needing More Samples to Assess	None		
Ve	Missing Core Parameters	Zinc (dissolved), dissolved oxygen, pH, cadmium (dissolved), copper (dissolved), mercury (or mercury in fish tissue)		
	Missing Seasonal Distribution	Zinc (dissolved), dissolved oxygen, pH, nitrogen, phosphorus, cadmium (dissolved), copper (dissolved), <i>E. coli</i> , mercury		
	Lab Detection Limits Not Low Enough	None		

Priority	Monitoring Recommendations
Medium	Continue effectiveness monitoring for <i>E. coli</i> .

Impairment Discussion
Not attaining for E. coli. Although the reach does not meet a minimum sample requirement for storm-related E. coli impair-
ment (a minimum of 10 samples in the assessment period), the reach is listed based on a weight-of-evidence approach:
- The reach is a tributary to Miller Creek, which is already impaired for E. coli, and
- Intensive monitoring for Granite Creek and its tributaries identified E. coli to be a watershed-wide water quality problem.
The reach is included in the Upper Granite Creek Watershed E. coli TMDL (completed in 2015).



Parameter	Applicable Standard	Date	Result	Designated use support comments
Dissolved		AWC is inconclusive with 2 exceed-		
oxygen	7.0 mg/L	10/5/2010	5.98 mg/L	ances in 2 samples (binomial).
		7/31/2010	3629.4 cfu/100 mL	FBC is not attaining with 7 exceed-
	<i>E. coli</i> 235 cfu/100 mL	10/5/2010	3629.4 cfu/100 mL	ances in 8 samples. All exceedances were storm-related. See Impairment discussion below.
		12/16/2010	3629.4 cfu/100 mL	
E. coli		8/29/2013	3629.4 cfu/100 mL	
		9/10/2013	279.2 cfu/100 mL	
		11/22/2013	1664 cfu/100 mL	
		8/13/2014	598 cfu/100 mL	

# onitoring Summary Sampling period: 7/31/2010 - 8/13/2014

Site Name(s)	Site ID #	DEQ #	Sampling Agency	Purpose
AT 6TH AND NAVAJO	VRNGC000.14	107622	ADEQ	TMDL Monitoring

Metal Samples	Nutrients & Related Samples	Other Samples
	(6-7) Ammonia, nitrite/nitrate, nitrogen, phosphorus, total Kjeldahl nitrogen	(2-8) Dissolved oxygen, <i>E. coli</i> , pH, total dissolved solids





### FC - Inconclusive • FBC - Not Attaining • AWC - Inconclusive U)



de	Data Gaps and Monitoring N	leeds
-	Exceedances Needing More Samples to Assess	Dissolved oxygen
Ve	Missing Core Parameters	Zinc (dissolved), cadmium (dissolved), copper (dissolved), mercury (or mercury in fish tissue)
	Missing Seasonal Distribution	Zinc (dissolved), cadmium (dissolved), copper (dissolved), mercury
	Lab Detection Limits Not Low Enough	None

Priority	Monitoring Recommendations		
Medium	Collect more dissolved oxygen samples due to exceedances. Continue effectiveness monitoring for <i>E.</i> coli.		

### Impairment Discussion

Not-attaining for E. coli. Although the reach does not meet a minimum sample requirement for storm-related E. coli impairment (a minimum of 10 samples in the assessment period), the reach is listed based on a weight-of-evidence approach: - The reach is a tributary to Granite Creek, which is already impaired for E. coli, and - Intensive monitoring for Granite Creek and its tributaries identified E. coli to be a watershed-wide water quality problem. The reach is included in the Upper Granite Creek Watershed E. coli TMDL (completed in 2015).





DWS - Inconclusive • FC - Attaining • FBC - Not Attaining AGI - Attaining • AGL - Attaining • AWW - Attaining

### **Exceedances**

Parameter	Applicable Standard	Date	Result	Designated use support comments
		7/20/2010	19 ug/L	DWS is inconclusive with 4 exceed- ances in 4 samples (binomial).
Averagia		11/16/2010	15 ug/L	
Arsenic 10 ug/L	10 ug/L	3/24/2011	<b>12</b> ug/L	
		4/27/2011	<b>16</b> ug/L	
	235 cfu/100 mL	8/2/2011	3628.8 cfu/100 mL	FBC remains not-attaining with 5 exceedances in 16 samples.
		9/11/2011	816.4 cfu/100 mL	
E. coli		9/15/2011	3628.8 cfu/100 mL	
		7/15/2012	7915 cfu/100 mL	
		8/2/2012	426 cfu/100 mL	
Phospho-	0.2 mg/l	7/15/2012	2.55 mg/L	AWW and FBC are attaining with 2 e ceedances in 11 samples (binomial)
rus	0.3 mg/L	8/2/2012	1.34 mg/L	

onitoring Summary

Sampling period: 7/20/2010 - 8/15/2012

Site Name(s)	Site ID #	DEQ #	Sampling Agency	Purpose
AT MORMON CROSSING	VR0AK013.95	101880	ADEQ	Ambient Monitoring
ABOVE PAGE SPRINGS HATCHERY	VROAK017.30	101811	OCWIC	Data Sharing Partnership
BELOW DRY CREEK	VR0AK022.58	101878	OCWIC	Data Sharing Partnership

Metal Samples	Nutrients & Related Samples	Other Samples
(4) Antimony, arsenic, beryllium, boron, cadmium, chromium, copper, lead, manganese, mercury, selenium, zinc	nitrite/nitrate, nitrogen, phos-	(1-20) Dissolved oxygen, <i>E. coli</i> , pH, total dissolved solids, bottom depos- its, biocriteria



de	Data Gaps and Monitoring N	leeds
rc	Exceedances Needing More Samples to Assess	Arsenic
Pe	Missing Core Parameters	None
	Missing Seasonal Distribution	None
	Lab Detection Limits Not Low Enough	Mercury (dissolved)

Priority	Monitoring Recommendations
High	Collect additional arsenic samples. Continue effectiveness monitoring for <i>E. coli</i> .

### Impairment Discussion

Oak Creek E. coli TMDL approved by EPA in late 2010. Ongoing water quality improvements being implemented through a 319(h) grant to Oak Creek Watershed Council.



DWS - Inconclusive • FC - Inconclusive • FBC - Not Attaining AGI - Inconclusive • AGL - Inconclusive • AWC - Inconclusive

Parameter	Applicable Standard	Date	Result	Designated use support comments
E. coli	235 cfu/100 ml	7/24/2012		FBC remains not-attaining with 1 exceedance in the last 3 years of monitoring.

### onitoring Summary

Sampling period: 7/5/2011 - 8/22/2012

Site Name(s)	Site ID #	DEQ #	Sampling Agency	Purpose
BELOW PINE FLATS SUB- DIVISION	VR0AK048.92	101864	OCWIC	
AT PINE FLATS CROSS- ING	VROAK049.20	106502	OCWIC	
AT PINE FLATS LOWER BRIDGE	VROAK049.18	109623	OCWIC	

Metal Samples	Nutrients & Related Samples	Other Samples	
(0) None	(8-9) Ammonia, nitrate, nitrite, phosphorus	(2-12) Dissolved oxygen, <i>E. coli</i> , pH, total dissolved solids	

### **Data Gaps and Monitoring Needs**

Exceedances Needing More Samples to Assess	E. coli
Missing Core Parameters	Zinc (dis (dissolve ganese,
Missing Seasonal Distribution	Zinc (dis (dissolve chromiu
Lab Detection Limits Not Low Enough	None



# **P E**. coli (2006) **E N T**

### **Exceedances**

ssolved), dissolved oxygen, nitrogen, cadmium (dissolved), copper ed), nitrite/nitrate, fluoride, arsenic, chromium, lead, boron, man-, copper, mercury (or mercury in fish tissue)

ssolved), dissolved oxygen, pH, nitrogen, phosphorus, cadmium ed), copper (dissolved), *E. coli*, nitrite/nitrate, fluoride, arsenic, um, lead, boron, manganese, copper, mercury

Priority

High

Monitoring Recommendations

Continue effectiveness monitoring for E. coli. Collect core parameters to represent at least 3 seasons during an assessment period.

### Impairment Discussion

Oak Creek E. coli TMDL approved by EPA in late 2010. Ongoing water quality improvements being implemented through a 319(h) grant to Oak Creek Watershed Council.



DWS - Attaining • FC - Attaining • FBC - Not Attaining AGI - Attaining • AGL - Attaining • AWW - Inconclusive

Parameter	Applicable Standard	Date	Result	Designated use support comments	
Dissolved oxygen	6.0 mg/L	7/19/2010	4.68 mg/L	AWW is attaining with 1 exceedance in 10 samples (binomial).	
		8/2/2011			
		9/7/2011	2419.17 cfu/100 mL	exceedances in the last 3 years of monitoring.	
		9/15/2011	3628.8 cfu/100 mL		
		6/26/2012	478.6 cfu/100 mL		
E. coli	235 cfu/100 ml	7/15/2012	4569 cfu/100 mL		
		8/2/2012	259 cfu/100 mL		
		7/23/2013	307.6 cfu/100 mL		
		6/10/2014	290.9 cfu/100 mL		
		7/8/2014	3628.8 cfu/100 mL		
рН	9.0 SU	7/5/2011	9.4 SU	AGI, AGL, AWW, DWS and FBC are attaining with 1 exceedance in 20 samples (binomial).	
		7/15/2012	2.55 mg/L	AWW and FBC are inconclusive with	
Phospho- rus	0.3 mg/L	7/24/2012	0.4 mg/L	3 exceedances in 15 samples (bino- mial).	
140		8/15/2012	0.74 mg/L		



Site Name(s)	Site ID #	DEQ #	Sampling Agency	Purpose
BELOW MANZANITA CAMPGROUND	VROAK042.78	101871	ADEQ	Ambient Monitoring
AT CHAVEZ CROSSING	VR0AK034.02	100461	ADEQ	Ambient Monitoring







Site Name(s)	Site ID #	DEQ #	Sampling Agency	Purpose
AT LOMACASI	VROAK037.39	109633	OCWIC	Data Sharing Partnership
AT LIVING SPRINGS	VR0AK039.76	109624	OCWIC	Data Sharing Partnership
BELOW INDIAN GAR- DENS	VR0AK040.48	104019	OCWIC	Data Sharing Partnership
BELOW RED ROCK STATE PARK	VR0AK027.60	109627	OCWIC	Data Sharing Partnership
BELOW GRASSHOPPER POINT	VR0AK038.61	100459	FOF	Data Sharing Partnership
AT CRESCENT MOON	VROAK031.52	101874	FOF	Data Sharing Partnership
AT MIDGLEY BRIDGE	VR0AK037.96	110422	FOF	Data Sharing Partnership



Add E. coli to the 303(d) list.

DWS - Inconclusive • FC - Inconclusive • FBC - Impaired AGI - Inconclusive • AGL - Inconclusive • AWW - Inconclusive

Parameter	Applicable Standard	Date	Result	Designated use support comments	
		9/15/2011	3628.8 cfu/100 mL	FBC is impaired with 3 exceedances	
E. coli	235 cfu/100 mL	7/15/2012	1011.1 cfu/100 mL	in 13 samples (greater than 10% exceedance rate). All exceedances were	
		8/2/2012	345 cfu/100 mL	storm-related.	
рН	9.0 SU	7/11/2011	9.3 SU	AGI, AGL, AWW, DWS and FBC are attaining with 1 exceedance in 12 samples (binomial).	
Phospho-	0.3 mg/L	8/2/2012	0.72 mg/L	AWW and FBC are inconclusive with 2	
rus		8/15/2012	0.81 mg/L	exceedances in 7 samples (binomi	

E. coli	235 cfu/100 mL	7/15
		8/2
рН	9.0 SU	7/11
Phospho-	0.3 mg/L	8/2,
rus	0.5 mg/ L	8/15



Sampling	geriod:	2/1/	/2011	- 8/1	5/2012

Site Name(s)	Site ID #	DEQ #	Sampling Agency	Purpose
NEAR CORNVILLE ES- TATES	VR0AK002.26	109630	OCWIC	Data Sharing Partnership
ABOVE CORNVILLE BRIDGE	VROAK008.90	101881	OCWIC	Data Sharing Partnership
ABOVE VERDE CONFLU- ENCE	VROAK000.13	109631	OCWIC	Data Sharing Partnership
BELOW SPRING CREEK CONFLUENCE	VROAK012.61	109629	OCWIC	Data Sharing Partnership

	Metal Samples	Nutrie
(0) None		(15) An phosph

Metal Samples	Nutrients & Related Samples	Other Samples
(8) Antimony, arsenic, beryllium, boron, cadmium,	(8-35) Ammonia, nitrate, nitrite,	(1-129) Dissolved oxygen, E. coli, pH,
chromium, copper, lead, manganese, mercury,	nitrite/nitrate, nitrogen, phos-	SSC, total dissolved solids, bottom
selenium, zinc	phorus, total Kjeldahl nitrogen	deposits, biocriteria

### **Data Gaps and Monitoring Needs**

Parameters Needing More Samples to Assess	Biocriteria, phosphorus
Missing Core Parameters	None
Missing Seasonal Distribution	None
Lab Detection Limits Not Low Enough	Selenium, mercury (dissolved)

Priority	Monitoring Recommendations
High	Collect more phosphorus samples due to the exceedances. Collect a verification sample for biocriteria (IBI on 4/23/13 was 49 and inconclusive). Continue effectiveness monitoring for <i>E. coli</i> .

### Impairment Discussion

Oak Creek E. coli TMDL approved by EPA in late 2010. Ongoing water quality improvements being implemented through a 319(h) grant to Oak Creek Watershed Council.



ients & Related Samples	Other Samples
Ammonia, nitrate, nitrite, ohorus	(6-28) Dissolved oxygen, <i>E. coli</i> , pH, total dissolved solids

Verde	Data Gaps and Monitoring Needs			
	Exceedances Needing More Samples to Assess	Phosphorus		
	Missing Core Parameters	Zinc (dissolved), nitrogen, cadmium (dissolved), copper (dissolved), nitrite/nitrate, fluoride, arsenic, chromium, lead, boron, manganese, cop- per, mercury (or mercury in fish tissue)		
	Missing Seasonal Distribution	Zinc (dissolved), dissolved oxygen, nitrogen, phosphorus, cadmium (dis- solved), copper (dissolved), <i>E. coli</i> , nitrite/nitrate, fluoride, arsenic, chromi- um, lead, boron, manganese, copper, lead, mercury		
	Lab Detection Limits Not Low Enough	E. coli		

Priority	Monitoring Recommendations
High	Collect more samples in support of TMDL development. Collect more phosphorus samples due to the exceedances.

### **Impairment Discussion**

Add E. coli to the 303(d) list. Impairments based on flood related E. coli exceedances are only considered when ten or more samples have been collected, and there is a greater than 10% exceedance rate.



DWS - Attaining • FC - Attaining • FBC - Not Attaining AGI - Attaining • AGL - Attaining • AWC - Inconclusive

Parameter	Applicable Standard	Date	Result	Designated use support comments
Cadmium (dissolved)	0.341 ug/L chronic @ 160 mg/L hardness	7/19/2010	1.8 ug/L	AWC is inconclusive with 1 exceed- ance in 4 samples.
E. coli	235 cfu/100 mL	7/15/2012	387.3 cfu/100 mL	FBC remains impaired with 2 exceed- ances in 19 samples.
		7/8/2014	3628.8 cfu/100 mL	
Selenium	2 ug/L	7/19/2010	2.6 ug/L	AWC is inconclusive with 1 exceed- ance in 4 samples.

# Sampling period. 7 (42.14

Sampling period: 7/19/2010 - 7/23/2014

Site Name(s)	Site ID #	DEQ #	Sampling Agency	Purpose
AT SLIDE ROCK CAMP- GROUND	VR0AK045.64	105370	ADEQ	Ambient Monitoring
ABOVE BOOTLEGGER CAMPGROUND	VROAK046.10	101866	OCWIC	

Metal Samples	Nutrients & Related Samples	Other Samples
	nitrite/nitrate, nitrogen, phos-	(1-19) Dissolved oxygen, <i>E. coli</i> , pH, total dissolved solids, biocriteria, bottom deposits

### **Data Gaps and Monitoring Needs**

Exceedances Needing More Samples to Assess	Cadmiu
Missing Core Parameters	None
Missing Seasonal Distribution	None
Lab Detection Limits Not Low Enough	Cadmiu



# **P E. coli (2006) ENT**

### **Exceedances**

im (dissolved), selenium

im (dissolved), mercury (dissolved)

Priority

High

Monitoring Recommendations

Collect more selenium and dissolved cadmium samples and use lower reporting limits. Continue effectiveness monitoring for E. coli.

### Impairment Discussion

Oak Creek E. coli TMDL approved by EPA in late 2010. Ongoing water quality improvements being implemented through a 319(h) grant to Oak Creek Watershed Council.



DWS - Inconclusive • FC - Inconclusive • FBC - Not Attaining AGI - Inconclusive • AGL - Inconclusive • AWW - Inconclusive

Parameter	Applicable Standard	Date	Result	Designated use support comments
		7/4/2010	1300 cfu/100 mL	FBC remains impaired with 5 SSM
		7/5/2010	3628.5 cfu/100 mL	exceedances in the last 3 years of monitoring. Also 6 geomean exceed
		7/12/2010	299 cfu/100 mL	ances $(7/10 \text{ and } 7/11 \text{ at different})$
		7/19/2010	3628.5 cfu/100 mL	sites).
		7/27/2010	1203 cfu/100 mL	
		8/2/2010	1733 cfu/100 mL	
		8/9/2010	461 cfu/100 mL	
		8/16/2010	308 cfu/100 mL	
		8/30/2010	579 cfu/100 mL	
E. coli	235 cfu/100 mL	6/13/2011	3628.5 cfu/100 mL	
E. COII	SSM	6/28/2011	3628.5 cfu/100 mL	
		7/4/2011	3628.5 cfu/100 mL	
		7/25/2011	3628.5 cfu/100 mL	
		6/12/2012	1986 cfu/100 mL	
		6/26/2012	3628.5 cfu/100 mL	
		7/3/2012	3628.5 cfu/100 mL	
		7/10/2012 1553.1 cfu/100 mL		
		7/17/2012	435 cfu/100 mL	
		7/24/2012	3628.5 cfu/100 mL	
		7/30/2012	3628.5 cfu/100 mL	



# **E.** coli (2006) **ENT**

## onitoring Summary

Verde

Sampling period: 7/4/2010 - 6/24/2014

Site Name(s)	Site ID #	DEQ #	Sampling Agency	Purpose
SRSP AT HIGHWAY BRIDGE	VR0AK043.73	100609	SRSP	Data Sharing Partnership
SRSP FOOT BRIDGE	VR0AK043.79	102692	SRSP	Data Sharing Partnership
SRSP LARGE POOL	VROAK043.81	102693	SRSP	Data Sharing Partnership
SRSP MIDSLIDE	VR0AK043.83	102694	SRSP	Data Sharing Partnership
SRSP UPSTREAM	VR0AK043.88	102695	SRSP	Data Sharing Partnership
AT SLIDE ROCK	VROAK043.61	109632	OCWIC	Data Sharing Partnership
ABOVE SLIDE ROCK STATE PARK	VR0AK044.04	101868	FOF	Data Sharing Partnership

Metal Samples	Nutrients & Related Samples	Other Samples	
	(1) Ammonia, nitrate, nitrite, phosphorus	(2-208) Dissolved oxygen, <i>E. coli</i> , pH, total dissolved solids	

### **Data Gaps and Monitoring Needs**

Exceedances Needing More Samples to Assess	None	
Missing Core Parameters	Zinc (dissolved), dissolved oxygen, nitrogen, phosphorus, cadmium (dis- solved), copper (dissolved), nitrite/nitrate, fluoride, arsenic, chromium, lead, boron, manganese, copper, mercury (or fish tissue mercury)	
Missing Seasonal Distribution	Zinc (dissolved), dissolved oxygen, pH, nitrogen, phosphorus, cadmium (dissolved), copper (dissolved), <i>E. coli</i> , nitrite/nitrate, fluoride, arsenic, chromium, lead, boron, manganese, copper, mercury	
Lab Detection Limits Not Low Enough	None	

Priority	Monitoring Recommendations		
High	Collect core parameters to represent at least 3 seasons during an assessment period. Continue effec- tiveness monitoring for <i>E. coli</i> .		

### Impairment Discussion

Oak Creek E. coli TMDL approved by EPA in late 2010. Ongoing water quality improvements being implemented through a 319(h) grant to Oak Creek Watershed Council.



Parameter	Applicable Standard	Date	Result	Designated use support comments
Dissolved oxygen	7.0 mg/L	5/7/2012	5.55 mg/L	AWC is inconclusive with 1 exceedance in 1 sample.

## onitoring Summary

Sampling period: 5/7/2012 - 5/7/2012

Site Name(s)	Site ID #	DEQ #	Sampling Agency	Purpose
NORTH OF RIM ROAD WEST OF BAKER BUTTE	VRPSD001.63	107224	ADEQ	TMDL Monitoring

Metal Samples	Nutrients & Related Samples	Other Samples
(1) Arsenic, boron, selenium	(0) None	(1) Dissolved oxygen, <i>E. coli</i> , pH, total dissolved solids

### **Data Gaps and Monitoring Needs**

Exceedances Needing More Samples to Assess	Dissolved oxygen	
Missing Core Parameters	Zinc (dissolved), dissolved oxygen, pH, nitrogen, phosphorus, cadmium (dissolved), copper (dissolved), <i>E. coli</i> , copper, lead	
Missing Seasonal Distribution	Zinc (dissolved), dissolved oxygen, pH, nitrogen, phosphorus, cadmium (dissolved), copper (dissolved), <i>E. coli</i> , copper, lead	
Lab Detection Limits Not Low Enough	None	

Priority	Μ
Low	Collect more dissolved oxygen samples least 3 seasons during an assessment



# PBC - Inconclusive • AGL - Inconclusive • AWC - Inconclusive

### **Exceedances**

### Monitoring Recommendations

es due to the exceedance. Collect core parameters to represent at period.



# **ECK'S LAKE**

15060202-1060 95 Acres

**Category 4A** Not attaining



AWC - Not Attaining • AGI - Not Attaining AGL - Not Attaining • FBC - Not Attaining • FC - Inconclusive

### **No Exceedances**

### onitoring Summary

Sampling period: No samples

Site Name(s)	Site ID #	DEQ #	Sampling Agency	Purpose
N/A				

Metal Samples	Nutrients & Related Samples	Other Samples
(0) None	(0) None	(0) None

### **Data Gaps and Monitoring Needs**

Exceedances Needing More Samples to Assess	None
Missing Core Parameters	All core parameters
Missing Seasonal Distribution	All core parameters
Lab Detection Limits Not Low Enough	N/A

Priority	Monitoring Recommendations
Medium	Collect samples during critical conditions to determine the effectiveness of watershed improvements to reduce nutrient loadings.

**Impairment Discussion** 

It remains not-attaining for low dissolved oxygen and high pH. Nutrient TMDL completed in 2002.





Sampling period: 7/20/2010 - 5/7/2012

Site Name(s)	Site ID #	DEQ #	Sampling Agency	Purpose
NEAR HEADWATERS	VRPIE016.49	100621	ADEQ	Ambient Monitoring

Metal Samples	Nutrients & Related Samples	Other Samples
um, chromium, copper, lead, manganese, mer-	nitrogen, phosphorus, total	(1-5) Dissolved oxygen, <i>E. coli</i> , pH, total dissolved solids, biocriteria, bottom deposits

### **Data Gaps and Monitoring Needs**

Parameters Needing More Samples to Assess	Biocriter
Missing Core Parameters	None
Missing Seasonal Distribution	None
Lab Detection Limits Not Low Enough	Arsenic,

Priority	M
Medium	Collect a biocriteria verification sample



## DWS - Attaining • FC - Attaining • FBC - Attaining AGI - Attaining • AGL - Attaining • AWC - Inconclusive

### **No Exceedances**

ria

cadmium (dissolved), copper (dissolved), mercury (dissolved)

Monitoring Recommendations

e (IBI on 6/14/11 was 47 and inconclusive).



INE CREEK (PIE) Unnamed Trib at 342151/1112646 - East Verde River 15060203-049B 11.9 Miles

Category 2 Attaining some uses



## DWS - Attaining • FC - Attaining • FBC - Attaining AGI - Attaining • AGL - Attaining • AWW - Inconclusive

### **Exceedances**

Parameter	Applicable Standard	Date	Result	Designated use support comments
E. coli	235 cfu/100 mL	7/30/2010	238 cfu/100 mL	FBC is attaining. The exceedance oc- curred outside the assessment window, and there were no exceedances in the last 3 years of monitoring.
Biocriteria	IBI ≥ 50 attaining IBI 40 - 49 inconclusive IBI ≤ 39 violating	5/2/2013	IBI 35	AWW is inconclusive with 1 violation. One previous sample was inconclusive in 2011.

## onitoring Summary

Sampling period: 7/30/2010 - 5/2/2013

Site Name(s)	Site ID #	DEQ #	Sampling Agency	Purpose
AT TONTO NATURAL BRIDGE	VRPIE008.19	108362	ADEQ	Ambient Monitoring
ABOVE EAST VERDE RIVER	VRPIE000.29	100620	ADEQ	TMDL Monitoring

Metal Samples	Nutrients & Related Samples	Other Samples
	nitrogen, phosphorus, total	(-9) Dissolved oxygen, <i>E. coli</i> , pH, SSC, total dissolved solids, biocriteria, bottom deposits

### **Data Gaps and Monitoring Needs**

Exceedances Needing More Samples to Assess	Biocriteria
Missing Core Parameters	None
Missing Seasonal Distribution	None
Lab Detection Limits Not Low Enough	Copper (dissolved), selenium, mercury (dissolved)

Priority	Monitoring Recommendations	
Medium	There were one biocriteria violation and one inconclusive IBI score in this reach, but impairment deci- sions cannot be made until the Impaired Waters Identification Rule is updated.	

[	Parameter	Applicable Standard	Date	Result	Designated use support comments
	E. coli	235 cfu/100 ml	7/25/2012	110.6  cfu / 100  m	FBC is inconclusive with 1 exceedance in the last 3 years of monitoring.

## onitoring Summary

Sampling period: 7/25/2012 - 4/22/2015

Site Name(s)	Site ID #	DEQ #	Sampling Agency	Purpose
3 MILES ABOVE TANGLE CREEK	VRR0U002.93	100631	ADEQ	Ambient Monitoring

Metal Samples	Nutrients & Related Samples	Other Samples
	nitrogen, phosphorus, total	(1-5) Dissolved oxygen, <i>E. coli</i> , pH, SSC, total dissolved solids, biocriteria, bottom deposits

### **Data Gaps and Monitoring Needs**

Exceedances Needing More Samples to Assess	
Missing Core Parameters	None
Missing Seasonal Distribution	None
Lab Detection Limits Not Low Enough	Seleniur

Priority	Μ
Medium	Collect more E. coli samples due to the

Verde River Watershed Assessments - 56





## FC - Attaining • FBC - Inconclusive • AGL - Attaining AWW - Attaining

### **Exceedances**

m, mercury (dissolved)

### Monitoring Recommendations

e exceedance.



LAUGHTERHO	USE	GUL	.CH
Headwaters - Granite Creek			
15060202-777			

Category 4A Not attaining

Priority	M
Medium	Continue effectiveness monitoring for a implement channel restoration and we

Not attaining for E. coli. Although the reach does not meet a minimum sample requirement for storm-related E. coli impairment (a minimum of 10 samples in the assessment period), the reach is listed based on a weight-of-evidence approach: - The reach is a tributary to Granite Creek, which is already impaired for E. coli, and - Intensive monitoring for Granite Creek and its tributaries identified E. coli to be a watershed-wide water quality problem.

The reach is included in the Upper Granite Creek Watershed E. coli TMDL (completed in 2015).

# **E.** coli (2016) **ENT**

# FC - Inconclusive • FBC - Not Attaining • AWW - Inconclusive

### **Exceedances**

Parameter	Applicable Standard	Date	Result	Designated use support comments
E. coli	235 cfu/100 mL	8/29/2013	3629.4 cfu/100 mL	FBC is not attaining with 3 exceed- ances in 3 samples. All exceedances were storm-related. See Impairment
		11/22/2013	2851 cfu/100 mL	
		8/13/2014	588 cfu/100 mL	discussion below.

# onitoring Summary Sampling period: 8/29/2013 - 8/13/2014

1.177 Miles

Site Name(s)	Site ID #	DEQ #	Sampling Agency	Purpose
AT MOUNTAIN HOLLOW DRIVE	VRSHG000.77	107564	ADEQ	TMDL Monitoring
ABV GRANITE CREEK	VRSHG000.13	111036	ADEQ	TMDL Monitoring

Metal Samples	Nutrients & Related Samples	Other Samples	
		(1-4) Dissolved oxygen, <i>E. coli</i> , pH, total dissolved solids	

### **Data Gaps and Monitoring Needs**

Exceedances Needing More Samples to Assess	None
Missing Core Parameters	Zinc (dissolved), dissolved oxygen, pH, nitrogen, phosphorus, cadmium (dissolved), copper (dissolved), mercury (or mercury in fish tissue)
Missing Seasonal Distribution	Zinc (dissolved), dissolved oxygen, pH, nitrogen, phosphorus, cadmium (dissolved), copper (dissolved), <i>E. coli</i> , mercury
Lab Detection Limits Not Low Enough	None

### **Nonitoring Recommendations**

E. coli. Prescott Creeks is currently funded by a 319(h) grant to etland protection (grant contract # EV16-0002).

Verde

### Impairment Discussion



	<b>PRING CREEK</b>	(SPN)
	Coffee Creek - Oak Creek	(/
,	15060202-022	
	6.446 Miles	

Category 4A Not attaining

Priority	Ν
High	Continue effectiveness monitoring for during an assessment period.

Oak Creek E. coli TMDL, expanded to include this reach, was approved by EPA in late 2010. Ongoing water quality improvements being implemented through a 319(h) grant to Oak Creek Watershed Council.



FC - Inconclusive • FBC - Not Attaining • AGI - Inconclusive AGL - Inconclusive • AWW - Inconclusive

### **Exceedances**

Parameter	Applicable Standard	Date	Result	Designated use support comments
	8/24/2011		FBC remains not-attaining. Insufficient	
E. coli	<i>E. coli</i> 235 cfu/100 mL	9/16/2011		number of samples in the last 3 years of monitoring.

# onitoring Summary Sampling period: 7/11/2011 - 8/22/2012

Site Name(s)	Site ID #	DEQ #	Sampling Agency	Purpose
AT MOUTH	VRSPN000.01	109628	OCWIC	
ABOVE WWT POND	VRSPN000.40	109622	OCWIC	

Metal Samples	Nutrients & Related Samples	Other Samples
	(4) Ammonia, nitrate, nitrite, phosphorus	(1-9) <i>E. coli</i> , pH, total dissolved solids

### **Data Gaps and Monitoring Needs**

Exceedances Needing More Samples to Assess	None
Missing Core Parameters	Zinc (dissolved), dissolved oxygen, nitrogen, cadmium (dissolved), copper (dissolved), boron, manganese, copper, lead, mercury (or mercury in fish tissue)
Missing Seasonal Distribution	Zinc (dissolved), dissolved oxygen, pH, nitrogen, phosphorus, cadmium (dissolved), copper (dissolved), <i>E. coli</i> , boron, manganese, copper, lead, mercury
Lab Detection Limits Not Low Enough	None

### Monitoring Recommendations

E. coli. Collect core parameters to represent at least 3 seasons



Impairment Discussion



**Category 4A** Not attaining

# High pH and low dissolved oxygen (1998)

FC - Inconclusive • FBC - Not Attaining • AGI - Not Attaining AGL - Not Attaining • AWC - Not Attaining

### **No Exceedances**

### onitoring Summary

Sampling period: No samples

Site Name(s)	Site ID #	DEQ #	Sampling Agency	Purpose
N/A				

Metal Samples	Nutrients & Related Samples	Other Samples
(0) None	(0) None	(0) None


### **Data Gaps and Monitoring Needs**

Exceedances Needing More Samples to Assess	None
Missing Core Parameters	All core parameters
Missing Seasonal Distribution	All core parameters
Lab Detection Limits Not Low Enough	N/A

Priority	Monitoring Recommendations
Medium	Collect samples during critical conditions to determine the effectiveness of watershed improvements to reduce nutrient loadings.

**Impairment Discussion** 

Remains not-attaining for high pH and low DO (1998). TMDL completed in 2001.







Sampling period: 3/30/2011 - 9/11/2012

Site Name(s)	Site ID #	DEQ #	Sampling Agency	Purpose
JUST BELOW UNNAMED SPRINGS	VRSYE000.95	108725	ADEQ	TMDL Monitoring

Metal Samples	Nutrients & Related Samples	Other Samples
(1-2) Antimony, arsenic, beryllium, boron, cadmi- um, chromium, copper, lead, manganese, mer- cury, selenium, zinc	(1) Ammonia, nitrite/nitrate, nitrogen, phosphorus, total Kjeldahl nitrogen	(1-2) Dissolved oxygen, <i>E. coli</i> , pH, total dissolved solids

### **Data Gaps and Monitoring Needs**

Exceedances Needing More Samples to Assess	None
Missing Core Parameters	Zinc (dissolved), dissolved oxygen, pH, nitrogen, phosphorus, cadmium (dissolved), copper (dissolved), <i>E. coli</i> , mercury
Missing Seasonal Distribution	Zinc (dissolved), dissolved oxygen, pH, nitrogen, phosphorus, cadmium (dissolved), copper (dissolved), <i>E. coli</i> , mercury
Lab Detection Limits Not Low Enough	Mercury (dissolved)

Priority	M
Low	Collect core parameters to represent at



### **No Exceedances**

### Monitoring Recommendations

at least 3 seasons during an assessment period.



YCAMORE CREEK (SYN	ſ
Headwaters - Verde River	
15060203-002	

**Category 3** Inconclusive YCAMORE CREEK (SYW) Cedar Creek - Verde River 15060202-026 11.696 Miles

FC - Inconclusive • FBC - Inconclusive • AGI - Inconclusive AGL - Inconclusive • AWW - Inconclusive

### **No Exceedances**

# onitoring Summary

34.629 Miles

Sampling period: 3/14/2011 - 3/14/2011

Site Name(s)	Site ID #	DEQ #	Sampling Agency	Purpose
BELOW LOG CORRAL CANYON	VRSYM021.25	100659	ADEQ	Ambient Monitoring


Metal Samples	Nutrients & Related Samples	Other Samples
(1) Antimony, arsenic, beryllium, boron, cadmium, chromium, copper, lead, manganese, mercury, selenium, zinc		(1) Dissolved oxygen, <i>E. coli</i> , pH, total dissolved solids

### **Data Gaps and Monitoring Needs**

Exceedances Needing More Samples to Assess	None
Missing Core Parameters	Zinc (dissolved), dissolved oxygen, pH, cadmium (dissolved), copper (dissolved), <i>E. coli</i> , boron, manganese, copper, lead, mercury (or mercury in fish tissue)
Missing Seasonal Distribution	Zinc (dissolved), dissolved oxygen, pH, cadmium (dissolved), copper (dissolved), <i>E. coli</i> , boron, manganese, copper, lead, mercury
Lab Detection Limits Not Low Enough	Mercury (dissolved)

Priority	Monitoring Recommendations	
Low	Collect core parameters to represent at least 3 seasons during an assessment period.	





Sampling period: 8/27/2012 - 4/22/2013

Site Name(s)	Site ID #	DEQ #	Sampling Agency	Purpose
ABOVE SUMMERS SPRING	VRSYW001.72	100199	ADEQ	Ambient Monitoring

Metal Samples	Nutrients & Related Samples	Other Samples
(4) Antimony, arsenic, beryllium, boron, cadmium, chromium, copper, lead, manganese, mercury, selenium, zinc		(1-4) Dissolved oxygen, <i>E. coli</i> , pH, SSC, total dissolved solids, biocriteria, bottom deposits

### **Data Gaps and Monitoring Needs**

Exceedances Needing More Samples to Assess	None
Missing Core Parameters	None
Missing Seasonal Distribution	None
Lab Detection Limits Not Low Enough	Seleniur

Priority		Μ
Low	Good core parameter coverage.	





## FC - Attaining • FBC - Attaining • AGI - Attaining AGL - Attaining • AWW - Attaining

### **No Exceedances**

m, mercury (dissolved)

### Monitoring Recommendations



# NNAMED TRIB TO GRANITE CR Headwaters - Granite Creek

Category 4A Not attaining

Priority	N
Medium	Continue effectiveness monitoring for

P.E. coli (2016) ENT

# FC - Inconclusive • FBC - Not Attaining • AWC - Inconclusive

### **Exceedances**

Parameter	Applicable Standard	Date	Result	Designated use support comments
		8/29/2013	3629.4 cfu/100 mL	FBC is not attaining with 3 exceed- ances in 3 samples. All exceedances
E. coli	235 cfu/100 mL	11/22/2013	1046 cfu/100 mL	were storm-related. See Impairment discussion below.
		8/13/2014	1529 cfu/100 mL	

# onitoring Summary Sampling period: 8/29/2013 - 8/13/2014

15060202-3333

2.5 Miles

Site Name(s)	Site ID #	DEQ #	Sampling Agency	Purpose
AT EZ ST	VRACW0.2592	111077	ADEQ	TMDL Monitoring
ABV MOELLER ST	VRACW0.5683	111095	ADEQ	TMDL Monitoring

Metal Samples	Nutrients & Related Samples	Other Samples
	(2) Ammonia, nitrite/nitrate, nitrogen, phosphorus, total Kjeldahl nitrogen	(3) E. coli

### **Data Gaps and Monitoring Needs**

Exceedances Needing More Samples to Assess	None
Missing Core Parameters	Zinc (dissolved), dissolved oxygen, pH, nitrogen, phosphorus, cadmium (dissolved), copper (dissolved), mercury (or mercury in fish tissue)
Missing Seasonal Distribution	Zinc (dissolved), dissolved oxygen, pH, nitrogen, phosphorus, cadmium (dissolved), copper (dissolved), <i>E. coli</i> , mercury
Lab Detection Limits Not Low Enough	None

Impairn
Not attaining for E. coli. Although the reach does not mee
ment (a minimum of 10 samples in the assessment per
- The reach is a tributary to Granite Cr
- Intensive monitoring for Granite Creek and its tributarie

Not

et a minimum sample requirement for storm-related E. coli impairiod), the reach is listed based on a weight-of-evidence approach: reek, which is already impaired for E. coli, and es identified *E. coli* to be a watershed-wide water quality problem. The reach is included in the Upper Granite Creek Watershed E. coli TMDL (completed in 2015).

E. coli.



### nent Discussion



# **NNAMED TRIB TO UGC** Headwaters - Unnamed Tributary to Granite Creek (UGC)

15060202-3313 2.0 Miles

**Category 4A** Not attaining

Priority	M
Medium	Continue effectiveness monitoring for

Not attaining for E. coli. Although the reach does not meet a minimum sample requirement for storm-related E. coli impairment (a minimum of 10 samples in the assessment period), the reach is listed based on a weight-of-evidence approach: - The reach is a tributary to Granite Creek, which is already impaired for E. coli, and - Intensive monitoring for Granite Creek and its tributaries identified E. coli to be a watershed-wide water quality problem. The reach is included in the Upper Granite Creek Watershed E. coli TMDL (completed in 2015).

FC - Inconclusive • FBC - Not Attaining • AWC - Inconclusive

**E.** coli (2016) **ENT** 

### **Exceedances**

Parameter	Applicable Standard	Date	Result	Designated use support comments
	8/29/2013	3629.4 cfu/100 mL	FBC is not attaining with 3 exceed- ances in 3 samples. All exceedances	
E. coli	<i>E. coli</i> 235 cfu/100 mL	11/22/2013	11199 cfu/100 mL	were storm-related. See Impairment discussion below.
	8/13/2014	1616 cfu/100 mL		

# onitoring Summary Sampling period: 8/29/2013 - 8/13/2014

Site Name(s)	Site ID #	DEQ #	Sampling Agency	Purpose
ABV WHITLOW ST	VRACE0.1002	111076	ADEQ	TMDL Monitoring
BELOW ACKER PARK	VRACE1.2473	111075	ADEQ	TMDL Monitoring

Metal Samples	Nutrients & Related Samples	Other Samples
	(2) Ammonia, nitrite/nitrate, nitrogen, phosphorus, total Kjeldahl nitrogen	(3) E. coli

### **Data Gaps and Monitoring Needs**


Exceedances Needing More Samples to Assess	None
Missing Core Parameters	Zinc (dissolved), dissolved oxygen, pH, nitrogen, phosphorus, cadmium (dissolved), copper (dissolved), mercury (or mercury in fish tissue)
Missing Seasonal Distribution	Zinc (dissolved), dissolved oxygen, pH, nitrogen, phosphorus, cadmium (dissolved), copper (dissolved), <i>E. coli</i> , mercury
Lab Detection Limits Not Low Enough	None

E. coli.



### Impairment Discussion





## FC - Inconclusive • FBC - Attaining • AGI - Inconclusive AGL - Inconclusive • AWW - Inconclusive

Category 2

Attaining some uses

### Exceedances

Parameter	Applicable Standard	Date	Result	Designated use support comments
	6/18/2011	32 ug/L	FBC is attaining with 2 exceedances in 13	
Arsenic	Arsenic 30 ug/L	4/28/2012	31 ug/L	samples (binomial).
Dissolved	Dissolved 6.0 mg/l	7/7/2012	5.3 mg/L	AWW is attaining with 2 exceedances in
oxygen 6.0 mg/L	9/15/2012	5.5 mg/L	13 samples (binomial).	

## onitoring Summary

Sampling period: 8/21/2010 - 8/23/2013

Site Name(s)	Site ID #	DEQ #	Sampling Agency	Purpose
BELOW PERKINSVILLE BRIDGE	VRVER164.63	100487	SIER	Data Sharing Partnership
AT MORMON POCKET, USGS 345324112082000	VRVER157.28	110163	USGS	Data Sharing Partnership

Metal Samples	Nutrients & Related Samples	Other Samples
		(13-14) Dissolved oxygen, <i>E. coli</i> , pH, SSC, total dissolved solids

### **Data Gaps and Monitoring Needs**

Exceedances Needing More Samples to Assess	None
Missing Core Parameters	Zinc (dissolved), cadmium (dissolved), copper (dissolved), boron, manga- nese, copper, lead, mercury (or mercury in fish tissue)
Missing Seasonal Distribution	Zinc (dissolved), cadmium (dissolved), copper (dissolved), boron, manga- nese, copper, lead, mercury
Lab Detection Limits Not Low Enough	None

### Monitoring Recommendations

Collect core parameters to represent at least 3 seasons during an assessment period.









## **No Exceedances**

## onitoring Summary

Sampling period: 2/2/2011 - 2/3/2011

Site Name(s)	Site ID #	DEQ #	Sampling Agency	Purpose
0.25 MILE BELOW STA- TION 095055.50	VRVER112.88	104139	USGS	Data Sharing Partnership
ABOVE DAMND S FINAL WASTE NEAR CAMP VERDE, AZ.	VRVER108.95	104120	USGS	Data Sharing Partnership

Nutrients & Related Samples	Other Samples	
(0) None	(2) Dissolved oxygen, pH	

## **Data Gaps and Monitoring Needs**

Exceedances Needing More Samples to Assess	None
Missing Core Parameters	Zinc (dissolved), dissolved oxygen, pH, nitrogen, phosphorus, cadmium (dissolved), copper (dissolved), <i>E. coli</i> , boron, manganese, copper, lead, mercury (or mercury in fish tissue)
Missing Seasonal Distribution	Zinc (dissolved), dissolved oxygen, pH, nitrogen, phosphorus, cadmium (dissolved), copper (dissolved), <i>E. coli</i> , boron, manganese, copper, lead, mercury
Lab Detection Limits Not Low Enough	None

Priority	Monitoring Recommendations
Low	Collect core parameters to represent at least 3 seasons during an assessment period.

V	15060203-004 6.595 Miles
_	

**ERDE RIVER** 



DWS - Impaired • FC - Attaining • FBC - Attaining AGI - Attaining • AGL - Attaining • AWW - Attaining

Parameter	Applicable Standard	Date	Result	Designated use support comments
		9/8/2010	10.7 ug/L	DWS remains impaired with 54 exceed-
		10/11/2010	<b>12</b> ug/L	ances in 57 samples (binomial).
		11/8/2010	10.9 ug/L	7
		12/2/2010	<b>11.1</b> ug/L	7
		12/13/2010	10.4 ug/L	7
		1/10/2011	<b>12</b> ug/L	
		2/14/2011	<b>11.1</b> ug/L	
		3/15/2011	<b>11</b> ug/L	
		3/22/2011	10.9 ug/L	7
		5/16/2011	12.3 ug/L	7
		6/13/2011	13.6 ug/L	7
A	10	6/24/2011	<b>12.8</b> ug/L	7
Arsenic	Arsenic 10 ug/L	7/19/2011	13.8 ug/L	7
	8/18/2011	15.3 ug/L	7	
		9/7/2011	15.1 ug/L	7
		10/10/2011	15 ug/L	7
		11/14/2011	16.8 ug/L	7
		12/6/2011	16.9 ug/L	
		12/12/2011	16.7 ug/L	
		1/16/2012	16.2 ug/L	
		2/13/2012	15.1 ug/L	]
		3/8/2012	14.6 ug/L	7
		3/15/2012	14.9 ug/L	7
		4/16/2012	14.3 ug/L	7





## **Exceedances**

Parameter	Applicable Standard	Date	Result	Designated use support comments
		5/22/2012	15.5 ug/L	Continued
		6/7/2012	14.5 ug/L	
		6/11/2012	15.1 ug/L	
		7/16/2012	<b>1</b> 7 ug/L	
		8/14/2012	17.2 ug/L	
		9/12/2012	18.4 ug/L	
		10/15/2012	<b>21</b> ug/L	
		11/12/2012	23 ug/L	
		12/17/2012	20 ug/L	
		12/27/2012	<b>18.4</b> ug/L	
		1/21/2013	19 ug/L	
		2/11/2013	<b>19.1</b> ug/L	
		3/6/2013	<b>17.1</b> ug/L	
		3/11/2013	17.8 ug/L	
Arsenic	10 ug/L	4/15/2013	<b>18.8</b> ug/L	
(Continued)		5/15/2013	<b>15.1</b> ug/L	
		6/10/2013	15.8 ug/L	
		7/15/2013	14.9 ug/L	
		8/8/2013	<b>14.4</b> ug/L	
		8/12/2013	14.7 ug/L	
		9/16/2013	13.8 ug/L	
		10/14/2013	<b>12.4</b> ug/L	
		11/11/2013	16.4 ug/L	
		12/16/2013	15.2 ug/L	
		1/13/2014	13.8 ug/L	
		2/10/2014	13.9 ug/L	
		3/12/2014	13.9 ug/L	
		6/12/2014	15.7 ug/L	
		8/21/2014	15.5 ug/L	
		11/20/2014	<b>18.1</b> ug/L	

# Sampling period: 7/12/2010 - 11/20/2014

Site Name(s)	Site ID #	DEQ #	Sampling Agency	Purpose
BELOW BARTLETT LAKE	VRVER024.22	103133	SRP	Data Sharing Partnership
BELOW BARTLETT DAM USGS 09510000	VRVER022.53	100741	USGS	Ambient Monitoring

Metal Samples	Nutrients & Related Samples	Other Samples
(45-62) Antimony, arsenic, barium, beryllium, boron, cadmium, chromium, copper, lead, manga- nese, mercury, nickel, selenium, silver, thallium, zinc	(17-62) Nitrate, nitrite, nitrite/ nitrate, nitrogen, phosphorus, total Kjeldahl nitrogen	(1-62) Dissolved oxygen, <i>E. coli</i> , pH, SSC, total dissolved solids, styrene, , tetrachloroethylene, toluene, tri- chlorobenzene, 111-trichloroethane, 112-trichloroethane, trichloroethylene, trihalomethanes, vinylchloride, xylene, tetrachloroethane

## Data Gaps and Monitoring Needs

<b>Exceedances Needing More Samples to Assess</b>	
Missing Core Parameters	None
Missing Seasonal Distribution	None
Lab Detection Limits Not Low Enough	Tetrach

Priority	M
High	Collect more samples in support of TM

m	۱p	a	ir	1



hloroethane

### Monitoring Recommendations MDL development.

### ment Discussion

Remains impaired for arsenic (2010).





FC - Inconclusive • FBC - Inconclusive • AGI - Inconclusive AGL - Inconclusive • AWW - Inconclusive

**No Exceedances** 

## onitoring Summary

Sampling period: 2/2/2011 - 10/16/2014

Site Name(s)	Site ID #	DEQ #	Sampling Agency	Purpose
BELOW BEAVER CREEK NEAR CAMP VERDE, AZ.	VRVER114.78	104157	USGS	Data Sharing Partnership
BLW BEAVER CR SITE 57, USGS 343425111511200	VRVER114.53	110062	USGS	Data Sharing Partnership

Metal Samples	Nutrients & Related Samples	Other Samples
(0) None	(0) None	(1) Dissolved oxygen, pH

## **Data Gaps and Monitoring Needs**

Exceedances Needing More Samples to Assess	None
Missing Core Parameters	Zinc (dissolved), dissolved oxygen, pH, nitrogen, phosphorus, cadmium (dissolved), copper (dissolved), <i>E. coli</i> , boron, manganese, copper, lead, mercury (or mercury in fish tissue)
Missing Seasonal Distribution	Zinc (dissolved), dissolved oxygen, pH, nitrogen, phosphorus, cadmium (dissolved), copper (dissolved), <i>E. coli</i> , boron, manganese, copper, lead, mercury
Lab Detection Limits Not Low Enough	None

Priority	Monitoring Recommendations
Low	Collect core parameters to represent at least 3 seasons during an assessment period.

Parameter	Applicable Standard	Date	Result	Designated use support comments
Arsenic	30 ug/L	4/28/2012	33 ug/L	FBC is attaining with 1 exceedance in 13 samples.
		2/26/2011	4.7 mg/L	AWW is inconclusive with 7 exceedances
	Dissolved 6.0 mg/L	6/18/2011	3.6 mg/L	in 12 samples (binomial).
		9/17/2011	4.9 mg/L	
		12/10/2011	3.7 mg/L	
oxygon		9/15/2012	5.2 mg/L	
		11/10/2012	4.1 mg/L	
		12/8/2012	5.3 mg/L	
E. coli	235 cfu/100 ml	9/17/2011	579 cfu/100 mL	FBC is inconclusive with 1 exceedance outside the assessment window (last 3 years of monitoring).

## onitoring Summary

Sampling period: 8/21/2010 - 10/16/2014

Site Name(s)	Site ID #	DEQ #	Sampling Agency	Purpose
BELOW GRANITE CREEK USGS	VRVER187.15	101556	SIER	Data Sharing Partnership

Metal Samples	Nutrients & Related Samples	Other Samples
		(12-27) Dissolved oxygen, <i>E. coli</i> , pH, SSC, total dissolved solids



## FC - Inconclusive • FBC - Inconclusive • AGI - Inconclusive AGL - Inconclusive • AWW - Inconclusive

## **Exceedances**



lerde	Data Gaps and Monitoring N	leeds
Z	Exceedances Needing More Samples to Assess	Dissolved oxygen, E. coli
Ve	Missing Core Parameters	Zinc (dissolved), cadmium (dissolved), copper (dissolved), boron, manga- nese, copper, lead, mercury (or mercury in fish tissue)
	Missing Seasonal Distribution	Zinc (dissolved), cadmium (dissolved), copper (dissolved), boron, manga- nese, copper, lead, mercury
	Lab Detection Limits Not Low Enough	None

Priority	Monitoring Recommendations
Medium	Collect more dissolved oxygen and <i>E. coli</i> samples due to the exceedances. Collect core parameters to represent at least 3 seasons during an assessment period.



## FC - Attaining • FBC - Inconclusive • AGI - Attaining AGL - Inconclusive • AWW - Inconclusive

Parameter	Applicable Standard	Date	Result	Designated use support comments
Dissolved oxygen	6.0 mg/L	8/27/2012	4.9 mg/L	AWW is inconclusive with 1 exceedance in 8 samples.
рН	6.5 SU	11/16/2010	6.28 SU	AGL, AWW and FBC are inconclusive with 1 exceedance in 8 samples.

## onitoring Summary

Sampling period: 9/29/2010 - 8/23/2013

Site Name(s)	Site ID #	DEQ #	Sampling Agency	Purpose
ABOVE PERKINSVILLE BRIDGE	VRVER165.07	100672	ADEQ	Ambient Monitoring

Metal Samples	Nutrients & Related Samples	Other Samples
(8) Antimony, arsenic, beryllium, boron, cadmium, chromium, copper, lead, manganese, mercury, selenium, zinc		(1-8) Dissolved oxygen, <i>E. coli</i> , pH, SSC, total dissolved solids, biocriteria, bottom deposits

## **Data Gaps and Monitoring Needs**

Exceedances Needing More Samples to Assess	pH, disse
Missing Core Parameters	None
Missing Seasonal Distribution	None
Lab Detection Limits Not Low Enough	Seleniur

Collect more pH and dissolved oxygen	Priority	M
		Collect more pH and dissolved oxygen s



## **Exceedances**

solved oxygen

im, mercury (dissolved)

### Monitoring Recommendations

samples due to the exceedances.



Category 2 Attaining some uses

Site Name(s)	Site ID #	DEQ #	Sampling Agency	Purpose
AT 1000 TRAILS MOBILE HOME PARK	VRVER127.02	100481	USGS	Data Sharing Partnership
Metal Samples		Nutrients	& Related Samples	Other Samples

Metal Samples	Nutrients & Related Samples	Other Samples
(14) Arsenic		(14-24) Dissolved oxygen, <i>E. coli</i> , pH, SSC, total dissolved solids

## **Data Gaps and Monitoring Needs**

Exceedances Needing More Samples to Assess	None
Missing Core Parameters	Zinc (dissolved), cadmium (dissolved), copper (dissolved), boron, manga- nese, copper, lead, mercury (or mercury in fish tissue)
Missing Seasonal Distribution	Zinc (dissolved), cadmium (dissolved), copper (dissolved), boron, manganese, copper, lead, mercury
Lab Detection Limits Not Low Enough	None

Priority	M
Medium	Collect core parameters to represent at <i>E. Coli</i> samples.

## FC - Attaining • FBC - Inconclusive • AGI - Attaining AGL - Attaining • AWW - Inconclusive

## **Exceedances**

Parameter	Applicable Standard	Date	Result	Designated use support comments
Arsenic	30 ug/L	6/18/2011	32 ug/L	FBC is attaining with 1 exceedance in 14 samples (binomial).
Dissolved oxygen	6.0 mg/L	2/18/2012	4.6 mg/L	AWW is attaining. Only one of 16 samples exceeded (binomial).
E colli	225 of 1/400 ml	9/17/2011	687 cfu/100 mL	FBC is inconclusive. Storm event.
E. coli	235 cfu/100 ml	7/13/2013	517 cfu/100 mL	
SSC	80 mg/L	9/17/2011	236.6 mg/L	AWW is attaining. No median exceed- ances.

## onitoring Summary

Sampling period: 9/18/2010 - 10/26/2013

Site Name(s)	Site ID #	DEQ #	Sampling Agency	Purpose
ABOVE BEAVER CREEK NEAR CAMP VERDE, AZ.	VRVER115.33	104144	SIER	Data Sharing Partnership
BELOW OK DITCH TURN OUT NEAR CORNVILLE, AZ.	VRVER124.79	104160	USGS	Data Sharing Partnership
DS OF HAYFIELD DRAW SITE 44A, USGS 343818111553000	VRVER123.65	110066	USGS	Data Sharing Partnership
DS VERDE DITCH SITE 47N, USGS 343626111523700	VRVER118.26	110064	USGS	Data Sharing Partnership
DS FORD SITE 46A, USGS 343722111535900	VRVER120.80	110065	USGS	Data Sharing Partnership
ABOVE I-17 BRIDGE, CAMP VERDE, AZ	VRVER117.07	100484	USGS	Data Sharing Partnership
ABV EUREKA DITCH RETURN FLOW SITE 54, USGS 343431111515700	VRVER115.29	110063	USGS	Data Sharing Partnership

### Monitoring Recommendations

at least 3 seasons during an assessment period. Collect additional



Category 5

## onitoring Summary

Sampling period: 8/25/2010 - 10/14/2014

Site Name(s)	Site ID #	DEQ #	Sampling Agency	Purpose
ABOVE BRIDGE, BRIDGE- PORT, AZ	VRVER134.11	101828	SIER	Data Sharing Partnership
ABOUT 0.25MI US 89A BRIDGE SITE 31, USGS 344327111592900	VRVER133.83	110166	SIER	Data Sharing Partnership
AT REITZ PROPERTY	VRVER145.93	106079	SIER	Data Sharing Partnership
NEAR CLARKDALE, AZ USGS 09504000	VRVER150.65	100738	USGS	Ambient Monitoring
AT BLACK MESA TANK DELTA 1.3 MI US OAK CR, USGS	VRVER128.90	110068	USGS	Data Sharing Partnership
BELOW MINGUS BRIDGE SITE 28, USGS 344420111595500	VRVER135.01	110072	USGS	Data Sharing Partnership
ABOVE QUAIL CR SITE 21, USGS 344504112005600	VRVER136.93	110104	USGS	Data Sharing Partnership
ABOVE MOUTH OF SPRING WASH GULCH SITE 29, USGS	VRVER134.74	110071	USGS	Data Sharing Partnership
1.5 MI DS GAGE 09504000 SITE 3, USGS 345004112025400	VRVER148.22	110142	USGS	Data Sharing Partnership
BELOW COTTONWOOD RF 1&2 SITE 24, USGS 344458112003100	VRVER136.57	110073	USGS	Data Sharing Partnership
ABOVE COTTON- WOOD DITCH RF1&2 SITE 23, USGS 344458112003300	VRVER136.60	110074	USGS	Data Sharing Partnership
ABOVE HICKEY DITCH RF SITE 25A, USGS 344504112000300	VRVER136.05	110103	USGS	Data Sharing Partnership
BELOW COTTONWOOD DITCH SITE 15, USGS 344558112013600	VRVER139.37	110105	USGS	Data Sharing Partnership
BELOW DEAD HORSE STATE PARK USGS	VRVER137.53	101545	ADEQ	Ambient Monitoring
AT HEAD OF 2ND BEND BLW END CTWD SITE 36, USGS	VRVER130.84	110069	USGS	Data Sharing Partnership
BELOW COTTONWOOD, AZ	VRVER132.59	100483	USGS	Data Sharing Partnership
500FT ABV END OF COT- TONWOOD DITCH SITE 33, USGS	VRVER132.62	110070	USGS	Data Sharing Partnership

# Add dissolved oxygen and E. coli to the 303(d) list.

FC - Attaining • FBC - Impaired • AGI - Attaining AGL - Attaining • AWW - Impaired

## Exceedances

Parameter	Applicable Standard	Date	Result	Designated use support comments
		12/1/2010	5 mg/L	AWW is impaired with 7 exceedances in
		2/18/2012	3.3 mg/L	35 samples (binomial).
Dissolved oxygen		5/8/2012	3.3 mg/L	
	6.0 mg/L	7/7/2012	4.9 mg/L	
		8/13/2012	5.6 mg/L	
		8/27/2012	5.13 mg/L	
		11/10/2012	5.8 mg/L	
	9/18/2010	248 cfu/100 mL	FBC is impaired. All exceedances in the	
	E. coli 235 cfu/100 mL	2/16/2011	380 cfu/100 mL	past 3 years were storm related, but the exceedance rate in the assessment period was greater than 10% (9 exceed ances in 39 samples).
		6/18/2011	435 cfu/100 mL	
		9/17/2011	613 cfu/100 mL	
E. coli		4/28/2012	1414 cfu/100 mL	
		8/27/2012	387.3 cfu/100 mL	
		5/11/2013	517 cfu/100 mL	
		7/13/2013	921 cfu/100 mL	
		8/27/2013	2200 cfu/100 mL	
Lead	15 ug/L	8/27/2012	22 ug/L	FBC is attaining with 1 exceedance in 21 sample (binomial).
SSC	80 mg/L	8/27/2012	260 mg/L	AWW is attaining. The exceedance on 8/27/12 occurred within 48 hours of a
330	550 80 mg/ L	8/28/2014	135 mg/L	storm event. No median exceedance.





Site Name(s)	Site ID #	DEQ #	Sampling Agency	Purpose
ABOUT 0.7MI US MOUTH OF OAK CR SITE38B, USGS 344026111565000	VRVER127.47	110067	USGS	Data Sharing Partnership
IN COTTONWOOD SOUTH OF BROZWICH PLACE	VRVER129.75	109182	ADEQ	Ambient Monitoring
AT TUZIGOOT BRIDGE USGS	VRVER139.99	101546	SIER	Data Sharing Partnership

Metal Samples	Nutrients & Related Samples	Other Samples
boron, cadmium, chromium, copper, lead, manga-	nitrite/nitrate, nitrogen, phos-	(1-84) Dissolved oxygen, <i>E. coli</i> , pH, SSC, total dissolved solids, biocriteria, bottom deposits

## **Data Gaps and Monitoring Needs**

Exceedances Needing More Samples to Assess	None
Missing Core Parameters	None
Missing Seasonal Distribution	None
Lab Detection Limits Not Low Enough	Selenium, mercury (dissolved)

Priority	Monitoring Recommendations
	Collect more samples in support of TMDL development.
High	

**Impairment Discussion** 

Add dissolved oxygen and E. coli to the 303(d) list.



## onitoring Summary

Sampling period: 8/31/2010 - 6/27/2014

Site Name(s)	Site ID #	DEQ #	Sampling Agency	Purpose
BELOW TANGLE CREEK USGS 09508500	VRVER053.21	100740	USGS	Ambient Monitoring

Metal Samples	Nutrients & Related Samples	Other Samples
		(2-15) Dissolved oxygen, <i>E. coli</i> , pH, SSC, total dissolved solids

## **Data Gaps and Monitoring Needs**

Exceedances Needing More Samples to Assess	None
Missing Core Parameters	None
Missing Seasonal Distribution	None
Lab Detection Limits Not Low Enough	None

Priority		М
Low	Good core parameter coverage.	



## FC - Attaining • FBC - Attaining • AGI - Attaining AGL - Attaining • AWW - Attaining

## **No Exceedances**

### Monitoring Recommendations





Priority	IV
Medium	Collect more <i>E. coli</i> samples due to the seasons during an assessment period.

## FC - Inconclusive • FBC - Inconclusive • AGI - Inconclusive AGL - Inconclusive • AWW - Inconclusive

## Exceedances

Parameter	Applicable Standard	Date	Result	Designated use support comments
E coli	<i>E. coli</i> 235 cfu/100 mL	9/17/2011	345 cfu/100 mL	FBC is inconclusive with 1 exceedance in the last 3 years of monitoring.
E. COII		7/13/2013	1970 cfu/100 mL	
022	SSC 80 mg/L	9/17/2011	203.9 mg/L	AWW is attaining with no median exceed-
550		4/28/2012	139.2 mg/L	ances.

## onitoring Summary

Sampling period: 9/18/2010 - 10/15/2014

Site Name(s)	Site ID #	DEQ #	Sampling Agency	Purpose
AT BEASLEY FLAT	VRVER103.60	100477	SIER	Data Sharing Partnership
BEASLEY FLAT BELOW CAMP VERDE	VRVER103.19	106122	SIER	Data Sharing Partnership
ABOVE THE FALLS NEAR CAMP VERDE, AZ.	VRVER101.15	104145	ADEQ	Ambient Monitoring

Metal Samples	Nutrients & Related Samples	Other Samples
		(22-31) Dissolved oxygen, <i>E. coli</i> , pH, SSC, total dissolved solids

## Data Gaps and Monitoring Needs

Exceedances Needing More Samples to Assess	E. coli
Missing Core Parameters	Zinc (dissolved), cadmium (dissolved), copper (dissolved), boron, manga- nese, copper, lead, mercury (or mercury in fish tissue)
Missing Seasonal Distribution	Zinc (dissolved), cadmium (dissolved), copper (dissolved), boron, manganese, copper, lead, mercury
Lab Detection Limits Not Low Enough	None


### Monitoring Recommendations

he exceedance. Collect core parameters to represent at least 3 d.





Category 2 Attaining some uses



## FC - Attaining • FBC - Inconclusive • AGI - Attaining AGL - Attaining • AWW - Inconclusive

## **Exceedances**

Parameter	Applicable Standard	Date	Result	Designated use support comments
Selenium	2 ug/L	3/11/2013	6.07 ug/L	AWW is inconclusive with 1 exceedance in 45 samples.

## onitoring Summary

Sampling period: 7/12/2010 - 3/10/2014


Site Name(s)	Site ID #	DEQ #	Sampling Agency	Purpose
ABOVE HORSESHOE RESERVOIR	VRVER054.62	103408	SRP	Ambient Monitoring

Metal Samples	Nutrients & Related Samples	Other Samples
(45) Antimony, arsenic, barium, beryllium, boron, cadmium, chromium, copper, lead, manganese, mercury, nickel, selenium, silver, thallium, zinc		(1-45) pH, total dissolved solids, styrene, , tetrachloroethane, tetrachlo- roethylene, toluene, trichlorobenzene, 111-trichloroethane, 112-trichloroeth- ane, trichloroethylene, trihalometh- anes, vinylchloride, xylene

## **Data Gaps and Monitoring Needs**

Exceedances Needing More Samples to Assess	Selenium
Missing Core Parameters	Zinc (dissolved), dissolved oxygen, nitrogen, cadmium (dissolved), copper (dissolved), <i>E. coli</i>
Missing Seasonal Distribution	Zinc (dissolved), dissolved oxygen, nitrogen, cadmium (dissolved), copper (dissolved), <i>E. coli</i>
Lab Detection Limits Not Low Enough	None

Priority	Monitoring Recommendations
	Collect more selenium samples due to the exceedance. Collect core parameters to represent at least 3 seasons during an assessment period.



Sampling period: 7/20/2010 - 4/25/2011

Site Name(s)	Site ID #	DEQ #	Sampling Agency	Purpose
BELOW FOREST SERVICE ROAD 618	VRWLK000.99	108382	ADEQ	Ambient Monitoring

Metal Samples	Nutrients & Related Samples	Other Samples	
(4) Antimony, arsenic, beryllium, boron, cadmium, chromium, copper, lead, manganese, mercury, selenium, zinc	(4) Ammonia, nitrite/nitrate, nitrogen, phosphorus, total Kjeldahl nitrogen	(4) Dissolved oxygen, <i>E. coli</i> , pH, total dissolved solids	

## **Data Gaps and Monitoring Needs**

Exceedances Needing More Samples to Assess	None
Missing Core Parameters	None
Missing Seasonal Distribution	None
Lab Detection Limits Not Low Enough	None

Priority		Μ
Low	Good core parameter coverage.	



## FC - Attaining • FBC - Attaining • AGI - Attaining AGL - Attaining • AWW - Attaining

## **No Exceedances**

### Monitoring Recommendations



Category 4A Not attaining

# Nitrogen, low dissolved oxygen and high pH (EPA 2004)

FC - Inconclusive • FBC - Not Attaining • AGI - Not Attaining AGL - Not Attaining • AWW - Not Attaining

## **Exceedances**

Parameter	Applicable Standard	Date	Result	Designated use support comments
		9/14/2011	3.66 mg/L	AWW is not attaining with 4 exceedances
Dissolved	6.0 mg/l	9/20/2011	4.6 mg/L	in 17 samples (binomial).
oxygen	6.0 mg/L	7/30/2013	1.86 mg/L	
		9/11/2014	4.68 mg/L	
Mercury (dissolved)	0.01 ug/L	8/31/2010	0.09 ug/L	AWW chronic is inconclusive. Note: This is an estimated value below the reporting limit.
		6/16/2011	9.5 SU	AGI, AGL, FBC and AWW remain not
рН	9.0 SU	7/20/2011	9.4 SU	attaining. See Impairment Discussion below.
		8/9/2011	9.3 SU	
Total nitro- gen	1.0 mg/L Annual mean	2011	1.1 mg/L	AWW and FBC remain not attaining with 1 annual mean exceedance.

## onitoring Summary

Sampling period: 8/31/2010 - 9/11/2014

Site Name(s)	Site ID #	DEQ #	Sampling Agency	Purpose	
AT DAM	VRWAT-A	101353	ADEQ	Clean Lakes Program	
MID LAKE	VRWAT-B	101354	ADEQ	TMDL Monitoring	
SOUTH END	VRWAT-SO	102564	ADEQ	TMDL Monitoring	

Metal Samples	Nutrients & Related Samples	Other Samples
(1-19) Antimony, arsenic, beryllium, boron, cadmium, chromium, copper, lead, manganese, mercury, selenium, silver, zinc		(7-45) Dissolved oxygen, <i>E. coli</i> , pH, total dissolved solids

## **Data Gaps and Monitoring Needs**

Exceedances Needing More Samples to Assess	Mercury
Missing Core Parameters	None
Missing Seasonal Distribution	Zinc (dis
	mangar
Lab Detection Limits Not Low Enough	Lead (di

Priority	Μ
High	Collect more dissolved mercury sample

- II	mp	a	r
	I I N	a	

The Watson Lake TMDL approved by EPA in May 2016. Although only 3 out of 17 samples exceeded the pH standard (attaining based on the binomial rule), it will remain on the 303(d) list as it is associated with high nutrient levels in the lake.

y (dissolved)

issolved), cadmium (dissolved), copper (dissolved), E. coli, boron, inese, copper, lead, mercury


Verde

dissolved), mercury (dissolved), selenium

### Monitoring Recommendations

les due to the exceedance.

### ment Discussion









## **Exceedances**

Parameter	Applicable Standard	Date	Result	Designated use support comments
E. coli	235 cfu/100 ml	7/20/2010	313 cfu/100 mL	FBC is inconclusive with 1 exceedance outside the assessment window. No data in the last 3 years of assessment period.

## onitoring Summary

ampling period: 7/20/2010 - 5/9/2012

Site Name(s)	Site ID #	DEQ #	Sampling Agency	Purpose
BELOW GERONIMO BOY SCOUT CAMP	VRWEB009.13	100690	ADEQ	Ambient Monitoring

Metal Samples	Nutrients & Related Samples	Other Samples
	(4) Ammonia, nitrite/nitrate, nitrogen, phosphorus, total Kjeldahl nitrogen	(5) Dissolved oxygen, <i>E. coli</i> , pH, total dissolved solids

## **Data Gaps and Monitoring Needs**

Verde River Watershed Assessments - 92

Exceedances Needing More Samples to Assess	E. coli
Missing Core Parameters	None
Missing Seasonal Distribution	None
Lab Detection Limits Not Low Enough	Cadmium (dissolved)

Priority	Monitoring Recommendations
Medium	Collect more <i>E. coli</i> samples due to the exceedance. Use a lower reporting limit for dissolved cadmium.

## onitoring Summary

Sampling period: 3/28/2011 - 3/28/2011

Site Name(s)	Site ID #	DEQ #	Sampling Agency	Purpose
ABOVE CONFLUENCE WITH WEBBER CREEK	VRWES000.03	108742	ADEQ	TMDL - East Verde Project

Metal Samples	Nutrients & Related Samples	Other Samples
(1) Arsenic, boron, manganese, selenium	(0) None	(1) Dissolved oxygen, pH, total dissolved solids

## **Data Gaps and Monitoring Needs**

Exceedances Needing More Samples to Assess	None
Missing Core Parameters	рН, <i>Е.</i> со
Missing Seasonal Distribution	рН, <i>Е.</i> со
Lab Detection Limits Not Low Enough	None

Priority M   Collect core parameters to represent a   Low		
	Priority	M
	Low	Collect core parameters to represent a





## **No Exceedances**

oli, copper, lead oli, copper, lead

Monitoring Recommendations

at least 3 seasons during an assessment period.



Category 1 Attaining all uses



## FC - Attaining • FBC - Attaining • AGI - Attaining AGL - Attaining • AWW - Attaining

## **No Exceedances**

## onitoring Summary

Sampling period: 7/20/2010 - 12/2/2014

Site Name(s)	Site ID #	DEQ #	Sampling Agency	Purpose
ABOVE CONFLUENCE WITH VERDE RIVER	VRWCL000.10	104199	USGS	Data Sharing Partnership
NEAR CAMP VERDE, AZ USGS -0950580	VRWCL010.66	100749	ADEQ	Ambient Monitoring

Metal Samples	Nutrients & Related Samples	Other Samples
(8-9) Antimony, arsenic, beryllium, boron, cadmi- um, chromium, copper, lead, manganese, mer- cury, selenium, zinc	nitrite/nitrate, nitrite/nitrate,	(2-28) Dissolved oxygen, <i>E. coli</i> , pH, SSC, simazine, total dissolved solids, biocriteria, bottom deposits

## **Data Gaps and Monitoring Needs**

Exceedances Needing More Samples to Assess	None
Missing Core Parameters	None
Missing Seasonal Distribution	None
Lab Detection Limits Not Low Enough	Ammonia, selenium, mercury (dissolved)

Priority	Monitoring Recommendations
Low	Good core parameter coverage.



[	Parameter	Applicable Standard	Date	Result	Designated use support comments
	рН	9.0 SU	8/2/2011	9.6 SU	AGL, FBC and AWC are inconclusive with 1 exceedance in 5 samples.

## onitoring Summary

Sampling period: 7/5/2011 - 8/15/2012

Site Name(s)	Site ID #	DEQ #	Sampling Agency	Purpose
ABOVE FOURTH TRAIL CROSSING	VRW0K000.82	100693	OCWIC	

Metal Samples	Nutrients & Related Samples	Other Samples
		(1-5) Dissolved oxygen, <i>E. coli</i> , pH, total dissolved solids

## **Data Gaps and Monitoring Needs**

<b>Exceedances Needing More Samples to Assess</b>	рН
Missing Core Parameters	Zinc (dissolved), dissolved oxygen, nitrogen, cadmium (dissolved), copper (dissolved), copper, lead, mercury (or mercury in fish tissue)
Missing Seasonal Distribution	Zinc (dissolved), dissolved oxygen, pH, nitrogen, phosphorus, cadmium (dissolved), copper (dissolved), <i>E. coli</i> , copper, lead, mercury
Lab Detection Limits Not Low Enough	None

Priority	Μ
Low	Collect more pH samples due to the exponent sons during an assessment period.



## FC - Inconclusive • FBC - Inconclusive • AGL - Inconclusive **AWC** - Inconclusive

## **Exceedances**

### Monitoring Recommendations

xceedance. Collect core parameters to represent at least 3 sea-



Category 2 Attaining some uses



## FC - Attaining • FBC - Inconclusive • AGI - Attaining AGL - Attaining • AWW - Attaining

## **Exceedances**

Parameter	Applicable Standard	Date	Result	Designated use support comments
E. coli	235 cfu/100 mL	7/24/2012	275.5 cfu/100 mL	FBC is inconclusive with 1 exceedance in 4 samples.

## onitoring Summary

Sampling period: 8/20/2010 - 4/22/2013

Site Name(s)	Site ID #	DEQ #	Sampling Agency	Purpose
UPSTREAM OF USGS GAGE NEAR RIMROCK	VRWBV012.56	102468	ADEQ	Ambient Monitoring

Metal Samples	Nutrients & Related Samples	Other Samples
		(4-13) Dissolved oxygen, <i>E. coli</i> , pH, SSC, total dissolved solids

## **Data Gaps and Monitoring Needs**

Exceedances Needing More Samples to Assess	E. coli
Missing Core Parameters	None
Missing Seasonal Distribution	None
Lab Detection Limits Not Low Enough	Copper (dissolved), lead (dissolved), selenium, mercury (dissolved)

Priority	Monitoring Recommendations
Medium	Collect additional <i>E. Coli</i> samples due to exceedance.

## FC - Attaining • FBC - Inconclusive • AGI - Attaining AGL - Attaining • AWW - Inconclusive

Parameter	Applicable Standard	Date	Result	Designated use support comments
		7/24/2012	43 ug/L	FBC is inconclusive with 3 exceedances
Arsenic	30 ug/L	8/15/2012	37 ug/L	in 7 samples (binomial).
		12/5/2012	37 ug/L	
E. coli	235 cfu/100 mL	7/24/2012	2419.6 cfu/100 mL	FBC is inconclusive with 1 exceedance in 7 samples.
SSC	80 mg/L	7/24/2012	620 mg/L	AWW is attaining. Exceedance occurred within 48 hours of storm event and was excluded. No median exceedances.

## onitoring Summary

Sampling period: 7/24/2012 - 4/30/2013

Site Name(s)	Site ID #	DEQ #	Sampling Agency	Purpose
AT MONTEZUMA WELL	VRWBV006.54	100685	ADEQ	Ambient Monitoring
BELOW MONTEZUMA ROAD	VRWBV002.97	105440	ADEQ	Ambient Monitoring

Metal Samples	Nutrients & Related Samples	Other Samples
(8) Antimony, arsenic, beryllium, boron, cadmium, chromium, copper, lead, manganese, mercury, selenium, zinc		(2-8) Dissolved oxygen, <i>E. coli</i> , pH, SSC, total dissolved solids, bottom deposits, biocriteria

## **Data Gaps and Monitoring Needs**

Parameters Needing More Samples to Assess	Biocriter
Missing Core Parameters	None
Missing Seasonal Distribution	None
Lab Detection Limits Not Low Enough	Copper (



### **Exceedances**

ria, arsenic, E. coli

(dissolved), selenium, mercury (dissolved)

01	Priority	Monitoring Recommendations	
Verde		Collect a verification sample for biocriteria (IBI on $4/30/13$ was 40 and inconclusive). Collect additional arsenic and <i>E. Coli</i> samples due to exceedances.	HITEHORSE LAKE 15060202-1630 41 Acres



Site Name(s)	Site ID #	DEQ #	Sampling Agency	Purpose
AT DAM	VRWHH-A	100090	USFS	Data Sharing Partnership

Metal Samples	Nutrients & Related Samples	Other Samples
(0) None	(0) None	(2) Dissolved oxygen, pH

## **Data Gaps and Monitoring Needs**

Exceedances Needing More Samples to Assess	None
Missing Core Parameters	Zinc (diss (dissolve chromiun tissue)
Missing Seasonal Distribution	Zinc (diss (dissolve chromiu
Lab Detection Limits Not Low Enough	None

Priority	M
1 monty	
Collect core parameters to represer	nt at



## DWS - Inconclusive • FC - Inconclusive • FBC - Inconclusive AGI - Inconclusive • AGL - Inconclusive • AWC - Inconclusive

## **No Exceedances**

ssolved), dissolved oxygen, pH, nitrogen, phosphorus, cadmium ed), copper (dissolved), *E. coli*, nitrite/nitrate, fluoride, arsenic, um, lead, boron, manganese, copper, mercury (or mercury in fish

ssolved), dissolved oxygen, pH, nitrogen, phosphorus, cadmium ed), copper (dissolved), E. coli, nitrite/nitrate, fluoride, arsenic, um, lead, boron, manganese, copper, mercury

### Ionitoring Recommendations

at least 3 seasons during an assessment period.



## **ILLOW CREEK RESERVOIR**





## FC - Attaining • FBC - Inconclusive • AGI - Inconclusive AGL - Inconclusive • AWW - Impaired

## **No Exceedances**

## onitoring Summary

15060202-1660

294 Acres

Sampling period: No samples

Site Name(s)	Site ID #	DEQ #	Sampling Agency	Purpose
AT MID LAKE	VRWIC-NLS	105804	ADEQ	Clean Lakes Program

Metal Samples	Nutrients & Related Samples	Other Samples
(0) None	(0) None	(9) Fish tissue mercury

## **Data Gaps and Monitoring Needs**

Exceedances Needing More Samples to Assess	None
Missing Core Parameters	All core parameters except mercury
Missing Seasonal Distribution	All core parameters except mercury
Lab Detection Limits Not Low Enough	N/A

Priority	Monitoring Recommendations
High	Collect more samples to support TMDL development.

Impairment Discussion Remains impaired for ammonia (2012/14).